Air Tools

Pinless I" Hammer Mechanism

A05C063

Features:
• Heavy Duty And Durable： Made of high strength aluminum alloy, special treated anti rust and corrosion finish, makes our are impact wrench gun durable and strong enough to withstand heavy use. Long serving life span, a value maintenance necessity in household garage or repair shop.
• Labor saving air impact design, easy to use with auxiliary handle. Also comes with a 1" Square drive.
• A Portable Tool Kit： Blow molded case keeps the tools organized and easy to transport. Simply put under the seat when not in use.

Specifications:
• Aluminum body appearance paint
• Length 22.5 in.
• Free Speed:4000RPM
• Air Inlet:1/2"NPT
• Max Torque :2800N.M/2065ft/lb
• Working Pressure:90psi 6.3-10kg/cm2
• Air Consumption 10 CFM
• Capacity bolt dia:M45(mm)
• Net weight:12.5kgs



I"Air Impact Wrench Kit

A05X025

Features:
• Heavy Duty And Durable： Made of high strength aluminum alloy, special treated anti rust and corrosion finish, makes our are impact wrench gun durable and strong enough to withstand heavy use. Long serving life span, a value maintenance necessity in household garage or repair shop.
• Labor saving air impact design, easy to use with auxiliary handle. Also comes with a 1" Square drive.
• A Portable Tool Kit： Blow molded case keeps the tools organized and easy to transport. Simply put under the seat when not in use.

Specifications:
• The material： Aluminum alloy.
• Hammer mechanism:Pin-Less Hammer.
• Air inlet:1/2".
• Free speed :4500RPM.
• Capacity bolt dia:41mm.
• Max.Torque:1900ft-lbs(2500N.M).
• Air pressure:8-12kg/cm2.
• Net weight:14kg.
• The attachment: 2pcs-airimpact sockets (32mm 33mm).
• 1pcs-handle.
• 1pcs-nipple.



3/8" Air Ratchet Wrench

A07C017

Features:
• With a switch on the ratchet head.
• Compact size and ergonomic handle brings smooth and convenient operation.
• Stable torsion output, assist to disassemble or mount screws.
• Large output power and small amount of air consumption.
• Widely used for small engine repair, headlight repair, filter installing and dismounting, etc

Specifications:
• Aluminium body (Polished)
• Working pressure: 90 psi 6.3kg/cm2
• Average air consumption cfm:5
• Max Speed: 150 RPM
• Max torque:81 NM
• Exhaust: Front
• Air Inlet: 1/4 〃 BSP



150MM Air Hammer Kit

A11A005

Features:
• Made of high quality movement, durable to use.
• Exquisite workmanship and stable performance, it is a great tool for you.
• Wear-resistant aluminium alloy body ensure long service life.
• Reinforced alloy cylinder provides large storage capacity and strong strength.
• Powerful pull spring is elastic which can effectively reduce vibration.
• Suitable for casting sand cleaning and welding front opening groove, welding slag, flat solder scar, correction of stone, concrete and brick wall opening work.

Specifications:
• Chisel Shank Size:3/8"
• Free Speed:3000BPM
• Air Consumption:4CFM
• Operating Pressure:90psi/6-8kg/cm2
• Air Inlet:1/4"BSP
• With 4pcs 150mm Chisels



3"AIR CUT-OFF TOOL

A11E005

Features:
• Cut through sheet metal, bumpers, exhaust systems, straps, hangers and more with this variable speed air cutter!
• Rear exhaust and a regulated flow give you a steady cutting speed.
• Featuring a safety trigger to prevent accidental start-up, this cut-off tool makes quick work out of metal cutting projects.

Specifications:
• Cutting Wheel Size: 3 in.
• Maximum Rated Speed: 20000rpm
• Working Pressure: 90 PSI
• Average Air Consumption: 5 CFM @ 90 PSI
• Housing Material: Die-cast Aluminum
• Air Inlet: 1/4-18NPT
• Recommended hose size: 3/8 in.



23PC Spray Gun Cleaning Kit

A17Y303

Features:
• The Ultimate Cleaning Kit that's ideal for cleaning all types of • Spray Guns such as Suction, Gravity, Pressure Feed, Detail, HVLP, as well as Airbrushes;
• Useful for maintaining your pistols, rifles, airbrushes, tattoo equipment and anything else that requires precision cleaning and detailing.

Specifications:
• 23 Piece Cleaning Kit Includes:
• 3 Mini End Brushes
• 1 Aluminum Holder
• 5 Piece Mini-Brush Set
• 1 Firm Metal Tube Cleaning Brush
• 3 Sizes of Flexible Tube Cleaning Brushes
• 6 Micro Needle Picks
• 1 Aluminum Holder
• 1 Large General Purpose Brush
• 1 Bottle of Spray Gun Lubricant
• 1 Compartmentalized Storage Case



11Pcs Spray Gun Cleaning Kit

A17Y311

Features:
• Ideal for cleaning all types of Spray Guns such as Suction, •Gravity Feed, HVLP, Detail, Pressure, as well as Airbrushes.
• Useful for maintaining your pistols, rifles, airbrushes, tattoo equipment and anything else that requires precision cleaning and detailing. and detailing.

Specifications:
• 11PC Spray Gun Cleaning Kit
• Including:
6 pcs cleaning needles,
1pc bristle brush with bamboo handle,
1pc bristle brush with 21cm and 2cm in diameter
1pc bristle brush with 21cm and 1.3cm in diameter
1pc fiber brush with 15cm and 1.2cm in diameter
1pc flat wool brush with 21cm in length



17Pc HVLP Spray Gun Cleaning Kit

A17Y317

Features:
• The Ultimate Cleaning Kit that's ideal for cleaning all types of Spray Guns such as Suction, Gravity, Pressure Feed, Detail, HVLP, as well as Airbrushes;
• Useful for maintaining your pistols, rifles, airbrushes, tattoo equipment and anything else that requires precision cleaning and detailing.

Specifications:
• 17 Pc HVLP Spray Gun Cleaning Maintenance Kit
• Including:
5 miniature brush set ,
1 detail end brush;
1 pick up tube brush;
1 1/4" HVLP brush;
1 cleaning brush;
1 nylon bristle parts brush;
1 1/2" body cavity brush;
6 precision needle set



50FT 3/8" Air Hose Reel

A21B075

Features:
• Positive latching mechanism-automatically locks Hose at desired Length.
• Featuring a wide range of working temperatures, these air hoses are designed to stand up to a variety of work environments.
• Attached swivel bracket can be mounted on a wall or ceiling

Specifications:
• Case Material :PP
• Hose length:50ft(outlet)+5ft(inlet)
• Hose material: Rubber
• Hose diameter:3/8"(9.5*15mm)
• Fitting: 1/4NPT/BSPT
• Working/Burst pressure: 18/24bar
• Temperature: -5 to 45 C



100FT 3/8" Air Hose Reel

A21B079

Features:
• Positive latching mechanism-automatically locks Hose at desired Length.
• Featuring a wide range of working temperatures, these air hoses are designed to stand up to a variety of work environments.
• Attached swivel bracket can be mounted on a wall or ceiling

Specifications:
• Case Material :PP
• Hose length:100ft(outlet)+6.5ft(inlet)
• Hose material: Rubber
• Hose diameter: 3/8"(9.5*15mm)
• Fitting: 1/4NPT/BSPT
• Working/Burst pressure: 18/24bar
• Temperature: -5 to 45 C



50FT 3/8" PVC Air Hose Reel

A21B123

Features:
• Fitted with high quality rubber hose.
• Innovative design features three key points.
• Hose can be extended and stopped at any length.
• Controlled, slow rewind which, unlike traditional retractable reels, returns the air hose at a safe speed.
• Auto layering mechanism distributes air hose evenly back into reel housing preventing it from jamming.
• Suitable for professional garages/workshops.

Specifications:
• Hose length:15m+1.5m((9.5*15.8mm)
• Hose material:pvc
• Working Pressure:20bar
• Burst Pressure:54bar
• Case material:PP
• Temperature: (-5)Degree to 45Degree
• Fitting:1/4"NPT/BSPT



3/8" 50FT PVC Air Hose Reel

A21B217

Features:
• Indispensable Tool Amongst Auto Repair Industry
• PP Air Hose Reel Case Features Excellent Toughness, Eco-Friendly And High Temperature Resistant
• PVC Hose, Wear Resistant And Great Resistance To Chemical Corrosion
• Spring-Powered Auto Rewind
• Hose Retracts Quickly,Automatically And Saving Time From Manually Winding
• With Locking Ratchet Mechanism
• Easily Mounted To Your Wall Or Ceiling Portable Design

Specifications:
• Hose length:15m+1.5m
• Hose material:PVC
• Hose diameter: 3/8"(9.5*15.5mm)
• Fitting:1/4NPT/BSPT
• Working/Burst pressure: 18/24bar
• Temperature: -5 to 45 C



3/8"50FT Air Hose Reel

A21B233

Features:
• Portable design automatic retracting winding hose reel, saving time from manually winding.
• Contain mounting bracket, easily mounted to your wall or ceiling and removed
• Swivel bracket also make hose reel can be 180 degree rotation.

Specifications:
• Case Material :PP
• Hose length: 15m(outlet)+1.5m(inlet)
• Hose material: PVC
• Hose diameter: 3/8"(9.5*15.5mm)
• Fitting: 1/4BSPT
• Working/Burst pressure: 18/24bar
• Temperature: -5 to 45 C



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Air Tools

I/4-inch Straight Air Die Grinder

A01A021

Features:
• Durable and lightweight die cast aluminium bady
• Convenient one hand operation with safety trigger for easy and safety start
• Good choice for smoothing sharp edges, deburring, polishing and grinding
• Ideal for grinding deburring, porting and polishing.
• The ingenious design enables users work long time without fatigue.

Specifications:
• Free Speed RPM:22000
• Average Air Consumption: 4 CFM
• Collet Size: 1/4 〃 (6mm) 1/8"(3mm)
• Exhaust: Rear
• Air Pressure: 90PSI
• Air inlet: 1/4 〃 BSP
• Length: 173mm



I/4-Inch Mini Straight Air Die Grinder Kit

A01X003

Features:
• Durable and lightweight die cast aluminium bady
• Convenient one hand operation with safety trigger for easy and safety start
• Good choice for smoothing sharp edges, deburring,polishing and grinding
• Ideal for grinding deburring, porting and polishing.
• The ingenious design enables users work long time without fatigue.

Specifications:
• 1/4"Mini Air Die Grinder.
• Collet Size: 1/4".
• Average Air Consumption: 3 CFM @ 90 PSI.
• Rear Exhaust.
• Working Pressure: 90 PSI.
• Max RPM's: 22,000.
• Die -Cast Aluminum Construction.
• Accessories:1pc Tree Die Grinding Stone.
• Style Steel Plug.2pc Collet Wrenches.
• 1pc Cone Die Grinding Stone.
• 1pc Large Cone Die Grinding Stone.
• 1pc Ball Die Grinding Stone.1pc 1/4" NPT Industrial• Weight： 0.6kg
• Double blister size： 25.2*17*3.5cm dispaly box size:28.5*18*23cm



I/2" Air Impact Wrench

A05A005

Features:
• Die cast aluminum body air impact
• Average air consumption:5cfm
• Max torgue: 312N-M,230FT-LB
• Bolt capacity:14mm
• Length:180mm,7.09in
• Air pressure:90PSI ,6.3kg/cm2
• Air inlet:1/4"
• Weight:2.20kgs, 4.84LB



I/2" Air Impact Wrench (Twin Hammer)

A05A013

Features:
• This quality impact wrench is a must for jobs at home or in the shop. The twin hammer delivers a max torque of 486 ft. lbs. and the impact wrench features a forward/reverse regulator with five speeds, allowing you total control. With a free speed of 8000 RPM, this impact wrench is a whirlwind when tightening or loosening nuts and bolts!

Specifications:
• Aluminum:body
• Square Drive Size:1/2"
• Capacity Bolt Dia: 16mm
• Free Speed: 8000RPM
• Max.torque: 660 N.m (486 ft-lb)
• Hammer mechanism: Twin hammer
• Air pressure: 90psi 6-8kg/cm2
• Air inlet: 1/4 〃 BSP



I/2"Air Impact Wrenches(Twin Hammer)- Heavy Duty

A05A057

Features:
• This professional class pneumatic impact wrench delivers more power with better weight distribution, lighter materials and a more compact housing.
• Twin-hammer delivers more torque to the anvil, less vibration.

Specifications:
• Material aluminum alloy
• Square drive:1/2 〃
• Free speed:6000r.p.m
• Max.Torque:1000N.m
• Air pressure:90psi 6.3-8kg/cm2
• Average air consumption:6cfm
• Air inlet:1/4"NPT(BSP)
• Net weight:2.68kg



I/2"Mini Air Impact Wrench (Twin Hammer)

A05A221

Features:
• Fitted with powerful twin hammer mechanism all housed in compact design.
• Handle exhaust reduces noise output and limits the circulation of brake dust on wheel applications.
• Features three-position torque/air control in forward and reverse.
• Mini size allows use in confined engine bay areas.
• Suitable for garage, tyre shop and workshop applications.

Specifications:
• Material aluminum alloy
• Square drive:1/2"
• Free speed:9000r.p.m
• Max.Torque: 550N.m
• Air pressure:90psi 6.3-8kg/cm2
• Average air consumption:6cfm
• Air inlet:1/4"NPT(BSP)
• Overall length:115mm
• Net weight:1.63kg



I/2"mini Singie Hammer Pneumatic Wrench

A05A283

Features:
• Twin Hammer impact mechanism increases durability and efficiency
• Stronger power output improves performance and accuracy
• Max. torque 450NM
• Adjustable power regulation
• Lightweight cast aluminum housing
• Reversible action

Specifications:
• Material aluminum alloy, surface spray
• Square drive:1/2"
• Rated no load speed:10500rpm
• Maximum torque:450NM
• Capacity bolt dia:13mm
• Air pressure:6-8kg/cm2/90psi
• Net weight:1.36kg
• Product chief:95mm



I/2" Mini Twin Hammer Air Impact Wrench

A05A293

Features:
• Twin Hammer impact mechanism increases durability and efficiency
• Stronger power output improves performance and accuracy
• Max. torque 1000ft-lb (1356Nm)
• Adjustable power regulation
• Lightweight cast aluminum housing
• Reversible action

Specifications:
• Material aluminum alloy, surface spray , With Soft Grip(PVC)
• Square drive:1/2"
• Rated no load speed:12000rpm
• Maximum torque:450NM
• Capacity bolt dia:13mm
• Air pressure:6-8kg/cm2/90psi
• Product chief:105mm
• Net weight:1.5kg




I/2 "mini Impact Wrench(Twin Hammer)-Composite

A05A433

Features:
• Innovative Twin Hammer Design
• Composite Housing
• Through Handle Exhaust with Internal Silencing
• Compact design with comfortable contoured handle.
• Instead of using a single jumbo hammer like most mini impacts, it uses a longer lasting dual hammer mechanism that also scales power with additional air pressure better.
• Fits into tight spaces

Specifications:
• Material: Composite Material
• Free Speed:9000RPM
• Average air consumption:5.5cfm
• Max torgue: 610N-M,450FT-LB
• Air Inlet:1/4"NPT/BSP
• Bolt capacity:12.7mm
• Air pressure:90PSI ,6.3kg/cm2
• Length:120mm,4.72in
• Weight:1.2kgs, 2.7LB




I/2" Mini Impact Wrench/rocking Dog-Composite

A05A423

Features:
• Composite Housing
Through Handle Exhaust with Internal Silencing
Compact design with comfortable contoured handle.
Instead of using a single jumbo hammer like most mini impacts, it uses a longer lasting dual hammer mechanism that also scales power with additional air pressure better.
Fits into tight spaces

Specifications:
• Material: Composite Material
• Free Speed:9000RPM
• Average air consumption:5.5cfm
• Max torgue: 610N-M,450FT-LB
• Air Inlet:1/4"NPT/BSP
• Bolt capacity:12.7mm
• Air pressure:90PSI ,6.3kg/cm2
• Length:110mm,4.33in
• Weight:1.0kgs, 2.2LB



I/2"Air Impact Wrenches(Twin Hammer)- Heavy Duty

A05A341

Features:
• This professional class pneumatic impact wrench delivers more power with better weight distribution, lighter materials and a more compact housing.
• Twin-hammer delivers more torque to the anvil,

Specifications:
• Aluminum:body
• Max Torque:1100N.M
• Free Speed:7000RPM
• Air pressure:90psi 6.3-8kg/cm2
• Vibration of square head:<0.4mm
• Air inlet:1/4"
• Front Exhaust
• Capacity bolt dia.:M18(mm)
• Net weight: 3.30KGS



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Air Tools

Digital Tire Inflator With Pressure Gauge

A97X432

Features:

- ADVANCED ACCURACY: Professionally calibrated to always return a reading within 1% of the exact pressure of your tire and 0.1 display resolution. No more guessing! Accurately measures a range from 0-250 PSI (0-17.2 Bar; 0-1724 Kpa; 0-17.5 kg/cm²)
- ALL-IN-ONE: The LED backlit screen features measurements in PSI, KPA, Bar, and Kg/cm²; Includes an inflation gun, chuck, gauge, hose, and bleed valve, all in one unit; Compatible with ¼" NPT air compressors output
- SUPERIOR CONSTRUCTION: Built of high quality, heavy duty stainless steel and brass components that provide lasting performance; Use for all vehicles, such as car, suv, truck, motorcycle, bicycle (with schrader valve) etc.
- INCREASED SAFETY: Properly inflated tires provide better performance in all weather conditions, decreasing the likelihood of flats, explosions, and crashes; Increase your MPG and save money on fuel costs and tire wear
- BATTERY SAVING AND WARRANTY: Auto on and will auto off after 20 seconds of inactivity to preserve battery life; built-in air bleeder valve to quickly decrease pressure in overinflated tires

Specifications:

- Pressure unit:psi.bar.kgf/cm2(optional)
- Power:2xAAA battery(included)
- On/off key Auto shut off
- Bleed valve
- 3"dial type gauge with rubber protector
- Fitted with single clip-on connector
- large LCD display with clear reading, digit height 16mm
- Display Type: Backlit LCD
- Display Resolution: 0.1 PSI
- 12"rubber hose
- Pressure range:0-250 PSI
- Pressure unit: psi,bar,kpa,kgf/cm2(optional)
- Accuracy:±2 psi F.S.
- Including:
  4pc Valve caps(plastic)
  1pc Valve cores
  1pc Thread seal tape roll(2.5m)
  1pc Air chuck
  1pc Valve repair tools



Multifunctional Tire Inflator Gun Set with LED light

A97X462

Features:

- Convenient built-in LED work light makes it easy to see what you are doing in dark environments
- The material is designed for longevity and durability.
- Properly inflated tires provide better performance in all weather conditions, decreasing the likelihood of flats, explosions, and crashes;

Specifications:

- Material:Copper
- 1.Tire inflator gun
- Pressure range:3-150PSI
- High accuracy:+/-1PSI
- Air inlet: 1/4" NPT.
- 2.Deflate
- 3.Four Units:PSI/BAR/KPA/KGF/CM2
- 4.LED light
- 5.Hose:Stainless steel braided hose
- 6.Chuck:Straight, open flow, spring loaded locking, large,high quality, brass, rubber o-ring inside.
- Tire inflator gun set 1PC Dual head air chunk
- 1PC Swivel air chunck
- 1PC Tire valve repair tool
- 2PC Inflator Adapter
- 1PC Presta Valve Adapter
- 1PC Sport Needle
- 4PC Cap
- Battery: 2*AAA required (Not installed)"



Tire Inflator gauge Kit

A97X442

Features:

- Compatible with cars, trucks, SUVs, motorcycles, bicycles, or anything else that utilizes a schrader valve; Easy to read 2.5" glow-in-the-dark dial makes everything easier as well.
- The no-guess gauge displays the PSI measurements clearly, even if it is not connected to an air compressor; Bleed Valve releases excess air without removing the chuck from the tire's valve stem; Inflator connects to any ¼" NPT air compressors outputs to quickly fill tires to optimal pressure

Specifications:

- Aluminum Die-cast body
- 2.5"dial type gauge with rubber protector
- Fitted with single clip-on connector
- Pressure range:0-220psi
- Pressure unit: psi,bar,kpa, kgf/cm2(optional)
- Accuracy:±2 psi F.S
- Net weight: 300g
- 4pc black hats
- 1pc Core inserting
- 1pc Four in one tool
- 1pc Coil raw strip



Digital Tire Pressure Air inflator Kit

A97X452

Features:

- The LED backlit screen features measurements in PSI, KPA, Bar, and Kg/cm²; Includes an inflation gun, chuck, gauge, hose, and bleed valve, all in one unit; Compatible with ¼" NPT air compressors output.
- Professionally calibrated to always return a reading within 1% of the exact pressure of your tire and 0.1 display resolution. No more guessing! Accurately measures a range from 0-250 PSI (0-17.2 Bar; 0-1724 Kpa; 0-17.5 kg/cm²)

Specifications:

- Power:2xAAA battery(include)
- On/off key Auto shut off
- Bleed valve
- 3"dial type gauge with rubber protector
- Fitted with single clip-on connector
- large LCD display with clear reading, digit height 16mm
- Pressure range:0-300psi,0-20bar,0-995kpa,0-20kgf/cm2
- Pressure unit: psi,bar,kpa,kgf/cm2(optional)
- 12"rubber hose
- Net weight: 375g
- 4pc black hats
- 1pc Core inserting1pc Four in one tool
- 1pc Coil raw strip



17PC Air Blow Gun Kit/copper

A97X817

Features:

- A great starter kit for inflation and tool connection; perfect for a variety of inflation needs and a must have for a new compressor
- Components are made of durable brass meant to handle repetitive use making the kitvery reliable
- Finish your projects faster and easier.

Specifications:

- 1pc air blow gun
- 1pc column
- 2pc tappered inflator
- 1pc tire chuck
- 1pc double female connector
- 2pc double male connector
- 1pc female quick coupler
- 4pc male plug
- 2pc femlae plug
- 1pc inflation needle
- 1pc tire pressure gauge



17PC Air Blow Gun Kit/iron

A97X818

Features:

- A great starter kit for inflation and tool connection; perfect for a variety of inflation needs and a must have for a new compressor
- Components are made of durable brass meant to handle repetitive use making the very reliable
- Finish your projects faster and easier.

Specifications:

- 1pc air blow gun
- 2pc tappered inflator
- 1pc tire chuck
- 1pc double female connector
- 2pc double male connector
- 1pc female quick coupler
- 4pc 1/4" male plug
- 2pc 1/4" femlae plug
- 2pc inflation needle
- 1pc tire pressure gauge
- 1pc safety nozzle



16PC Air Blow Gun Kit

A97X826

Features:

- A great starter kit for inflation and tool connection; perfect for a variety of inflation needs and a must have for a new compressor
- Components are made of durable brass meant to handle repetitive use making the kit very reliable
- Finish your projects faster and easier.

Specifications:

- 1pc air blow gun
- 2pc tappered inflator
- 1pc tire chuck
- 2pc double female connector
- 1pc double male connector
- 2pc female quick coupler
- 2pc male plug
- 2pc femlae plug
- 2pc inflation needle
- 1pc tire pressure gauge
- 1pc safety nozzle



17pc Air Accessory Kit

A97X917

Features:

- A great starter kit for inflation and tool connection; perfect for a variety of inflation needs and a must have for a new compressor
- Components are made of durable material meant to handle repetitive use making the kitvery reliable
- Finish your projects faster and easier.

Specifications:

- 1pc female quick coupler
- 4pc male plug
- 2pc female plug
- 1pc Dual tire chuck
- 1pc tire pressure gauge
- 1pc air blow gun
- 1pc Double female connector
- 2pc Double male connector
- 1pc tappered inflator
- 1pc inflation needle
- 1pc safety nozzle
- 1pc adapter



20pc Air Blow Gun Kit

A97X920

Features:

- 20 essential air accessories in a durable storage case for easy access and organization
- Includes blow gun with 4 different nozzle attachments
- Heavy duty dual head tire chuck for tire inflation and pencil tire gauge ensures tire properly inflatored
- All the outside thread with sealant, better sealing

Specifications:

- 1pc coupler ,1pc thread seal tape,1pc dual foot chuck
- 1pc ball foot chuck,1pc blow gun ,1pc 50psi gauge
- 1pc safety Nozzle,1pc rubber tip,1pc tapered inflator
- 2pc inflation needles
- 4pc male plugs 1/4"NPT
- 2pc male couplings
- 1pc female coupling
- 2pc female plugs



20pc Air Line Connector Kit

A97X925

Features:

- Made of Brass and steel, Long-Lasting and Resistant to Corrosion.
- Easy to install and quick disconnect.
- Finish your projects faster and easier.

Specifications:

- 4pc steel female quick coupler
- 5pc steel male plug
- 5pc steel female plug
- 1pc brass female quick coupler
- 5pc brass male plug



20pc Air Compressor Accessory Kit

A97X927

Features:

- A great starter kit for inflation and tool connection;
- perfect for a variety of inflation needs and a must have for a new compressor
- Components are made of durable material meant to handle repetitive use making the kitvery reliable
- Finish your projects faster and easier.

Specifications:

- 1pc 1/4" 25ft PE
- 1pc air blow gun
- 1pc rubber tape(10m)
- 2pc tappered inflator
- 1pc tire chuck 1/4"
- 1pc double female connector
- 1pc double male connector
- 1pc female quick coupler
- 5pc male plug
- 2pc femlae plug
- 1pc inflation needle
- 1pc tire pressure gauge
- 1pc tapered rubber nozzle
- 1pc safety nozzle



30pc Air Accessory Kit

A97X937

Features:

- A great starter kit for inflation and tool connection;
- perfect for a variety of inflation needs and a must have for a new compressor
- Components are made of durable material meant to handle repetitive use making the kitvery reliable
- Finish your projects faster and easier.

Specifications:

- 1pc air blow gun 1/4"
- 1pc rubber tape
- 1pc tapered rubber nozzle
- 2pc brass female quick coupler
- 2pc steel female coupler
- 1pc dual tire chuck
- 1pc tir pressure gauge
- 1pc steel pipe
- 1pc tire chuck
- 2pc double male connector
- 2pc double female connector
- 2pc steel female plug
- 8pc steel male plug
- 2pc brass female plug
- 2pc tappered inflator
- 2pc inflation needle



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Air Tools

5GAL Portable Air Tank

A25B035

Features:

- Light weight, portable with handle for easy transport.
- On/off air adjustment dial.
- Industrial grade air hose with standard tire air chuck.
- Hi-viz color for added visibility

Specifications:

- Tank: 5GAL
- Max Pressure: 125PSI
- Hose: 0.9 M material: PVC 40MM Dia
- 0-200psi no oil pressure gauge: 1pc
- 140PSI SAFETY VALVE: 1pc 127-140psi start 75psi cease
- Material: Iron
- Surface treatment: Powder Spraying



10GAL Portable Air Tank

A25B055

Features:

- Light weight, portable with handle for easy transport.
- On/off air adjustment dial.
- Industrial grade air hose with standard tire air chuck.
- Hi-viz color for added visibility

Specifications:

- Tank: 10GAL
- Max Pressure: 125PSI
- Hose: 1.2 M material: PVC 40MM Dia
- 0-200psi no oil pressure gauge: 1pc
- 140PSI SAFETY VALVE: 1pc 127-140psi start 75psi cease
- Material: Iron
- Surface treatment: Powder Spraying



High Volume Chrome Plated Air Blow Gun

A97A143

Features:

- Blow gun is ergonomically designed for comfort and convenience.
- Single action lever is easy to operate, delivers more air than conventional blow guns.
- Designed for high volume air flow.
- Perfect tool for removing dirt, debris and dust.
- Die cast Aluminum, Copper plated with smooth surface body.
- Include built-in hanger loop for storage.

Specifications:

- Material: Aluminum
- Application: automotive, computer
- Home Furnishing clean dust
- Feature :Strong wind, low consumption, double sealing ring, placed leakage durable, compact anti sag, durable
- Max Air Pressure:232psi
- Working pressure: 90psi
- Net weight: 370g
- Air Inlet:1/4"



Air Blow Gun

A97A145

Features:

- Blow gun is ergonomically designed for comfort and convenience.
- Single action lever is easy to operate, delivers more air than conventional blow guns.
- Designed for high volume air flow.
- Perfect tool for removing dirt, debris and dust.
- Die cast Aluminum, Copper plated with smooth surface body.
- Include built-in hanger loop for storage.

Specifications:

- Material: Aluminum
- Application: automotive, computer
- Home Furnishing clean dust
- Feature :Strong wind, low consumption, double sealing ring, placed leakage durable, compact anti sag, durable
- Working pressure: 90psi
- Max Air Pressure:232psi
- Air Inlet:3/8"（Can convert 1/4"）



Air Blow Gun With Turbo Nozzle

A97A151

Features:

- Quickly and effectively provides a high volume of air flow.
- Ideal for cleaning applications.
- Specials nozzle uses side ports to increase air flow.
- Ergonomically designed for better comfort & air control.

Specifications:

- Venturi tip boosts air flow 4 times
- reducing air consumption.
- 1/4" BSP air inlet thread.
- Max pressure: 220 PSI.
- Air consumption: 4 CFM@90 PSI.
- Sound level: 90~92 db@90 PSI.
- Shell material: POM
- Working pressure: 90~120 PSI.



4" Straight Air Blow Gun

A97A153

Features:

- Excellent air flow tunnel design for high volume powerful blow-off.Blow stubborn debris, dust, water, and more off of all kinds of materials and machinery quickly,get a cleaner surface. 4" nozzle easy to get to hard to reach areas such as deep, blind or narrow holes,protection tip to protect paint and finishes from scratching.
- Dust Blow Gun made from High sealing and high pressure resistance materials that prevent the unit from corrosion.

Specifications:

- Gun nozzle: 4" length A3# carbon steel chrome-plated
- OD:8.8mm ID:7.0mm
- 1/4" NPT air inlet thread.
- Max pressure: 220 PSI.
- Air consumption: 4 CFM@90 PSI.
- Sound level: 90~92 db@90 PSI.
- Shell material: POM
- Working pressure: 90~120 PSI.



Air Blowing Dust Gun

A97A181

Features:

- Lightweight design and nonslip surface pistol grip for comfortable use.
- Perfect too for removing dirt,debris and dust.
- Chrome plated Turbo nozzle delivers more airflow than standard air blow guns.
- Aluminum body by zinc alloy housing for strength and durability.

Specifications:

- Material aluminum alloy
- Air Blow Gun
- Air Inlet:1/4"
- Max Air Pressure:232psi
- Working pressure: 90PSI.
- Handle is rubber coating
- Rod size:120mm

Pressure Turbine Nozzle Air Spray Gun

A97A191

Features:

- Lightweight design and nonslip surface pistol grip for comfortable use.
- Perfect too for removing dirt,debris and dust.
- Chrome plated Turbo nozzle delivers more airflow than standard air blow guns.
- Aluminum body by zinc alloy housing for strength and durability.

Specifications:

- Aluminum body by zinc alloy,Chrome plated
- Turbo nozzle (up to 3 times more powerful)
- Handle is rubber coating
- Working pressure: 90PSI（6-8kg/cm2)
- Air Inlet: 1/4"NPT
- You can adjust the airflow size（flow controller）

Tire Inflator Gun with LED light

A97C242

Features:

- Heavy duty cast aluminum steel body construction is designed for
- longevity and durability.
- Built-in gauge is easy-to-read and measures pressure .
- Features fast-action air bleeder valve for single handed
- operation & smooth transition between inflation & deflation.

Specifications:

- Material:Rubber D17Copper
- Tire inflator gun
- Pressure range:3-150PSI
- High accuracy:+/-1PSI
- Air Inlet:1/4" NPT
- 2.Deflate
- 3.Four Units:PSI/BAR/KPA/KGF/CM2
- 4.LED light
- Hose:Rubber
- Chuck:Straight, open flow, spring loaded locking, large, high quality, brass, rubber o-ring inside.Pressure relief valve required
- Battery: 2xAAA(Not installed)



5 Piece Interchangeable Tip Air Blow Gun

A97X033

Features:

- 5 piece interchangeable tip air blow gunn is designed with a durable pistol grip ideal for cleaning debris, moving dirt and dust and drying wet surfaces.
- The trigger is manufactured using an engineered thermoplastic designed for high stiffness and low friction.
- Its 4 interchangeable tips allows user to access confined areas with ease.
- The Quick Change coupling makes it easy to Change tips and tip angles.

Specifications:

- Includes 4 Interchangeable tips: 100 mm (4 in.), 140 mm (5.5 in.), 320mm (12.5 in.)and a turbo wide angle nozzle for high volume
- Pistol grip handle has easy to clean non slip surface
- Variable trigger to control volume and tip pressure



10pc Air Accessory Kit

A97X290

Features:

- I/M type air fittings with 1/4"NPT threads.
- 1/4" basic flow size with Max working pressure of 300 PSI.
- Stainless steel material provide high resistance to abrasion and corrosion.
- Easy to install and quick disconnect.
- Air fitting kit for air tools, air compressor, air nailer, air blow gun, pressure washer, air hose.

Specifications:

- 3pc male quick coupler
- 3pc female quick coupler
- 2pc male plug
- 2pc female plug



12pc Aluminum Air Accessory Kit

A97X292

Features:

- COLOR MATCHING SYSTEM - Easily connect plugs and couplers with same color
- DEDICATED LINE USE - Ensures you never use a lubricated line for dry line applications, preventing cross contamination
- AUTOMOTIVE INTERCHANGE - Type C in all blue color
- PREMIUM MATERIALS - From the makers of Flexzilla. Made from steel and aircraft aluminum
- HEAVY DUTY APPLICATIONS - Use on professional jobsites,in automotive shops or at home in the garage

Specifications:

- 4pc female quick coupler
- 4pc male plug
- 4pc female plug



10pc Aluminum Air Accessory Kit

A97X294

Features:

- COLOR MATCHING SYSTEM - Easily connect plugs and couplers with same color
- DEDICATED LINE USE - Ensures you never use a lubricated line for dry line applications, preventing cross contamination
- AUTOMOTIVE INTERCHANGE - Type C in all blue color
- PREMIUM MATERIALS - From the makers of Flexzilla. Made from steel and aircraft aluminum
- HEAVY DUTY APPLICATIONS - Use on professional jobsites, in automotive shops or at home in the garage

Specifications:

- 6pc quick coupler
- 2pc male plug
- 2pc female plug



12pc Air Accessory Kit

A97X296

Features:

- I/M type air fittings with 1/4"NPT threads.
- 1/4" basic flow size with Max working pressure of 300 PSI.
- Stainless steel material provide high resistance to abrasion and corrosion.
- Easy to install and quick disconnect.
- Interchangeable/compatible with most manufacturers.

Specifications:

- 4pc female quick coupler
- 4pc male plug
- 4pc female plug



2" Dial Tire Inflator With Pressure Gauge

A97X332

Features:

- ADVANCED ACCURACY: Professionally calibrated to always return a reading within 2-3% of the exact pressure of your tire. No more guessing! Accurately measures a range from 0-100 PSI
- ALL-IN-ONE: The no-guess dial displays the PSI measurements clearly; Includes an inflation gun, chuck, gauge, hose, and bleedvalve, all in one unit; Compatible with both ¼" NPT air compressors outputs
- SUPERIOR CONSTRUCTION: Built of high quality, heavy duty stainless steel and brass components that provide lasting performance
- INCREASED SAFETY: Properly inflated tires provide better performance in all weather conditions, decreasing the likelihood of flats, explosions, and crashes; Increase your MPG and save money on fuel costs and tire wear

Specifications:

- On/off key Auto shut off
- 2"dial type gauge with rubber protector
- Fitted with single clip-on connector
- 12"rubber hose
- Pressure range:0-100PSI
- Pressure unit: psi,bar,kpa,kgf/cm2(optional)
- Accuracy:±2 psi F.S.
- Including:
- 4pc Valve caps (plastic)
- 1pc Valve cores
- 1pc Thread seal tape roll(2.5m)



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Auto Tools

B01E015
15PCS Ratcheting Wrench Serpentine Belt Tool

Features:
- Ratcheting wrench with the requirements of the serpentine belt removal tool to provide the professional with the best possible combination

Specifications:
- 7Pc Socket size: 13 14 15 16 17 18 19mm, 40cr-v
- 3Pc Includes crowsfoot: 13mm, 14mm and 15, Carbon steel ;
- 3Pc Gear Wrench 3/8", 1/2", 3/4" Adapters ;
- 1Pc 72-tooth ratchet wrench: 19*17mm



B01F011
Ignition Module Wrench for Ford

Features:
- Removes ignition module from distributor on Ford vehicles
- Features 7/32" hex bolts or T20 star drive head bolts.
- Knurled knob for one-hand turn, or use 1/2" wrench for extra torque.

Specifications:
- Material: Carbon Steel, Heat treated
- Item Weight: 1.92 ounces
- Package Dimensions: 3.9 x 2 x 1.2 inches



B01G018
13pc Harmonic Balance and Puller Tool

Features:
- 13pc Harmonic Balance and Puller Tool
- Designed to allow for easy and simple removal of harmonic balancers, gear pulleys, steering wheels, and crank shaft pulleys
- All bits are machine precision, hardened, and tempered
- Tool allows for even pressure which prevents damage to parts
- Yoke allows for either 2 or 3-hole application
- Center screw features a floating, removable swivel

Specifications:
- 1 center screw
- 1 Floating swivel
- 2 5/16 x 4 bolts
- 2 1/4 x 3 bolts
- 3 1/4 x 2 bolts
- 3 5/16 x 2 bolts



B01I124
Camshaft Lock Kit Set

Features:
- Petrol Engine Setting/locking Kit
- Reduces repair time Prevents possible engine damage due to incorrect timing.
- Compact design to allow easy operation in small engine bays.
- It is designed to re-time your cars ignition to get the best performance that you can.
- Impact resistant ABS housing, reverse polarity protected.

Specifications:
- FORD, MAZDA, VOLVO 1.25, 1.4, 1.6, 1.8, 2.0, 2.3, 16V DURATEC-BELT/ CHAIN DRIVE



B01I271
Timing Tool Set-BMW Mini-PSA

Features:
- Timing Tool Set-BMW Mini-PSA ITEM NO.: XC8302
- Quality flywheel and camshaft locking tool
- Durability and accuracy
- Contains a comprehensive set of timing tools, including locking tool inlet and exhaust, alignment clamp etc. to accommodate various needs.
- Minimum maintenance required

Specifications:
- Made of carbon steel, coated with anti-rust oil
- Compatible with cars:
- Mini : Cooper, Cooper S, One N12 N14
- Citroen : C4, C4 picasso
- Peugeot :207, 308
- Compatible with engines:
- BMW N12, N14
- Mini Cooper : R55, R56
- Citroen, Peugeot : EP3, EP6, EP6DT/DTS
- 1Pc x Camshaft Locking Tool - Inlet
- 1Pc x Camshaft Locking Tool - Exhaust
- 1Pc x Camshaft Alignment Clamp
- 1Pc x Crankshaft locking pin
- 4Pc x M6 Setscrews
- 1Pc x Timing chain tensioner



B01I283
36PC Adjust Diesel Engine Belt Locking Timing Tool Kit for VW ADUI A2 A3 A4 A6

Features:
- This set is a 36 piece comprehensive quality engine timing tool kit set designed to enable to correct engine timing to be set when replacing the timing belt.
- Designed for both petrol & diesel VW, Audi, Seat, and Skoda engines.
- Supplied in a blow moulded plastic case for easy storage and transport.
- The perfect tool for the professional mechanic or DIY enthusiast.

Specifications:
- Gasoline engines: 1.2-6V - 1.2 12V - 1.4 - 1.6 - 1.8 - 1.8T - 2.0 16V
- Suitable for eg: Audi: 80 - A2 - A3 - S3 - A4 - A6 – TT.Seat Alhambra, Arosa, Cordoba, Ibiza, Inca, Leon, Toledo.Skoda: Fabia, Octavia (from 96). Volkswagen Bora, Caddy, Fox, Golf, Lupo, New Beetle, Passat, Polo, Sharan, Touran
- Diesel engines: 1.2, 1.4, 1.9, 2.0 TDI PD 1.7, 1.9 D / TD / SDI / TDI 2.5 V6 TDI
- Suitable for eg: Audi: 80, A2, A3, A4, A6, Cabriolet (95-00).Seat Alhambra, Arosa, Altea, Cordoba, Ibiza, Inca, Leon, Toledo.Skoda: Fabia, Felicia, Octavia (93-05).Volkswagen Bora, Caddy, Golf, Lupo, New Beetle, Passat, Polo, Sharan, Transporter, Touran



B01I335
3PCS Engine Timing Tool Kit VAG 1.2, 1.4TFSi, 1.4, 1.6FSi

Features:
- Timing kit suitable for 1.2/1.4TFSi and 1.4/1.6FSi engines.
- Kit contains essential tools for crank TDC positioning, camshaft setting and tensioner locking.

Specifications:
- Applications:
- Audi: A1 (10-12), A3 (03-12)
- Seat: Altea/Altea XL (08-12), Ibiza/Cordoba (08-12), Leon (07-12), Toledo (07-09)
- Skoda: Fabia II (07-12), Octavia II (04-12), Roomster (06-12), Superb II (09-12), Yeti (09-12)
- VW: Caddy/Caddy Maxi (10-12), Eos (06-12), Golf (03-12), Golf Plus (03-12), Jetta (06-12), Passat (05-11), Polo (02-12), Scirocco (08-12), Tiguan (07-12), Touran (03-12)
- Engine Codes:
- 1.2TFSi: CBZA, CBZB, CBZC
- 1.4FSi: AXU, BKG, BLN
- 1.4TFSi: BLG, BMY, BWK, CAVA, CAVB, CAVC, CAVD, CAVE, CAVF, CAXA, CAXC, CDGA, CSMA
- 1.6FSi: BAG, BLF, BLP, BTS



B01I337
Engine Timing Tools - VW Audi1.2/1.4/1.6FSI/1.4TSI

Features:
- Quality Engine Timing Tools for VW Audi 1.2/1.4/1.6FSI/1.4TSI
- Suitable for VAG engines 1.2 liter TSI and TFSI engines with engine code CBZA CBZB and CBZC, for example, in Audi A1, A3, A3 Sportback and A3 Cabriolet
- As well as in Seat Altea, Altea XL, Ibiza, Ibiza Sport Coupe Leon and Toledo. Skoda Fabia, Fabia, Octavia, Rapid, Roomster and Yeti, As well as VW New Beetle, Caddy, Golf, Golf Plus, Golf Cabriolet, Golf Variant, Jetta, Polo and Touran.
- For VAG engines 1.4 FSI, e.g. VW Golf 4, 5, Polo 9N
- For VAG engines 1.6 FSI, for example, Audi A3, VW Golf, Passat and Touran. Engine Codes AXU, BAG, BKG, BLF, BLN and BLP.
- Convenient to use or carry

Specifications:
- Materials:Carbon Steel
- 1Pc x Crankshaft Locking Pin
- 1Pc x Camshaft Locking Tool for 1.2 TSi, 1.2 TFSi
- 1Pc x Camshaft Alignment Tool
- 1Pc x TDC Indicator
- 1Pc x Tensioner Pin
- 1Pc x Timing Cover Alignment
- 2Pcs x Guide Pins
- 1Pc x Dial Test Indicator



B01I358
Engine Camshaft Timing Tool Kit For Ford 3.5L 3.7L 4.0L 4V Cam Tool Kit

Feature:
- Use this tool to accurately position and align hold your Ford 3.5L & 3.7L camshaft at TDC to perform service.
- Helps ensure Camshaft alignment during removal and installation of the timing chain.

Specifications:
- Ford 3.5L & 3.7L 4V Cam Tool Holding Set
- Use this tool to accurately position and align hold your
- Ford 3.5L & 3.7L camshaft at TDC to perform service.
- Helps ensure Camshaft alignment during removal and installation of the timing chain.
- Vehicle Fitment:2007 – 2014 3.5L Edge 2011 – 2014 4.0L Edge 2011 – 2014 3.5L Explorer, F-150 2011 – 2014 3.7L F-150, MKX 2011 – 2012 4.0L F-150, MKX, Mustang 2012 – 2014 3.5L Flex 2010 – 2012 3.5L Fusion Hybrid 2007 – 2011 3.5L Milan 2010 – 2014 3.5L MKS, MKT 2009 – 2014 3.7L MKS 2010– 2014 3.7L MKT 2007 – 2012 3.5L MKX, MKZ 2013 – 2014 3.7L MKZ 2011 – 2014 3.7L Mustang 2008 – 2012 3.5L Sable 2008 – 2014 3.5L Taurus, Taurus X



B01I376
Timing Tool Set For Ford 1.4 1.6 1.8 2.0 Di/TDCi/TDDi and for Mazda

Features:
- Suitable for a wide range of modern Ford and Mazda vehicles.
- Includes camshaft and flywheel locking tools various timing pins plus a camshaft sprocket removal tool.

Specifications:
- Compatible with - Fiesta / Courier 00-00 Focus 98-00 / Focus 04-08 / Focus C-Max 03-08 Mondeo 07-08 / Tourneo Connect 02-08 / Transit Connect 02-08 Fusion 02-08 / S-Max 06-08 / Galaxy 06-08



B01I457
Diesel Engine Timing Tool Set

Features:
- Keep camshaft in a right position when changing a timing chain or during other engine repairs.
- Professional quality
- Blow moulded plastic case keeps all the tools organized and easy to transport

Specifications:
- 1.3D, 1.3D CDTi, 1.3D CDTi ecoFLEX, 1.3D DDiS, 1.3D HDi,
- 1.3D JTD, 1.3D JTD Multijet, 1.3D JTD/Multijet, 1.3D JTDM,
- 1.3D Multijet, 1.3D Multijet 95, 1.3D TDCi
- Include: camshaft alignment (2 pieces) flywheel alignment pin 2 mm chain tensioner retaining pin



B01I472B
Land Rover 3.6 TDV8 Engine Timing Tool Set

Features:
- Land Rover 3.6 TDV8 Engine Timing Tool Set
- Designed to lock the camshaft and crankshaft in their timed position when performing engine rebuild or changing the Cam chain.
- Application: Land Rover/Range Rover 3.6 V8 diesel engines
- Components are equal to OEM 303-1236, 303-1243, 303-1239, 303-1238
- Professional and quality tool set for durability and long life use

Specifications:
- 13Pcs Land Rover 3.6 TDV8 Engine Timing Tool Set
- Components are equal to - OEM 303-1236 - camshaft alignment blocks 2 x 2 + bolts 303-1243 - flywheel locking plate 303-1239 - camshaft rotating pin 303-1238 - crankshaft timing pin"



B01I473
Engine Timing Tool Set - Citroen & Peugeot

Features:
- Engine Timing Tool Set - Citroen & Peugeot
- Multi-function, applicable for Peugeot and Citroen, suitable for locking the flywheel / camshaft / crankshaft, removal and assembly of fuel injection pump and water pump, changing the timing belt
- It can be used on most of recent cars with either HPI(petrol) or HDI(diesel) engines
- Professional quality
- Suitable for identical engines in e.g. Fiat, Ford, Nissan, Renault, Rover, Toyota, etc

Specifications:
- Applicable of:
- Citroen: AX, BX, ZX, XM, XJR, VISA, SAXO, XSARA, XANTIA SYNERGIE / EVASION, BERLINGO, JUMPY, RELAY, C15, C25, PICASSO, C5
- Peugeot: 106, 205, 305, 306, 307, 309, 405, 406, 406 COUPE, 605, 607, 806, 807, EXPERT, PARTNER, BOXER(ab 1986), SOLARA, TALBOT EXPRESS, TALBOT HORIZON
- 33Pcs of comprehensive set of tools enables the correct engine timing to be made when replacing the timing belt.
- 8Pcs x Camshaft Locking Pin
- 2Pcs x Crankshaft Timing Pin
- 1Pc x Crankshaft Pulley Remover
- 11Pcs x Crankshaft Locking Pin
- 2Pcs x Flywheel Locking Pin
- 2Pcs x Flywheel Locking Tool
- 1Pc x Injection Pump Setting Pin
- 1Pc x Adjustment Pin
- 1Pc x Timing Belt Retaining Clip
- 4Pcs x Spanner Tool



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Auto Tools

B01AC015
3PC Tail Pipe Expander Set

Features:
- Brand new and durable
- Easy to use
- High strength and good toughness
- 3 different sizes make it almost suitable for all kinds of pipes
5. Used for exhaust system repair and installation
6. Come with a red plastic box which makes it portable.

Specifications:
- Small Expander: 1-1/8" to 1-3/4"
- Medium Expander: 1-1/2" to 2-1/2"
- Large Expander: 2-1/8" to 3-1/2"



B01AF009
Offset Oxygen Sensor Wrench

Features:
- For removal and installation of sensors on computerized engine control vehicles.
- Offset design ideal for confined areas.

Specifications:
- 3/8in.-drive, 7/8in.(22mm) 6-pt. socket with cutaway portion for wire clearance.
- Heavy-duty alloy steel construction.



B01AF011
Offset Oxygen Sensor Wrench

Features:
- Offset design socket allows access in hard to access areas.
- Perfect for heated and unheated oxygen sensors.
- Cut-out section allows socket to pass over wiring.

Specifications:
- 1/2" Drive
- 7/8" (22mm) 6-pt socket
- Heavy duty alloy steel construction



B01AF021
3/8" Drive Oxygen Sensor Socket Wrench

Features:
- For heated and unheated oxygen sensors.
- The product is made of quality steel and is heat treated as a whole.
- The surface of the product is polished, not easy to rust,high hardness,large torque and good toughness.
- Dimensional standards for durability.

Specifications:
- 3/8" Dr. x22mm(7/8") x80mmL
- Color:Silver
- Material: CR-V



B01AF037
3pcs Oxygen Sensor Socket Set

Features:
- Car Repair & Maintenance Car Modifications - This tool kit is used for removing and installing oxygen sensors in vehicles that are 7/8" (22mm) in size.
- 1 X Car Oxygen Sensor Socket Wrench Kit
- This tool kit is used for removing and installing oxygen sensors in vehicles that are 7/8" (22mm) in size

Specifications:
- 1 pc socket : 7/8",
- 2pc oxygen sensor : 7/8" (22mm).



B01AF045
7pc Oxygen Sensor & Sending Unit Socket Set

Features:
- Assorted sockets for removal and installation of oxygensensor, oil pressure sending units and vacuum switches
- Chrome vanadium steel construction
- Oil rubbed Black oxide coating for corrosion resistance
- Designed for the removal and installation of oxygen sensors, oil pressure sending units and vacuum switches equipped with wires or vacuum tubes

Specifications:
- All sockets are made of heat treated, durable chrome vanadium steel.
- Contents: 1/2" Dr. x 29mm x 90mml (7mm slot) #1; 1/2" Dr. x 27mm(12pt) x 82mmL #3; 1/2" Dr. x 22mm x 50mmL(90°) #6; 3/8" Dr. x 7/8" 90mmL (20mm slot) #2; 3/8" Dr. x 1-1/16" x 74mmL #5; 3/8" Dr. x 7/8" 80mmL(7mm slot) #4; 3/8" Dr. x 22mm x 31mmL(90°) #7."



B01AF101
Oxygen Sensor Thread Chasers

Features:
- Use for cleaning and re -threading damaged Oxygen sensor .ports.
- Useful for many types cars.
- helping the user get the job done quickly and efficiently.

Specifications:
- M12 x 1.25, M18 x 1.5



B01AF911
5pcs Oxygen Sensor & Thread Chaser Set

Features:
- Ideal for removing and installing oxygen sensors and vacuum switches on vehicles with computer-controlled engines
- Heavy duty O2 sensor socket set cut out and slots enable sockets to be fitted over wiring harnesses, helping the user get the job done quickly and efficiently.
- Its spark plug thread chaser set comes with two thread chasers that clean and repair damaged threads.


Specifications:
- 1/2"DR X7/8"(22MM) X50MM LONG
- 3/8"DR X7/8"(22MM) X 30MM LONG
- 3/8"DR X7/8"(22mm) x6PT X 80mm LONG
- Thread chasers:M12X1,25 ,M18 X 1.5MM



B01AF011
Crank Seal Remover and Installer Kit

Features:
- Quality crank and camshaft oil seal removal &installation kit
- Screw-type adapter to fit the centering
- For universal use of oil seals between 27~58mm in diameter
- Comes with seal adapter which are made of aluminum to avoid damaging crank surface
- The color of the blow case might be changed to other color depends on the shipment. The contents are the same
- Universal use for a wide range of cars with oil seals between 21.5mm and 64mm in diameter
- Various size of adapter rings for the most popular central screws

Specifications:
- Contains: 7Pcs x Adapters for pressing in the seals
- 5Pcs x Large adapters
- 7Pcs x Adapter rings for the most popular central screws (M8, M10, M12, M14, M16, M18 and M20)
- 1Pc x Puller for pulling stuck radial seal rings
- Size of one set: 48*20*6cm Weight:2.1Kg
- Case Size: Approx. 470x185x55mm/ 18.50"x7.28"x2.17"



B01AL434
9Pcs Heavy Duty Scraper, Hook & Pick Set

Features:
- 9Pcs gasket scraper pick and hook set, including 4 short picks, 4 long picks and 1 gasket scraper
- Professional tool set suitable for pin, clip picking, hose removal and gasket scraping
- Hooks and picks are perfect for fitting and removal of O-rings, seals, springs and fuses. The larger hooks are perfect for removing those impossible to remove water pipes.
- Manufacturing from high quality aluminum alloy with heat treatment, high hardness, wear-resistance and rust-proof.
- Ergonomic designed rubber handle give you a very comfortable grip, labour-saving and easy to operate
- Lightweight and portable packed, convenient to carry and transport

Specifications:
- Drop forged and heat-treated 45# steel shafts
- Including 4pcs mini precision tools & 5pcs full size tools:
- 1pc x Mini Straight Pick
- 1pc x Mini Full Hook
- 1pc x Mini 45° Hook
- 1pc x Mini 90° Hook"
- 1pc x Large Scraper
- 1pc x Large Straight Pick
- Large Full Hook
- Large 45° Hook
- Large 90° Hook"



B01C009
Universal Clutch Alignment Tool

Features:
- For single plate clutches
- Suitable for flywheels without pilot bearing
- For easy alignment and installation on the workbench
- Suitable for most vehicles under 5 tons with a single plate clutch

Specifications:
- Size of collets: 14mm to 28mm across 3 adaptors.
- Cone size range from 35mm to 67mm



B01D025
2PCS Fan Clutch Nut Wrench

Features:
- Designed to easily remove lock nuts on the temperature dependent thermo-viscous fans
- This tool allows user to hold the water pump pulley in place while loosening the radiator fan
- Compatible with, but not limited to the following applications: M4, M10, M20, M30, M40, M44, M50, M52, M52TU, M54, M56, M60, M70, M73, S14, S38, S54, S50B30, S50B32
- Constructed from high strength steel for durability and a long life

Specifications:
- Size: 32mm (1.26")



B01D315
Benz & BMW Fan Clutch Tool Kit

Features:
- Removal of lock nuts on thermo Viscous fans found on Mercedes-Benz, BMW, Ford and many other vehicles
- Allows the technician to hold the water pump pulley in place while loosening the radiator fan for removal of the visco-coupling on the cooling fan
- Special open-ended spanner to allow removal and replacement of the radiator fan hub
- The three-in-one design allows servicing of three separate areas of repair (which all require a specialty tool due to their confined locations)

Specifications:
- 1- Mercedes-Benz Fan Clutch Wrench 65mm Opening
- 1- BMW Fan Clutch Wrench 32mm Opening
- 1- Mercedes-Benz Fan Clutch Wrench 36mm Opening
- 1- BMW Fan Clutch Holding Wrench 38mm and 44.5mm
- 1- Mercedes-Benz Fan Clutch Holding Tool
- 1- Universal Fan Belt Adjustment Wrench
- 1- Allen Keys 10mm
- 1- Allen Keys 8mm
- 1- Allen Keys 2.5mm



B01E008
Universal Tensioning Gauge For Cam Belt

Features:
- This tension gauge is for adjusting the tension of drive belts on various serpentine and camshaft belt thicknesses.
- This tool is compact and easy to use on belts of any width. The measuring scale is printed in two locations so that measurements can be easily read in any orientation.
- This tensioning gauge can be used to adjust the tension on the cambelt where the movement of the timing belt is measured by load.
- Suitable for: Universal, VW, Audi, Porsche, BMW, Mercedes
- Made from hardened steel with a smooth rolling screw action and knurled grip edge for maximum grip and durability.

Specifications:
- Adjust size: 0-20mm.
- Read in NM
- Length (approx): 85mm - 100mm
- Width: 80mm



B01E011
8Pcs Serpentine Belt Tool

Features:
- For removing or installing serpentine belts on vehicles with spring-loaded automatic belt tensioners
- Tool includes 24-in handle with 3/8-in square drive and 9-1/4-in adapter/extension with 1/2-in square drive
- Adapter fits on handle in 8 different positions

Specifications:
- Serpentine Belt Tool Releases tension on serpentine belts with spring-loaded idler pulleys.
- Fits idler pulleys requiring 15, 16, 18mm hex or 3/8in. or 1/2in. square drive.
- Also includes 13, 14 and 15mm crowfoot wrenches.



B01E012
9Pcs Serpentine Belt Tool

Features:
- For removing or installing serpentine belts on vehicles with spring-loaded automatic belt tensioners
- Tool includes 24-in handle with 3/8-in square drive and 9-1/4-in adapter/extension with 1/2-in square drive
- Adapter fits on handle in 8 different positions

Specifications:
- Releases tension on serpentine belts with spring-loaded idle pulleys.
- Fits idler pulleys requiring 13, 15, 16, 18mm hex or 3/8in or 1/2in. square drive.
- Also includes 13, 14 and 15mm crowfoot wrenches.



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Auto Tools

17pc Metric Bushing Driver Set

B03AK021

Features:
- 17pc Metric Bushing Driver Set of professional grade quality
- High strength, durability, and anti-rust
- Easier to insert wheel bearing race and seals without damaging race and axle housing
- Advancing gripping handfeel of Knurled-surface driver
- Fit for all remaining bushings

Specifications:
- Aluminum construction with anti-rust
- Suitable bearing diameter range:10-42mm
- Including:
3 sizes of drivers/handles:
small (4-1/2"" long x 7/16"" diameter), medium (5-1/2"" long x 5/8"" diameter) , and large (6-1/4"" long x 7/8"" diameter),
- 14 pcs adapters
(small end diameter x large end diameter)
- 10mm x 12mm
- 12mm x 14mm
- 14mm x 16mm
- 15mm x 17mm
- 16mm x 18mm
- 18mm x 20mm
- 20mm x 22mm
- 22mm x 24mm
- 25mm x 27mm
- 28mm x 30mm
- 30mm x 34mm
- 32mm x 36mm
- 35mm x 40mm
- 38mm x 42mm



51pc Deluxe Bush Bearing Seal

B03AK035

Features:
- Substantial:Suitable for mounting of bearings, bushings, sealing rings, and rubber (even for use with hydraulic presses); Impact-resistance allows use with a hammer; All 50 pieces are interchangeable with each other – you get 2,450 different size variations
- Multile:8-65mm & 74mm Metric Discs, Shaft, Allen Key, Screw can remove or install bushings that are flush with the housing and allows you to buildyour own custom bushing driver so you always have the right size for the job
- Come with a blue carry case

Specifications:
- 1 x Support disc 74.2 mm, diameter of the bore 12 mm, height 12.4 mm
- 48 x Discs with outer diameters from 18 to 65 mm (1 mm graduation): 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40 , 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64 and 65 mm. All the discs are with a height of 12.4 mm, diameter of bore 12.2 mm
- 1 x Grip with 220 mm overall length, 12 mm bore diameter, knurled handle / shaft for mounting with hammer
- 1 x Associated Allen key 3 mm



Front End Service Tool Set

B03AP015

Features:
- Professional grade quality Front End Service Tool Set
- High strength, durability, and long life use
- Easily handle all types of front end issues, including tie rods, u joints, ball joints, pitman arms, and others
- Press type ball joint separator allows for ball joint removal without damage to boots and other parts
- Easy to operate, efficient basic commonly-used tool
- Designed for removal of most of popular types of pitman arms, tie rods, and ball joints on most vehicles

Specifications:
- High strength steel constructure, Chrome covered
- Set Includes:
1- pitman arm/tie rod end puller
1- ball joint separator
1- pitman arm puller
1- ball joint/tie rod end remover
1- tie rod/inner bearing race puller

33pc Metric and Standard Master Bushing Bearing Driver

B03AK028

Features:
- REMOVE AND INSTALL BUSHINGS: bushings, bearings, and seals ranging from 10mm to 42mm and 3/8 inch to 1-3/8 inch in diameter on your car, truck, farm tractor, lawn mower, construction equipment; Includes large 5.5-inch (14cm), medium 5-inch (12.7cm), and small 4-inch (10.2cm) driver handles with 1.5-inch (3.8cm) knurled ends and O-rings on other end to retain driver; All steel construction
- EASY TO USE: Simply install a driver (select based on the size of sleeve that is to be removed and replaced) on the appropriate handle (large side of driver away from handle), the larger outer diameter (OD) of the driver will catch the sleeve and pull it through, then tap the handle gently with a hammer
- Easy Storage

Specifications:
- Kit includes 3 handles
- Kit includes 30 metric bushing adapters
- Metric: 10-12mm, 12-14mm, 14-16mm, 16-17mm, 16-18mm, 18-20mm,20-22mm, 22-24mm, 25-27mm, 28-30mm, 30-34mm, 32-36mm, 35-40mm,38-42mm
- SAE: 3/8"x7/16", 7/16"x1/2", 1/2"x9/16", 9/16"x5/8", 39/64"x11/16", 5/8"x3/4", 11/16"x13/16", 47/64"x7/8" 13/16"x15/16", 55/64"x1", 15/16"x1-1/16", 1"x1-1/8", 1-1/16"x1-3/16", 1-1/8"x1-1/4",1-3/16"x1-5/16", 1-1/4"x1-3/8"
- Material:45# Steel
- Surface: zinc plating



Rear Axle Puller Set

B03AL127

Features:
- Use for flange-type rear axle and bearing removal on most late model passenger cars and light trucks
- 3/4-Inch safety nut,hook,3/8-Inch slide rod-18-Inch,slide hammer,1-1-7/8-Inch adapter,1-5/16-2-3/8-Inch adapter, 1-3/8-2-7/8-Inch adapter, web plate
- Slide hammer power pulls many flange type rear axles as well as axle bearings
- Comes in a sturdy blow-mold storage case

Specifications:
- 1 pc. - Slide Screw 5/8" 18T x 22-1/2" (16mm-16T x 57 cm)
- 1 pc. - Axle Yoke
- 3 pc. Bearing Adapter
- 1 pc. - Slide Hammer
- 1 pc. - Lock Nut 5/8" (16mm)
- 1 pc. - Bearing Hook
- Blow-mold storage case.



26pcs Universal Press and Pull Sleeve Kit

B03AP319

Features:
- 26pcs Press and Pull Sleeve Kit bring users fully universal applications for various needs
- High strength and durability, All of these parts are forged and heat treated for high strength and durability. Reduce the possibility of damage to the bearing/suspension housing.
- Well protect bearings and suspensions from damage
- With this comprehensive tool, you can easily extract and draw bearings, bushings, and seals
- A comprehensive universal application for automotive and LCV, ideal for different vehicles.
- Different sizes and specifications to meet your diverse needs. With this comprehensive tool, you can easily extract and draw bearings, bushings, and seals

Specifications:
- Carbon Steel, forged and heat treated
- 22pcs x Press Sleeves
- 4pcs x Pulling Spindles



3 In 1 U Joint Press

B03AR111

Features:
- Installation and removing adapters
- Includes blow-molded storage case
- Kit removes and installs ball joints, universal joints and truck brake anchor pins
- Removes rusted and corroded parts with ease.

Specifications:
- C-frame press with threaded forcing screw.
- Includes 3 receiver tubes:
- 2-3/4" ID x 3" OD
- 2-1/4" ID x 2-1/2" OD
- 1-3/4" ID x 2" OD.



Ball Joint Service Tool with 4-Wheel Drive Adapters

B03AR123

Features:
- Heavy duty forged steel tool and set is excellent for removal/ installation of press-fit parts such as ball joints, universal joint and truck brake anchor pins
- Will remove rusted and corroded parts
- Set contains C-frame press, 3 receiver tubes sizes: 2-3/4"x3"", 2-1/4"x 2-1/2" & 1-3/4"x2", installation and removing adapters
- Set also includes 4-wheel drive ball joint service kit that allows service for 1967 thru current 1/2 and 3/4 ton 4WD vehicles having the Dana 30 or 44 front axle (found on Ford, GM, Dodge, IHC and Jeep vehicles)
- Blow molded case for easy storage and transport

Specifications:
- Heavy-duty forged steel with black-oxide
- 1Pc x Forcing Screw Press
- 2Pcs x Receiving/Installing Cup
- 1Pc x Installing Cup Adapter
- 3Pcs x Receiving Tube
- 2Pcs x Removal/Installation Adapter



21pc Master Ball Joint Service Set

B03AR127

Features:
- Universal and easy to operate. Brake anchor pin removal and installation
- Installer and remover adapters for 1967 Thru Current 1/2 and 3/4 ton 4ws vehicles
- Having the Dana 44 Front Axle (Found On Ford, Gm, Dodge, IHC and Jeep vehicles)
- Removes and replaces ball joints.

Specifications:
- Heavy-duty carbon steel, and cast metal construction
- Including: 1Pc x C-frame. 1 pc x Forcing Screw Hydraulic
- Receiving tubes: 1-3/4" x 2"; 2-1/4" x 2 -1/2"; 2-3/4" x 3"
- Center Plug OD 7/8"
- Receiving tube OD:2 -12" ID: 2 -14" L: 2"
- Receiving cup adaptor OD: 2-1/4" ID: 2" L: 2"
- Receiving cup OD: 2-1/8" ID: 1-3/4" L: 1/2"
- Remover installer OD: 1-7/16" ID: 3/4" L: I"
- Receiving cup OD: 2-1/2" ID: 1-1/4" L: 1-1/2"
- Receiving tube OD: 2-3/4" ID:1-7/16" L: 2-1/4"
- Receiving tube OD: 3" ID: 2-3/4" L: 2-1/4""
- Receiving cup OD: 2-1/4" ID: 2" L: 2"
- Receiving tube OD: 2-1/2" ID: 2-1/4" L: 2 -3/4"
- Installation cup OD: 2" ID: 1-3/4" L: 2-5/16"
- Receiving cup OD: 2-7/8" ID: 2-5/8" L: 3-7/8"
- Receiving cup OD: 2-7/16" ID: 2-3/16" L: 3-3/16"
- Installation cup OD: 2" ID: 1-3/4" L: 3""



Master Ball Joint Adapter Set

B03AR151

Features:
- Includes all the receiving tubes and removing/installing adapters needed to work on most GM, Ford and Dodge 2-wheel and 4-wheel drive pick-ups, vans and sport utility vehicles through 1997
- Work on press-fit upper and lower ball joints
- Set also includes live center forcing screw plug.
- This Tool kit is designed to provide adaptors for all cars, vans, and light trucks with press fit type ball joints.
- Blow molded case keeps the tools organized and easy to transport

Specifications:
- Material: Steel, Black Oxide Finish
- Screw Cup: 7/8" 0D X 3"
- Receiving Cup: 1-3/4" ID X 2-1/8" OD, 1-13/16" ID X 2-1/4" OD
- Installing Tube: 1-3/4" ID X 2" OD, 1-3/4" ID X 2" OD
- Remover / Installer: 3/4" ID X 1-7/16" OD



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Auto Tools

Power Steering Air Bleed Adapter Kit

B01J119

Features:
- Adapters form an airtight seal in the neck of a vehicle's power steering pump allowing for air evacuation
- All three adapters include an inlinebarbed connection for a 1 - 4" internal diameter hose
- Forms an Airtight Seal in the Neck of a Vehicle's Power Steering Pump
- A 90-degree barbed connector is available separately and can be interchanged with the inline connector for applications with limited overhead access
- Works with a Hand Vacuum Pump that Can Be Coupled to the Adapter to Exert a Vacuum on the Fluid's Surface in the Reservoir

Specifications:
- 1PC Ford Power Steering Air Bleed Adapter. Seals Ford Power Steering Pump Necks Having an Internal Diameter of 1-1/4" or 2" (32 or 50 mm). Includes an In-Line, Barbed Connection for a 1/4" Internal Diameter Hose
- 1PC GM Power Steering Air Bleed Adapter. Includes an In-Line, Barbed Connection for a 1/4" Internal Diameter Hose
- 1PC Universal Power Steering Adapter. Rubber, Cone-Shaped Design that Seals Pump Necks Ranging from 5/8" to 1-5/8" (16 - 41 mm) Internal Diameter



Steering Wheel Lock Plate Puller

B01J021

Features:
- Chrome plated wing nut and yoke black oxide finished pulling threads fits all domestic lock plates including tilt and telescoping columns
- Steering wheel lock plate remover f or easy removal and installation of lock plate snap rings when servicing steering wheel columns
- Applicable for professional auto mechanics as well as heavy duty applications

Specifications:
- Head size: 9/16", 14 mm



Overhead Valve Spring Compressor

B01M021

Features:
- Perfect for removing valve springs, spring retainers by compressing the valve spring retainer and exposing the valve keeper, remove keepers, uncompress the tool then remove spring.
- The device have a reversible jaw adaptor and an automatic cam-action locking to a pre-determind setting.Allow valve springs and valve stem oil seals to be replaced with the cylinder head.
- Tool spring depth reach grips to retainer are adjustable to fit most large and small spring applications

Specifications:
- For use on a wide range of OHV, OHC and CHV engines.
- Not suitable for use on engines with deep seated valves.
- Allow valve springs and valve stem oil seals to be replaced with the cylinder head."
- Feature a reversible jaw / adaptor and automatic cam-actionlocking to a re-determined setting.



10pc Valve Spring Compressor Kit

B01M043

Features:
- Valve spring compressor set installs and removes valves for motorcycles, ATVs, cars, and other small engines.
- Solid material, durable quality.
- This kit is perfect for professionals, DIY'ers. We provide some pictures from our customers.

Specifications:
- Pusher size: 16mm, 19mm, 23mm, 25mm, 30mm
- 5pc pusher for tting the valve spring correctly
- 5pc pusher percision casting, master device hollow pipe



Wrinkle Band Ring Compressor

B01N021

Features:
- FITS MULTIPLE SIZES: it can be used on many makes and models of cars and trucks, sizes ranging from 3"-5"
- WRINKLE BAND COMPRESSOR: Notched design greatly reduces friction and allows the piston to easily slide into the cylinder, preventing damage to the rings
- CORRUGATED BAND DESIGN: Keeps pistons from accidentally slipping down too far into the cylinder
- SET IT AND FORGET IT: Cam action compression lets you set the piston diameter just one time (rather than having to reset it for each piston)
- SAVE TIME AND MONEY: This Piston Ring Compressor allows fast and easy insertion of all piston assemblies

Specifications:
- 1-1/2" deep, low friction wrinkle band.
- Fits 3" to 5" pistons.
- Works with motorcycles and aircraft engines.



Multi-Purpose Syringe 500ML

B01P210

Features:
- Highly reliable and easy to use, it is a perfect tool for your car.
- EPDM plastic allows wearing-resistance.
- 500ML capacity enables one-time finish work.
- Small size and light weight allows time and energy saving work.
- For removing or replacing oil from gearboxes, engines etc, also can be used with brake fluid / antifreeze etc.

Specifications:
- For removing oil from gearboxes and engines
- For use with brake fluid/antifreeze 500ML
- which is made from EPDM plastic/ transparent Suction
- and supply of gear oils etc
- Quick disconnect tube
- Tube length: 50CM



3pc Flexible Hose Clamp Set

B01P509

Features:
- Lightweight easy for quick and simple handle
- Quality set of flexible hose clamp pliers manufactured from high visability, light weight non-conductive material
- Flexible hose clamp, in 3 sizes
- Ideal for single handed use with locking clamp for accuratepinch/clamping
- Ideal to avoid damaging hose lines on brakes, heaters,fuel, radiators

Specifications:
- Approximate Sizes:
150mm(6inch),
180mm(7inch),
250mm(10inch)



9pc Hose Clamp Pliers Assortment Kit

B01P893

Features:
- Great release of labours, make your operation easier and safer
- All the hose clip tools you are likely to need in one case
- Comprehensive set features heavy-duty construction with ratchet locking mechanism on most pliers
- Long reach hose clamp plier with wire flexible wire shaft
- Convenient for working hidden areas and long distance
- For easier replacement of fuel, oil, and water hose
- Excellent performance in removing or fixing hose clamps

Specifications:
- 9pcs a set: 1pc Hose Clamp Pliers, 1pc Clic-R Collar Pliers
- 1pc Swivel Jaw HoseClamp Pliers("+"Slot)
- 1pc x Swivel Jaw Hose Clamp Pliers
- 1pc x Hose Remover Pliers
- 1pc x Angled Flat Band Hose Clamp Pliers
- 1pc x Flat Band Hose Clamp Pliers
- 1pc x screwdriver
- 1pc x hose remover.



9 Wire Spark Plug Gap Gauge

B01S813

Features:
- Rugged All Steel Construction
- Includes Built-In Gap Adjuster
- Built for Resilience and Flexibility
- Heavy-Duty Construction Allows for Strength and Durability

Specifications:
- Range of Sizes: 0.025, 0.030, 0.035, 0.040, 0.044, 0.0450.050, 0.055 and 0.060-Inches



Key Chain Spark Plug Gauge

B01S890

Features:
- Accurate measuring - Accurately Measures and Adjusts Spark Plug Gap Durability.
- Spark Plug Gapper allows you to quickly and easily gap your own spark plugs.
- Features easy to read markings and tapered hole to adjust electrode.

Specifications:
- Range: 0.020" to 0.100" (0.5mm to 2.5mm)



Torque Valve Core Tool

B03AD138

Features:
- Compact and simple design, easy to carry and use
- Install and remove tire valves cores efficiently and effectively
- Suitable for Standard Schrader Valve Cores
- Storage compartment for valve cores
- Avoid TPMS damage, leaky valves and false readings
- Twist-Til-Click precision torque feature preset to TPMS manufacturers recommendations
- Including Cars, Trucks, Motorcycles, ATV, Lawn Mower, etc.
- As well as air conditioning units.

Specifications:
- A Calibrated Torque Tool For Tire Valve Core
- The Tool For TPMS (Tire Pressure Monitoring System) Valves
- To Maintain Proper Pressure
- Use As Core Remover And Installer To Prevent Leaking
- By Over Or Under Torquing
- Durable Alloy Construction
- Precision Torque
- Rod size:5mm
- With 2pc valve core



23 PCS Wheel Bearing Removal Tool Kit

B03AJ535

Features:
- 23 PCS Wheel Bearing Removal Tool Kit
- Durable and versatile use
- Fit for most front wheel drive cars, vans and light trucks
- Reduce the damage to hub and bearings
- Designed to use with steering knuckle and strut assembly still on the vehicle
- Corrosion resistant of black oxide finishing

Specifications:
- Material: carbon steel, finished with black oxide
- Bushing Hardness: HRC25 to HRC35
- Sleeve Sizes: 3"O.D.x 2.5"Long, 3.25"O.D. x 2.53"Long, 3.63"O.D. x 2.53Long, 4"O.D. x 2.53"Long
- Sleeve Plate Sizes: 3.25"O.D. x 2.72"Step, 4"O.D. x 3.2"Step
- Sliding Screw Size/Type: 7.5"Long X 0.75" Diameter/10NAT
- Nut Size: 3"Long x 0.75"Diameter
- Washer Size: 1.5"O.D.



25PC Master Front Wheel Drive Bearing Adapter Kit

B03AJ541

Features:
- Includes heavy duty grade 7/8"D (1.25" Hex) Grade 8 drive bolt for twice the durability of the industry standard
- Replace wheel bearings without the need for alignment after by keeping the strut assembly and steering knuckle in place during service
- Master set for a wide range of applications
- Black coating for a more durable finish

Specifications:
- Bushing Range (Outside Diameter):
- Sleeve Sizes: 2.18", 2.5", 2.62", 2.78", 2.82", 2.88", 2.9", 2.96", 3.05", 3.21", 3.28", 3.48"
- Sleeve Plate Sizes: 3"O.D. × 2.5" Long
3.25" O.D. x 2.53" Long
3.63" O.D. x 2.53" Long
4" O.D. x 2.53" Long
3.25"O.D. x 2.72" Step
4" O.D. x 3.2" Step
- Sliding Screw Size/Type:
GR8 7.5" Long × 0.875" D x 1.25"
- Nut Size: 3" Long × 0.875" ID x 1.25"
- Washer Size: 1.5" O.D.
- European refer to below content :
- Drift Sizes:50,55,59,63,67,70,72,73, 74,75,77,82,83,88mm.
- Sleeve External:76,86,91,102mm.
- Hub Screw Length:210mm
- Hub Screw Drive:32,38mm"



10pc Bearing Race and Seal Set

B03AK013

Features:
- Professional Bearing Race and Seal Set
- With high strength and durability Forged from high strength aluminum for extra durability and strength, the driver and discs feature extraordinarily long service life and won't mark the bearings. The solid, knurled handle offers extra grip and control during use.
- Easier to install bearing races and seals without damaging race, axle housing or brake rotors.
- Fits for most popular bearing race sizes
- Suitable for straight installation on cars, small engine trucks, motorcycles, etc.

Specifications:
- Constructed form high strength aluminum
- Includes driver handle and adapter sizes: 1.565" , 1.750", 1.965", 2.325", 2.470", 2.555", 2.830", 2.995", 3.180"



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Auto Tools

Brake Bleeder Bleeding Fluid Change Kit

B03J817



Features:
- Professional car brake bleeder bleeding fluid change kit air pneumatic tool, quick, clean and efficient.
- Designed for one person bleeding of brakes and effortlessly bleeds hydraulic system, single handed operation. Clutch separator with hook and locking trigger can be operated handsfree.Works with a standard workshop air supply of 90-120PSI.
- Flush and refill the entire braking system 34oz brake fluid tank and 24oz new hydraulic tank to be plugged into the main cylinder through the supplied adapter.
- 4 different fluid bottle adapters to fit your main cylinder.
- Transparent drainage hose allows visual inspection of old fluid extraction.

Specifications:
- Working Pressure: 90-120PSI
- Oil Container Capacity: 1L
- Air Inlet: 1/4"- 18 NPT
- Adapter:1.25" - 1.60" (32-41mm), 1.10" - 1.45" (28-37mm),0.95" - 1.25" (24-32mm),0.80" - 1.20" (21-30mm)

Pneumatic Brake Fluid Bleeder

B03J835

Features:
- Pneumatic brake fluid bleeder brake bleeder device 5L
- Pressure reducing valve with a safety valve.
- Suitable for easy bleeding of brake and clutch systems
- This brake bleeder kit is a great time saver, especially if you service brakes on a regular basis
- Fits many European, American and Asian vehicles.

Specifications:
- Container made from chrome-plated steel.
- Filling hose made of polyurethane, fabric-reinforced.
- Gauge: 0-140 PSI.
- Air supply: 10 - 40 psi
- Air consumption: 4.5 CFM
- Tank capacity: 5L
- Inlet size: 1/4"
- Hose length: approx. 17.65'
- Various adaptors, some with the same diameters but with different threads.
- Including:
  1 x Adaptor kit
  1 x Portable tank with a pressure gauge
  1 x Collection bottle
  1 x Fluid hose with a quick connector"



6pc Brake Bleeder Wrench Set

B03J918

Features:
- Suitable for releasing and tightening brake bleed nipples.
- Speed Bleed Brakes From The Driver'S Seat Without
- Monitoring The Bleeders
- No Drip Design Made Possible By The Check Valve
- Design. Tool Won'T Bleed Unless Pumped
- The One Way Check Valve Also Eliminates Air And Old Fluid From Entering The Brake System
- Wrenches Seal To The Bleeder Valve, And Tighten Or
- Loosen The Valves Without Breaking The Seal ; The 4
- Different Wrench Sizes (8 MM, 9MM, 10 MM, And 11 MM)

Specifications:
- Built in 5 point socket and wrench sizes 7/60, 8, 9, 10, 11mm
- All colour coded.
- 1.2mm silicon hose and check valve.
- Packed in a blow case with EVA foam.
- All wrenches available separately.



Brake Bleeder Kit

B03K011

Features:
- Allows one person to bleed air from brake line.
- 2 Piece Design for Strength and Durability.
- Designed for Use On Calipers, Wheel Cylinders and Master Cylinders

Specifications:
- Plastic Bottle Collects Discharge Fluid
- Magnetic pad holds collection bottle to metal frame.
- Includes adapters for multiple applications.



Plastic Brake Bleeder and Vacuum Pump Kit

B03K024

Features:
- Easy Usage: Hand vacuum pump is easy to bleed your car brakes.
- Multifunctional: The Vacuum Pump/Brake Bleeder is a multi-functional
- vacuum pump that is used to test a variety of essential vehicle settings

Specifications:
- Solid plastic cylinder and cylinder head.
- Replaceable O-ring cylinder head gasket, rubber pistonring and valves.
- Precise pressure gauge: 0-30in Hg, 0-760mm Hg.
- Negative pressure up to 635mm Hg.
- Steel handle, Release valve.
- Include the parts of brake bleeder, easily bleed brakes by yourself.



Hand Vacuum Pump Brake Bleeder

B03K028

Features:
- Hand Pump Brake Fluid Bleeder and Vacuum pump, 100% satisfaction guaranteed
- Durable construction vacuum pump/ brake bleeder in Form Fitted storage case
- Brake bleeder and vacuum pump kit makes brake service a one-person operation.
- Gauge: 0-30 inches of mercury (in Hg), 0-760 torr
- Durable non corrosive Hand Pump with gauge and bleed off valve

PARTS LIST

Part	Description	Qty
1	Brake Bleeder/Vacuum Pump	1
2a	Jar Lid (for operation)	1
2b	Jar Lid (for transport)	1
3	Reservoir Jar	1
4	23" Vacuum Hose	2
5	3" Vacuum Hose	2
6	Tapered Hose Adapter	9
7	"T" Hose Connector	1
8	Straight Hose Connector	1
9	Brake Bleeder ScrewAdapter	2
10	Universal Cup Adapter	1



Plastic Brake Bleeder and Vacuum Pump Kit

B03K030

Features:
- Quick remove air from your brake system.
- 1L Vacuum Brake Fluid Bleeder features a convenient hanging hook and locking trigger that allows for hands free operation. Free Your Hands
- The transparent drain hose allows you to visually inspect the old fluid during the draining process. You can easily flush your entire disc or drum brake system!

Specifications:
- Solid plastic cylinder and cylinder head.
- Replaceable O-ring cylinder head gasket, rubber pistonring and valves.
- Precise pressure gauge: 0-30in Hg, 0-760mm Hg.
- Negative pressure up to 635mm Hg.
- Steel handle, Release valve.
- Include the parts of brake bleeder, easily bleed brakes by yourself.



Brake Bleeder/Vacuum Pump

B03K031

Features:
- Heavy Duty 21pc Hand Held Vacuum Pump and Brake Breading Kit
- Checks vacuum and pressure operated automotive components
- Can be used to bleed hydraulic systems or siphon fluids
- Pressure to 45 PSI (3.1 bar) Vacuum to 20in HG
- Slide black valve direction slider chamber forward toward connection barb for vacuum, slide back for pressure
- Test automotive vacuum systems with numerous included adapters and hoses
- Durable construction vacuum pump/brake bleeder in Form Fitted storage case

Specifications:
- Aluminum anodized cylinder and aluminum cylinder head
- The body is switch to control two kinds of pressure conditions. Slide black valve direction forward for vacuum, back for pressure
- Thick Steel Plier style handle (3/8"thick) w/soft but dense rubber grips
- Include:
  1 x Hand Held Pistol Shaped Vacuum Pump
  4 x Vacuum Hose
  13 x Hose and Valve Adapters and Connector
  2 x Cup
  1 x Universal Cup Adapter"



Aluminum Brake Bleeder And Vacuum Pump Kit

B03K033

Features:
- Multifunctional: The Vacuum Pump/Brake Bleeder is a multi-functional vacuum pump that is used to test a variety of essential vehicle settings and operations. By using some of the included accessory caps and fittings it can also be used as a brake bleeder
- Tester: Cushioned pistol grip handle with vacuum gauge, simple operation, gauge range 0-30 inches Hg, 0-760 mm Hg
- Complete kit includes accessories for both brake bleeding and automotive diagnosis. Vacuum pump set can test and diagnose a wide varity of parts and common systems on any vehicles
- Easy to use: Easily bleed brakes by yourself. Coming with a carrying bag, made by high quality material, and easy to carry

Specifications:
- Material: alloy steel, plastics, rubber
- Gauge range: 0-30in Hg, 0-760mm Hg
- 1Pc x handheld vacuum pump
- 1Pc x reservoir jar & 2Pcs x lids
- 1Pc x "T" hose connector, 1pc x straight hose connector
- 1Pc x universal cup adapter, 2pcs x tapered hose adapters
- 3Pcs x brake bleeder valve adapter
- 2Pcs x 3" vacuum hoses, 2pcs x 24" vacuum hoses



Copper Brake Bleeder and Vacuum Pump

B03K035

Features:
- Multifunctional: The Vacuum Pump/Brake Bleeder is a multi-functional vacuum pump that is used to test a variety of essential vehicle settings and operations. By using some of the included accessory caps and fittings it can also be used as a brake bleeder
- Tester: Cushioned pistol grip handle with vacuum gauge, simple operation, gauge range 0-30 inches Hg, 0-760 mm Hg
- Complete kit includes accessories for both brake bleeding and automotive diagnosis. Vacuum pump set can test and diagnose a wide varity of parts and common systems on any vehicles
- Easy to use: Easily bleed brakes by yourself. Coming with a carrying bag, made by high quality material, and easy to carry

Specifications:
- Material: copper, plastics, rubber
- Gauge range: 0-30in Hg, 0-760mm Hg
- 1Pc x handheld vacuum pump
- 1Pc x reservoir jar & 2Pcs x lids
- 1Pc x "T" hose connector, 1pc x straight hose connector
- 1Pc x universal cup adapter, 2pcs x tapered hose adapters
- 3Pcs x brake bleeder valve adapter
- 2Pcs x 3" vacuum hoses, 2pcs x 24" vacuum hoses



Automotive Tune-up And Brake Bleed Kit

B03K045

Features:
- Easy Usage: Hand vacuum pump is easy to bleed your car brakes.
- Convenient Carrying: Portable kit which includes different adapters designed for all vehicles is suitable for both home and business applications.
- Widely Use: 4 tubes of different length to cover different needs.
- Vacuum Gauge: Equipped with vacuum gauge, convenient readout of pressure

Specifications:
- (1) Vacuum Pump, (1) Fluid Reservoir, (2) Reservoir Caps,
- (8) Tapered Adapters, (2) Universal Bleed Screw Adapters,
- (1) T-Adapter, (1) Straight Adapter, (1) Cupped Adapter,
- (5) Connection Tubes.(3)Adaptor
- All in blow case



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Auto Tools

Ball Joint Separator

B03AR206

Features:
- For use on many foreign and domestic autos and light trucks to remove the ball joint from the connecting links.
- Drop forged heat treated steel construction.
- Zinc plated nish resists corrosion.

Specifications:
- Opening size 15/16" (23.8mm).
- Sizes: 12"



CVJ Boot/Hose Clip Tool With Cutter

B03AU123

Features:
- Cv Joint Pliers are constructed from pressed steel with black-coated finishing, heavy duty construction, the perfect tool for fast and simple tensioning and securing of CV boot banding strap.
- Suitable for ear-type hose clips found on a fuel hose, cooling system, and vacuum hoses; Also use to secure late model GM CVJ.

Specifications:
- CVJ Boot/Hose Clip Tool With Cutter
- Quality made tool designed to aid fast tensioning and securi
- Material,Simply insert banding , tension using winding mechan
- Handle grip.
- Maximum Band Capacity: 1mm Thick x 10mm Wide



CV Joint Assembly Removal Tool

B03AU723

Features:
- Item Type: CV Joint Drive Shaft Assembly Removal Puller.
- Interesting accessories will refresh your beloved car.
  The product as described in the picture.
- Quickly removes the CV joint from the drive shaft without damaging the joint, and keeps hands free.
- Reduces risk of damage to transmission.
- Saves on labour time and suitable for most vehicles.

Specifications:
- Maximum CVJ Diameter: 100mm
- Length: 230mm/9.06" (Approx.)



Turnbuckle for Shock Absorber Top Lid 15Pcs

B03AV018

Features:
- Professional auto repair tool kit
- Work with wrench by manual operation
- Easily remove and install the spring/ strut of the shock absorbers.
- High strength, durable and long life use
- Suitable for most strut and spring compressor
- 15 Sizes of sockets fit for most domestic and import vehicles, such as Ford, VW, Audi, Seat, Fiat, Rover, Opel, Peugot, Renault, Toyota, Citroen,BMW, Volvo, Mecedenz Benz W203(C-class), W209(CLK) 14mm Honda, Nissan

Specifications:
- Turnbuckle for Shock Absorber's Top Lid 15pcs
- Material: Cr-Mo /Cr-V
- 1pcs central sockets 14 mm
- 6pcs central sockets 17, 18, 19, 21, 22, 24mm
- 4pcs central sockets 5.2, 6, 7, 8mm
- 1pcs central sockets 11mm
- 2pcs central sockets 6, 7mm
- 1pc central sockets T50



Coil Spring Compressor 250MM

B03AV105

Features:
- Quickly and easily compresses most MacPherson strut springs and coil springs
- Use any 7/8" Hand Socket Wrench Or High Torque Impact Wrench
- Works on straight or curved coil springs
- Forged construction for strength and durability
- Kit includes 1-Piece for removal and installation of the coil spring

Specifications:
- Drop forged, Heat Treated Steel
- Durable Molybdenum Steel Hooks
- Precision Machining Provides Smooth Threads
- Use any 7/8" Hand Socket Wrench Or High Torque Impact Wrench



Professional Strut Spring Compressor

B03AV127

Features:
- Professional use for compress the coil spring to replace the shock absorber unit, spring and repairs on bent struts, strut tubes
- Contains forged hooks, Heat-treated alloy thrust screw, and built-in detent pins
- Safely and easily compresses the most sizes of Macpherson strut springs
- Lubricate Treads with Anti-Seize Compound for long lasting
- Safety Latches for Locking Hook to Spring

Specifications:
- Drop forged steel constructed Acme Threaded Rod and Built-In Detent Pins
- 2Pcs a set
- Total length: 12"(305mm).



10" Coil Strut Spring Compressor

B03AV130

Features:
- Quality Coil Strut Spring Compressor Remover Installer Suspension Tool
- Easier to remove coil spring, great performance in replacing or repairing shock absorber
- Convenient to operate in limit space under wheel arch
- Bolts permit quick and safe removal or installation of springs

Specifications:
- 10" Coil Strut Spring Compressor
- Set of 2 Compressors, length 10in(25cm)
- Maximum jaw opening is 10"
- Zinc plated compressor jaws, black oxide finished bolts
- Carbon Steel drop forged heat treated
- Fit most macpherson Strut Sizes



5PC Hub Resurfacing Kit

B03AY125

Features:
- Use with power drill for a quick and easy job
- Quickly removes rust on lug studs and rotors on the Hub assembly
- Comes with 4 pads for cleaning Hub so wheel will fit correctly
- Made to be the most reliable tools in the market today
- Tool solutions for most all situations
- Built to exceed tool standards
- For most domestic and import vehicles with either front or rear disc brakes
- Runs at speeds of 1200 RPM or less for best results (Do not exceed 12,000 rpm)
- Comes with 4 pads for cleaning Hub so wheel will fit correctly

Specifications:
- Polishing disc size:OD:φ52mm x thickness 21mm x ID: φ14.5mm Single product weight 19.6g
- Polishing disc size:OD:φ41mm x thickness 19mm x ID: φ14.5mm Single product weight 10g"
- Connecting seat length: 115mm
- Connector tail:8mm(Hexagon)
- Card slot:7.5mm Single product weight 54g
- Maximum operating speed 12000rpm
- Material Nylon, Silicon Carbide, Resin Adhesive




Disc Brake Piston Retractor

B03B011

Features:
- An indispensable component of brake system, easy to install and you can operate it easily
- Unique Cube Design Provides 5 Drive Pin Configurations to Fit Most Applications
- Rotates caliper piston back into bore on actuator-screwrear
- Universal 5 in 1 cube design ts most piston lug patterns.

Specifications:
- Heat treated chrome plated die cast zinc.
- For Use with 3/8" Drive Tool



Brake Rewind Adapter Set

B03B016

Features:
- SAFE, EASY, FAST: Brake pad replacement is now easier for automotive professionals and DIYers
- NO NEED FOR MULTIPLE TOOLS: This rewind set SAVES you money by rotating the piston at the same time it pushes the piston back into the caliper.
- PREVENTS DAMAGE TO PISTONS: seals and has a 3/8" drive for convenience
- COMES WITH 2 PIN and 3 PIN ADAPTERS that are fully adjustable so they will fit on multiple makes and models
- WORKS WITH RIGHT & LEFT HAND THREADED PISTONS and can be used on most domestic, Asian and European vehicles
- Replaces larger kits containing up to 20 parts



Brake Piston Wind-Back Tool with Double Adaptor Wind-Back Tool

B03B041

Features:
- Professional Brake Piston Wind-Back Tool with Double Adaptor Wind-Back Tool
- Enables retraction of piston as tted to collette type brake callipers allowing new disc brake pads to be installed
- Applications: Audi; 80, 90, V8s, Ford; Sierra (ABS), Granada ('85 on), Ford (Australia/NZ); Telstar, Laser, Honda; Prelude, Jaguar; XJ40, Mazda; 323, 326, Mitsubishi; Galant GLSi, Nissan; Silvia 1.8, Turbo, Rover; 800 Series,Saab; 9000, Subaru; L & Series 2, Toyota; Celica, Corolla GT, MR2,VW; Golf & Passat (112bhp).
- Applied for most cars

Specifications:
- Pin Diameter: about 6mm
- Distance Between Pin Centres: about 22, 33mm
- Material type: steel
- Length: 26cm
- Width: 10cm
- Height: 5cm



12pc Brake Caliper Wind Back Tool Kit

B03B051

Features:
- Specialized tools for Auto Mechanics
- For rotting piston back into caliper to provide clearance for new pads
- Durable and easy use for professionals and serious diy users
- Application for most of both imported and domestic major cars
- This item is for pushing back the brake piston, replace and assemble the brake pads, easy to use

Specifications:
- Alloy steel with a sand blisted finishing, CNC machined, rust resistant
- Includes:
  1pc x holder
  1pc x main body
  10pcs x adapter



21pc Brake Caliper Wind Back Tool Kit

B03B063

Features:
- For use on most domestic & import 2WD & 4WD vehicles
- Use on front or rear disc brakes
- Includes tools & adapters for both right & left-handed applications
- Use on main brakes & parking brake systems
- Prevents damage to brake piston & boot
- 17pcs of adapter for popular car brands

Specifications:
- CNC machined alloy steel parts with rust-resistant sand blasted finish
- Includes:
- 2Pcs Spindles
- 2 Pcs Reaction Plates
- 17Pcs Adapters"



22pc Brake Caliper Wind Back Tool Kit

B03B064

Features:
- Universal 22 caliper wind back kit
- Both left and right handed piston wind back kit
- Includes adaptors for most vehicles, e.g. Audi, Austin, BMW, Ford, GM, Honda, Jaguar, Mercedes Benz, Mitsubishi, Nissan, Rover, Toyota, VW, Mazda, Saab,Subaru, Renault, Opel etc.
- Precision made adaptor plates with thrust bolt assembly helps prevent damage to seals, piston & boot
- Suitable for push/wind back brake pistons

Specifications:
- CNC machined alloy steel parts with rust-resistant sand blasted finish
- Includes:
- 2Pcs Spindles
- 2 Pcs Reaction Plates
- 18Pcs Adapters"
- Size of one set: 32*21.5*5.5cm
- Weight: 2.6Kg



Disc Brake Piston Separator

B03H037

Features:
- Disc Brake Piston Separator
- Applications: Alfa, Audi, Fiat, Ford, Nissan, Peugeot,
- Renault, Rover, Vauxhall/Opel, VW (Porsche).
- Suit for most cars.

Specifications:
- Manufactured from chrome vanadium steel for strength and durability
- Chemically blackened stee.
- Capacity: 0~2 -1/2.
- 1/2" drive.



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Auto Tools

Air Wedge Alignment Tool

B05I615

Features:
- The inflatable air cushion is an innovative alignment tool t can replace shims and wedges when leveling and installi windows, doors, kitchen cabinets, and household appliar
- Is made of fiber reinforced material that is durable enoug to be used time and time again
- Can even be used to level furniture around the house or as an effective door stopper.

Specifications:
- Size: 17*15cm
- Fiber reinforced material, PVC pipe, ABS valve, PVC airbag
- Inflatable air wedge replaces the need for wooden shims and plastic wedges in window, door and cabinet installatic
- Aligns and levels household appliances and furniture
- Powerful hand pump lifts up to 300lbs per air wedge



Wiper Puller

B05J009

Features:
- Suitable for straight and splined spigots;
- Durable - made with resistant materials, it is nearly impossible to break this injector;
- You won't find a better bridge that's fast, easy, and does the job that a good bridge ought to in order to perform topy quality repairs;

Specifications:
- Wiper Puller
- Windscreen wiper arm puller for removing the windshield wiper arms
- Opening of puller fork: 16 mm.
- Maximum range: 24 mm.



5pc Trim Molding Removal Tool

B05M157

Features:
- Easy to use and without any scratch onbody panel
- For plastic upholstery fastener
- Made from nylon to minimize scratches, markings and damaging to vehicle
- Remove trim, moldings, clips, panels, badges, etc
- Easy to remove or install audio equipment in your car

Specifications:
- Material: Nylon with ber glass.
- 1pc Narrow-Type Remover
- 1pc Upholstery Clip Remover
- 1pc Handy Remover
- 1pc Wide-Type Remover
- 1pc Wide-Type Remover
- 1pc Pull-Type Remover



IIpc Trim Molding Removal Tool

B05M213

Features:
- 11 Piece Auto Trim Removal Kit. Made Of High Quality Nylon Fiber That Will Not Break Or Bend Easily Like Abs Plastic Under Pressure.
- Universal Application For All Makes And Models Of Cars, Boats, And RVs.
- Comes With Thick Sturdy Pouch To Store All Of Your Tools After Use.
- Variety Of Shapes And Sizes For Hard To Reach Areas.
- Perfect For Installing Or Removing Stereo System, Door Panels, Moldings, Window Trims, Clips, Or Any Plastic Piece In Your Car Without Damaging The Car Like Metal Tools.

Specifications:
- New Material: Nylon + Glass Fiber
- Packing: Canvas Sling Packaging
- Include:
  1xRemover Wide Type, 61X156mm
  1xHandy Remover, 31X193mm
  1xClip Panel Remover, 37X205X22mm
  1xRemover Narrow Type, 20X176mm
  1xAngled Clip Panel Remover, 30X197X35mm
  1xUpholstery Clip Remover,19X210mm"
  1xRemover Pull Type, 30X61X178mm
  1xSharp Panel Remover, 23X205mm
  1xPanel Remover, 25X203X20mm
  1xStraight Panel Remover, 7X205X10mm
  1xFlat Clip Panel Remover, 30X205mm
  2xScrewdrivers"
  1xPlier
  5xRemover



5 Piece Upholstery And TrimTool Set

B05M559

Features:
- Combines the most popular individual upholstery tools into one master set
- The V-groove tool will remove small clips on the cowling.
- The large curved tool is for removing clips on the front part of the door panel because some doorjambs are so close a regular clip removal tool will not work.
- The other Door Panel Clip Removal Tools have different size openings that will grab and hold the clip, and different lengths so you can put them far behind the door panel to reach deep-recessed clips.

Specifications:
- Wider sized blades on door tools can help reduce the risk of damage during panel removal"
- Ergonomic large sized rubber handles with knurled grips for control and leverage"
- Set includes, "V" double step door panel tool, "U" door panel tool, "U" mini trim panel tool, "V" mini trim panel tool, and reverse door panel tool
- Sizes: 8,2/31,5 mm; 4-12,5/31,5mm; 6,15/12,8mm; 1-4,4/12,8mm; 8,4/31,4mm"
- Chisel: Stainless Steel



19Pcs Nylon Auto Trim Door Panel Window Molding Upholstery Fastener Clip Removal Tool Kit

B05M835

Features:
- Works great for Automotive , Marine , or Aircraft Trim Removal including Door Panels , Moldings , Window Trims , Clips , Fasteners , Emblems , Panels , Radios , ect.
- Ergonomic Design with Super Lightweight , Easy Handheld that Effectively Effort Saving for Various Interior and Exterior Car Trimming in the Shortest Time
- New Material: Nylon + Glass Fiber
- Packing: Canvas Sling Packaging

Specifications:
- 1xRemover Wide Type, 61X156mm
- 1xHandy Remover, 31X193mm
- 1xClip Panel Remover, 37X205X22mm
- 1xRemover Narrow Type, 20X176mm
- 1xAngled Clip Panel Remover, 30X197X35mm
- 1xUpholstery Clip Remover,19X210mm
- 1xRemover Pull Type, 30X61X178mm
- 1xSharp Panel Remover, 23X205mm
- 1xPanel Remover, 25X203X20mm
- 1xStraight Panel Remover, 7X205X10mm
- 1xFlat Clip Panel Remover, 30X205mm
- 2xScrewdrivers"
- 1xPlier
- 5xRemover



250 LB Capacity Work Stand

B05Q005

Features:
- Designed to hold large parts such as bumpers, hoods, doors, fenders and glass
- Portable, easy to adjust and stores flat
- Thick foam padding protects painted parts and glass from being scratched
- Light Weight Construction
- Use To Store Or Work On: Whether you just need a bumper to stay supported while working on the rest of the vehicle, or you are block sanding a door skin on the stand itself, the items works where you need it.

Specifications:
- 250 lb. Capacity (Third section)
- Foam padding tube Length:116cm
- Steel Tubing with 3.6mm foam padded top
- Leg tube Length: 75cm; Bent tube Length: 89cm
- Steel tubing Dia.:24.7mm; thickness :1.0mm
- Weight:Hardware:0.3kg, leg tube:0.4kg, bent tube:0.78kg
- Total Weight: 3.5kg
- Chain hangs on the third section after product unfolds, LxWxH: 89x49.5x85.5cm



13 Pcs Auto Trim Removal Tool Set

B05M815

Features:
- 13 Pcs Auto Trim Removal ToolSet
- Super lightweight, easy handheld that effectively effort saving for various car trimming in the shortest time
- Great for automotive snap on trim panel and molding removal,automotive interior repair and furniture restoration
- Includes 13pcs high quality, durable tools; save money by avoiding a trip to the mechanic
- Universal Application For All Makes And Models Of Cars, Boats, And RVs.

Specifications:
- New Material: Nylon + Glass Fiber
- Packing: Canvas Sling Packaging
- Include:
  2 x Fastener Removers 9"&12"
  1x Wide-Type Remover
  1x Pull-Type Remover
  1x Angled Clip Panel Remover
  1x Handy Remover
  1x Narrow-type Remover
  1x Upholstery Clip Remover
  1x Fork Tip Flat Clip Panel Remover
  1x Panel Remover
  1x Blunt Tip Flat Clip Panel Remover
  1x Sharp Tip Flat Clip Panel Remover
  1x Clip Panel Remover
  1x Storage Pouch"



12V Oil Fuel Diesel Extractor

B07C011

Features:
- This high efficient pump is an ideal equipment for quick and clean oil-changes. It works great for pumping engine oil, diesel and heating oil. About the installation, you just need to place the inlet and outlet hoses at the appropriate positions, connect the power clamps to the car battery and press the button. This process is very simple and you can often do it by yourself to ensure your engine runs smoothly.

Specifications:
- Voltage: DC 12V
- Rated Power: 60-80W
- Sound level: 70db
- Suction height: 0.5m
- Max flow rate:
- Diesel-or heating oil:approx.4L/min
- Motor-oil(40°C-60°C):approx.3L/min
- Oil inlet pipe: 1.5M 12MM
- Oil inlet pipe: 1.2M 6MM
- CE cetificate



2Pc. Universal Oil Funnel

B07J835

Features:
- Innovative clamp keeps funnel in position allowing the user to pour with both hands
- Helps to prevent spillage
- Transparent lower chamber shows oil flow
- No need to hold the funnel with your hand when refilling the oil
- The funnel has a special transparent design in the lower chamber to see the passage of the oil
- Universal application.
- The funnel has a thread that fits perfectly in the clamp.

Specifications:
- Universal oil funnel set 2 pc
- The width of the clamp is automatically adjustable 28mm-74mm（1.1"-2.91"）
- Unit Weight：0.5kg (1.1LB)
- Funnel 250mm（9.84"） deep x 125mm（4.92"）diameter



15Pcs Engine Oil Filler Set

B07J953

Features:
- 15Pcs Engine Oil Filler Set for fast oil filling without spillage or waste, great for vehicles with internal baffles
- This funnel is made of strong plastic with bayonet fitting. Made of ABS material, it has high wear resistance and is more durable
- Special angle extension with swivel feature works well on vehicles with internal baffles or shields inside the valve cover that restricts oil flow
- The 2-liter funnel connects to oil cap adaptor, color-coded plastic adapters fit the oil filter hole
- Suitable for most cars, such as Audi, BMW, Dodge, Honda, Mazda, Mercedes, Nissan, Subaru, Toyota, Volvo, etc

Specifications:
- Material: ABS Plastic
- Include:
- 1Pc x 2 litre top-up funnel
- 1Pc x angled extension
- 1Pc x elbow "
- 2Pcs x Bayonet Adaptors, suitable for following models: Audi / BMW / Dodge / Mercedes / Porsche / Volvo / VW Toyota and Lexus with 3.0L and 3.3L V6 engines "
- 10Pcs x Thread Adaptors : M30 x 3.0 - Dodge M32 x 3.5 - Acura / Dodge / Ford / Honda / Jaguar / Nissan" M35 x 4.0 - Ford / JLR / Mazda M37 x 3.0 - Toyota / Lexus / Pontiac / Scion M42 x 4.5 - Subaru "



Manual 7.5L ATF OIL Dispenser with 13Pcs ATF Adapter Refill

B07K020

Features:
- Open the filling cap on the reservoir. Fill in the dispensing fluid.
- Find the suitable adaptor from the selection and connect to the vehicle.
- Connect the adapter with dispensing hose.
- Push and pull the dispensing handle to start the operation. Replaceable fittings for different vehicles.
- With hand pump for vacuum to prevent oil deterioration.

Specifications:
- The capacity of tank is 7.5L.
- The viscosity Range: up to SAE 140
- Output Capacity: 70cc / cycle
- 8 pcs one touch adapters for ATF oil transportation.



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Auto Tools

2pc 4 In I Tire Impact Socket Set

B03R065

Features:
- smart design with 4 in 1 socket for tire nuts
- Double ends impact socket with hands-free adjustment between socket sizes ;
- comes with double blister

Specifications:
- Material: Cr-v（50BV30）
- Include: 1Pc 4 IN 1 socket,1Pc 1/2" Dr.75mm Bar;
- Two coaxial spring-loaded 17/21mm and 19/22mm hex socket sizes in one tool;
- Deep socket with a 1/2-Inch drive works great for pole hardware installation and removal;
- High-torque, 12-point and 6-point design is easier to position and works with square fasteners;



3PC 1/2" Drive Impact Socket SET

B03R125

Features:
- High quality for durable and long-lasting use.
- Lightweight for portable installation.
- Durable and robust.
- Perfect for professional and personal use.
- For hand and percussion operation

Specifications:
- 3PC 1/2" Drive Impact Socket Set
- Made of Cr-Mo
- 17mm(blue), 19mm(yellow), 21mm(red).
- Length: 78mm



Extendable Lug Wrench

B03R327

Features:
- Telescoping handle extends to 21 inches for maximum leverage
- Compacts to 14 inches for easy storage
- Hardened steel and precision construction

Specifications:
- Extendable Lug Wrench
- 1/2" head, 17mm(11/16"), 19mm(3/4"), 21mm(13/16"), 22mm(7/8") socket sizes included.



5PC Oil Filter Socket

B03R351

Features:
- Low profile short well 6-point design with a 3/8-inch socket drive for a ratchet or extension; Provides multiple contact points to engage the housing cap securely for maximum removal torque
- Heavy-duty plastic blow-molded carrying case for easy transportation, safe storage, and simple organization

Specifications:
- Metric sizes including 24mm / 27mm / 32mm / 36mm and 38mm
- 3/8" drive
- 3/8" x 24mm x 6pt x 30mm long suitable for BMW
- 3/8" x 27mm x 6pt x 30mm long Suitable for Mercedes A class
- 3/8" x 32mm x 6pt x 30mm long Suitable for GM / Opel / Astra G / Corsa B / Zafira
- 3/8"" x 36mm x 6pt x 30mm long Suitable for BMW / Ford /
- Mondeo 2.0 and GM / Opel / Omega / Vectra B / Zafira (98 on)"
- 3/8" x 38mm x 6pt x 30mm long Suitable for Vauxhall Vectra



5 Gallon Air Tire Bead Seater

B03S007

Features:
- Quick/Easy: Quickly inflates tire sidewall. This 5-gallon air tire bead seating tool is suitable for all range of vehicles such as vehicles, trucks, tractors, RVs, ATVs and more.
- Long Lifespan: This tank features a rust- and corrosion-resistant powder-coat finish for long lifespan and durable
- Attractive Design Pressure Gauge: It allows you to easily monitor working pressure and correctly fill tires,Built-in carry handle for easy portability
- Safety Consideration: High-quality safety valve safely removes air under 0.80 MP (120PSI) air pressure
- Seats beads on all tires, from small 4in. tires to 24 1/2in. truck tires,85-116 PSI operating pressure Air release valve and multiple air exhaust increase air release speed,Lip on threaded barrel allows for proper angle for air insertion for correct bead seating

Specifications:
- Capacity: 5GAL
- Operating pressure: 85--116PSI
- Maximum pressure: 120PSI
- Size:25.5*42cm
- Diameter of pressure gauge: 6cm / hydraulic gauge
- With CE certification
- The pressure charge equipmentare equipped with three safety features"
- It has the automatic contorl barometric pressure function
- The large air guage accurately monitors tank air volume




10 Gallon Air Tire Bead Seater

B03S019

Features:
- Quick/Easy: Quickly inflates tire sidewall. This 10-gallon air tire bead seating tool is suitable for all range of vehicles such as vehicles, trucks, tractors, RVs, ATVs and more.
- Long Lifespan: This tank features a rust- and corrosion-resistant powder-coat finish for long lifespan and durable
- Attractive Design Pressure Gauge: It allows you to easily monitor working pressure and correctly fill tires,Built-in carry handle for easy portability
- Safety Consideration: High-quality safety valve safely removes air under 0.80 MP (120PSI) air pressure
- Seats beads on all tires, from small 4in. tires to 24 1/2in. truck tires,85-116 PSI operating pressure Air release valve and multiple air exhaust increase air release speed,Lip on threaded barrel allows for proper angle for air insertion for correct bead seating

Specifications:
- Makes seating the most dicult bead safe, simple, fast and economical.
- capacity: 10GAL
- capacity 45# steel tank
- After users in the tire and the wheek rim installment fast gasification installment.
- Operating pressure: 0.6-0.8 Mpa Max.
- pressure: 1 Mpa.
- The pressure charge equipmentare equipped with three safety features.
- With hydraulic gauge.
- Overall Dimensions: 22"× 17.8"× 10.6"
- weight: 14.5kg



Easier Handling Bead Seater 9L

B03S111

Features:
- Portable, easy to carry or use by hand
- Durable solid steel construction
- Air gauge tells you the air volume accurately
- Unique long shaped neck design to reach and keeping you at a safe distance
- Trigger design makes the filling process more convenient

Specifications:
- Diameter:140mm. Length:610mm.
- Capacity:9L
- Working Pressure:6-8 bar
- Safety Valve Working at 8.5bar
- Air inlet: 1/4" NPT
- Material:Air Tank steel/Handle plastic



Wheel Stud Cleaning Tool Set

B03T833

Features:
- Quick and easy stud cleaning tool
- Supplied with a 1/2"D adaptor
- Quick change brushes, and 6 different sizes of brushes meet all your requirements
- Use with cordless drill
- Brushes are considered consumable and available as replacements
- Portable mini case is convenient to take and saving room

Specifications:
- 6 Brush sizes: 12mm (7/16""), 13mm (1/2""), 14mm (9/16""), 16mm (5/8""), 22mm (7/8""), 28mm (1 1/8"")




35pc Flat Tire Repair Kit

B03V011

Features:
- Easy and quick to repair punctures for all tubeless tires on most vehicles, no need to remove tires from rim
- Hardened steel spiral rasp and insert needle with sandblasted finish for durability
- T-handle design provides greater turning power and comfort
- Comes in a storage case ideal to keep in your car for roadside emergencies

Specifications:
- 1pc-heavy-duty Zinc alloy T-handle insert tool.
- 1pc-heavy-duty Zinc alloy T-handle Spiral probe cement tool
- 2pc -replacement tool.
- 30pc-4" string.
- 1pc plastic box



56 Pc Heavy Duty Tire Repair Kit-265g handle

B03V017

Features:
- Tire Repair Kit is the premium flat tire repair kit available on the market for repairing tubeless tire punctures.
- EASILY repair punctures in the tubeless tires of Motorcycles, ATVs, Lawnmowers, Tractors, Bikes, Jeeps, Trucks & Cars.
- The easy-to-follow instructions mean anyone can plug their flat tire in minutes and get back on their way.
- Built with the strongest materials and contained in a sturdy, portable case, this is the last kit you will ever have to buy.

Specifications:
- 1 PC Heavy Duty T-Handle Insert Too-Zinc Alloy
- 1 PC Heavy Duty T-Handle Spiral Probe
- 1 PC Insert Needle Replacement
- 2 PCS Hex Keys
- 30 PCS 4" Repair Cords
- 1 PC Long Nose Pliers
- 1 PC Knife
- 1 PC Jar Of Lubricant
- 1 PC 4-In-1 Valve Core Tool
- 4 PCS Black Plastic Valve Caps
- 4 PCS Black Plastic Valve Extenders
- 4 PCS Chrome Hex Valve Caps
- 4 PCS Valve Cores
- 1 PC Storage Case



57 Pc Heavy Duty Tire Repair Kit

B03V020

Features:
- Tire Repair Kit is the premium flat tire repair kit available on the market for repairing tubeless tire punctures.
- EASILY repair punctures in the tubeless tires of Motorcycles, ATVs, Lawnmowers, Tractors, Bikes, Jeeps, Trucks & Cars.
- The easy-to-follow instructions mean anyone can plug their flat tire in minutes and get back on their way.
- Built with the strongest materials and contained in a sturdy, portable case, this is the last kit you will ever have to buy."

Specifications:
- 1 PC Heavy Duty T-Handle Insert Tool
- 1 PC Heavy Duty T-Handle Spiral Probe
- T Handle Material: Zinc Alloy
- 1 PC Insert Needle Replacement
- 2 PCS Hex Keys
- 30 PCS 4" Repair Cords
- 1 PC Long Nose Pliers
- 1 PC Knife
- 1 PC Jar Of Lubricant
- 1 PC 4-In-1 Valve Core Tool
- 4 PCS Black Plastic Valve Caps
- 4 PCS Black Plastic Valve Extenders
- 4 PCS Chrome Hex Valve Caps
- 4 PCS Valve Cores
- 1 PC Storage Case
- 1PC Tire Pressure Gauge: plastic head, aluminum tube, pressure: 5-50psi, 0-3.5kg



IIpcs Dent Puller Set

B05B020

Features:
- Fully Dropped Forged Steel Accessories for Strength and Durability
- For use with steel and aluminum rivets noses: 1/8-Inch (32 mm), 5/32-Inch (40 mm), 3/16-Inch (48 mm), 1/4-Inch (64 mm)
- Comes in a Blow mold Storage Case

Specifications:
- 12lb hammer(Real 4.5kg）
- Slide hammer shaft
- Slide hammer handle
- Deep hook
- Slide hammer adapter
- Short hook
- Claw
- Door edge tool
- Sheet metal screw and holder
- Straight driver hook and chain and nose piece with screw



9Pcs Soft-Faced Hammer Set

B05D113

Features:
- Safe design of soft face for object from being scratched or shape-changed
- One hammer two faces that are designed to wear and replaceable by hand
- Both round and square faces available, easy to handle at conners and edges.
- High strength Hickory handle provide a moderate strength and guarantee a long life use
- Easy and safe to use, easy to carry or keep
- Colorful and bright design of hammer faces, one of a kind

Specifications:
- 1Pc x Hickory handle with aluminium head
- 6Pcs x Round faces: 40mm
- 2Pcs x Square faces for corners and edges 40 x 40mm



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

B11D040

2.0/4.0A 6/12V Battery Charger LCD Indicator

Features:
- Multiple applications for 6 Volt 2Amp and 12 Volt 2-4 Amp smart car battery charger for use on any 6V & 12V lead-acid batteries (AGM, GEL, or WET), automotive, motorcycle, boat & marine, RV, toys, power tool, lawn & garden battery systems
- Easy connection to vehicle battery using battery clips, O-ring terminals, and DC accessory plug
- Built-in circuit protection guards against overcharging, reverse polarity, or short circuit
- Convenient to use, easy to read the status from light
- IP65 waterproof
- With GS/LVD/EMC/Rohs certification

Specifications:
- Input voltage: 220VAC-240VAC,50-60Hz
- Battery voltage : 6V/12V
- Charging current : 6V :2.0A 12V: Slow :2.0A/Fast:4.0A
- Standard Cable Length: 1.5M



B11D835

5/0.75A 12V Battery ChargerLED-Indicator

Features:
- Battery and Vehicle Type- Charge fully drained 6V&12V pb/sla/gel/agm/lead-acid batteries and automotive, ATVs, RVs, scooters, golf carts, lawn mowers, motorcycles, cars, boats and More.
- Unique Design- Ultra compact, portable and lightweight and easy to use, water and dust resistant.
- Automatic Trickle Charger- Charge cycle functionality, automatically switches to float mode after fully charging the battery by MCU controlled; High efficiency, long life and high reliability.
- LED Indicators and 2 DC Connectors- Provide visual state-of-charge feedback and diagnostic information, even when in maintenance/float mode. With dc output cable with ring and clip connectors.
- Protections and Guarantee - Spark proof during lead connection, Short circuit, Over-voltage Protection, Over-current Protection, Overload Protection, Polarity reversed.

Specifications:
- Input voltage: 110V ~ 60Hz
- Output voltage: DC 6/12V
- Output current: 5A-MAX
- LED indicator Red LED:Power on
- 4pcs Green LED:25%~100% battery capacity
- Green LED Flash:Fault
- Overcharging protection.
- Reverse hookup protection.
- Short circuit protectio.
- Charging Mode:Fully automatically 4 stages by MCU controlled
- Charging Time:1~8H
- Water poof IP65Weight:350gSize:150*70*56mm With 1pc clip wire and 1pc leadwireElectric wire length : 16AWG 60cmCharging wire length: 16AWG 60cm
- With FCC certification



B11D517

1.5/0.75A 6/12V BatteryCharger LED-Indicator

Features:
- Battery and Vehicle Type- Charge fully drained 6V&12V pb/sla/gel/agm/ lead-acid batteries and automotive, ATVs, RVs, scooters, golf carts, lawn mowers, motorcycles, cars, boats and More.
- Unique Design- Ultra compact, portable and lightweight and easy to use, water and dust resistant.
- Automatic Trickle Charger- Charge cycle functionality, automatically switches to float mode after fully charging the battery by MCU controlled; High efficiency, long life and high reliability.
- LED Indicators and 2 DC Connectors- Provide visual state-of-charge feedback and diagnostic information, even when in maintenance/float mode. With dc output cable with ring and clip connectors.
- Protections and Guarantee - Spark proof during lead connection, Short circuit, Over-voltage Protection, Over-current Protection, Overload Protection, Polarity reversed.

Specifications:
- Input voltage: 110V ~ 60Hz
- Output voltage: DC 6/12V
- Output current: 1.5A-MAX
- 2 LED indicator for battery charging 50% and 100%
- An independent failure indicator
- Overcharging protection.
- Reverse hookup protection.
- Short circuit protectio.
- Charging Mode:Fully automatically 4 stages by MCU controlled
- Water poof IP64
- Weight:200gSize:85*52.5*38mmWith 1pc clip wire and 1pc leadwireElectric wire length : 16AWG 60cmCharging wire length: 16AWG 60cm
- With FCC,CE certification



B11Z033

23pcs Terminal Release Tool Set

Features:
- Professional tool for auto electronic component terminal disassembly work.
- Set of 23 different sized tools specially designed to safely remove wires from terminal blocks without damage.
- Comfortable handles have easy to read markings making tool identification easy.
- Wide array of types, kit includes tube, flat, flat twin, flat twin angle tip, square, triple flat, notched flat, U-notched flat, pin, and pick style blades.
- Constructed with high-strength steel with a chrome finish for longevity and rust-resistance

Specifications:
- Quantity: 23Pcs/Set
- Material: Stainless Steel, Brass
- Fitment: Covers BMW, Mercedes, Opel, VW/Audi, Jaguar, Porsche, Saab, Seat, Skoda, Ford, Renault, Citroen, Chrysler, Fiat, Honda, Mazda, Mitsubishi, and Toyota vehicles




B13AE025

Double Flaring Tool Set

Features:
- Double Flaring Copper Aluminum Soft Steel Brake Line & Brass Tubing Tool Kit
- Designed to use when flaring double or single flare in copper, aluminum, brass, magnesium, and soft steel brake line tubing
- Yoke is forged from heat treated steel to ensure durability and strength
- Comes securely & safely stored in a double blister for easy transportation

Specifications:
- Chrome Swivel Made of 40CR and chrome plated to reduce Friction
- Forged Yoke Made With Heat-Treated Steel
- Adapter:3/16" 1/4" 5/16",3/8",1/2"



B13AE126

Double Flaring Tool Kit With Mini Pipe Cutter

Features:
- Designed to use when flaring double or single flare in a variety of material: copper, aluminum, brass, magnesium, and soft steel brake line tubing
- Heavy duty design is forged from heat treated steel to ensure durability and strength
- Alloy steel and chrome plated material is used to construct the swivel to assist in reducing friction
- Pipe cutters is for cutting copper, brass, aluminum, and thin-walled mild steel tubing
- Blow molded hard plastic storage case provides a convenient handle for easy travel and portability

Specifications:
- Flaring material: 45# carbon steel,chrome plated.
- Set includes wide range of sizes: 5 Adaptors- 4.8mm Through 12.7mm (3/16, 1/4, 5/16, 3/8, 1/2")
- Mini Pipe Cutter 3-16cm

B13AE518

ISO/Bubble Flaring Tool Kit With Mini Pipe Cutter

Features:
- Makes tool kit easy to use for professional and DIY mechanics
- Suitable for foreign (European, Japanese) and domestic vehicles (cars, SUVs, light trucks)
- Yoke assembly, Flaring bar, Gauge/wrench, 10mm tubing, 4 adapters for 4.75mm, 6mm, 8mm, 10mm
- Designed for metric soft steel brake lines requiring an "ISO" or bubble style flare
- Includes blow-molded carrying case for organization and storage

Specifications:
- Flaring material: 45# carbon steel,chrome plated.
- Set includes wide range of sizes: 4 Adapter: 4.75, 6.0, 8.0, 10.0mm
- Mini Pipe Cutter 3-16cm



B13AE865

Hydraulic Flaring Tool Kit

Features:
- Hydraulic Flaring Tool Kit produces high quality pipe flares on the vehicle
- Creates SAE and DIN single and double flares (3/16" and 1/4" pipe)
- Create precision 45 degree double, single and bubble flares in seconds
- Available for brake lines, transmission cooler lines, and fuel lines
- Suitable to work with stainless steel, steel, and soft metal tubing
- Capable to use on car directly

Specifications:
- Components:
- 1 x De-burr Tool
- 1 x Hydraulic Ram
- 1 x Tool Body"
- 1 x Ram Mount
- 1 x Handle
- 1 x Lever
- 3 x Dies
- 5 x Punches



B13AH037

Radiator And Cap Pressure Test Kit

Features:
- For pressure testing radiators of most popular vehicles.
- Will also pressure test radiator caps for leakage.
- Colour coded adaptors allow direct connection to radiator or expansion tank.
- Hand pump with gauge graduated with BAR and PSI allows simple and easy controlled pressurization via a quick coupling system.

Specifications:
- Package Includes:
-1pc Hand Pump
-Adaptor 1:Mercedes Benz, for 60mm external cap thread.
-Adaptor 2:Audi (new A4, A5,A6)for 62mm internal threaded cap
-Adaptor 3:Vauxhall/Opel,Ford universal for 48mm external cap thread.
-Adaptor 4:BMW for 57mm internal cap thread.
-Adaptor 5:BMW for 49mm external cap thread.
-Adaptor 6:Volvo, Citroen, Fiat,Renault, Peugeot universal for 45mm external cap thread.
-Adaptor 7:Audi/VW universal for 43mm external cap thread.
-Adaptor 8:Universal adjustable sprung adaptor seat.
-Adaptor 9:Adaptor pin for item 8 with 50mm diameter base for main Japanese & European vehicles.
-Adaptor 10:Adaptor pin for item 8 with 35mm diameter base for main Japanese & European vehicles.
-Adaptor 11:Adaptor pin for item 8 with 27mm diameter base for main Japanese & European vehicles.
-Adaptor 12:Universal cap adaptor.
-Adaptor 13:Universal cap adaptor.
-Adaptor 14:U-piece stainless steel cap clamp.
-Adaptor 15:Honda/Toyota sprung clamp cap - 42mm.
-Adaptor 16:Mitsubishi/Ford/Nissan/Mazda sprung clamp cap - 44mm.
-Adaptor 17:Ford - for use with items 9, 10, 11- 52mm external cap thread.
-Adaptor 18:Ford - for use with items 9, 10, 11- 56mm for standard lug cap.
-Adaptor 19:Mercedes Benz for 50mm external cap thread
-Adaptor 20:Ford - for 49mm external cap thread.
-Adaptor 21:Adapter for Ford (after 2010) pressure caps.
-Adaptor 22:Adapter for Toyota and Honda pressure caps.
-Adaptor 23:Adapter for Mitsubishi,Ford,Nissan and Mazda pressure caps.
-Adaptor 24:Adapter for Nippon and Hino pressure caps.
-Adaptor 25:Adapter for Renault, Audi and VW pressure caps.
-Adaptor 26:Adapter for Volvo, Citroen, Renault, Fiat and Peugeot pressure caps.
-Adaptor 27:Adapter for Opel,VW and Ford pressure caps.
-Adaptor 28:Adapter for Volvo and Renault pressure caps.
-Adaptor 29:Adapter for BMW pressure caps
-Adaptor 30:Adapter for Mercedes pressure caps.



B13AH029

28pcs Universal Radiator Pressure Tester And Vacuum Type Cooling System Kit

Features:
- Allows easy testing for leakage in radiator system and quick change of coolant
- Color coded radiator test cap makes it easy to choose the suitable test cap for the job
- Special design of vacuum purge & refill tool connection, test Range 0 - 35 psi.
- One more adaptor than 27pcs kit suitable for domestic and import vehicles.

Specifications:
- Including :
  1 x Pressure Testing Pump with Hose
  1pc blue and 1pc black Radiator Cap Test Adapters to test for original radiator cap leakage.
  1pc x Vacuum Type Cooling System Purge and Refill Tool Kit for quick change of coolant.
  1pc x Adapter Spanner
  1pc x Quick Disconnect
  1pc x Universal Adapter
  1pc x Temperature Gauge
  1pc x Air Hose
  20pcs Test Caps for testing cooling systems on most domestic and import vehicles
- Applicable:
  Acura, Mercedes Benz, GM, Jeep, Peugeot, Subaru, Chrysler, Mitsubishi, Nissan, Mazda, Toyota, Infiniti, Geo, Suzuki, Isuzu, Honda, Acura, Lexus, Volvo, Saab, Citroen, Renault, Fiat, Alfa, Mini Copper, VW, BMW, Ford, Opel, Porsche, Audi, etc.



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Auto Tools

B07R355

7Pcs Oil Cartridge Filter Socket Set

Features:
- The Oil Filter Wrench 7-Piece Socket Set Tool Kit fits vehicles equipped with a canister oil filter housing and plastic lid over the paper element (not spin-on)
- VARIETY OF VEHICLES: Fits vehicles with newer oil filter design; Mercedes, Cadillac, Buick, Saturn, SAAB, Dodge, Ford, Mini Cooper, and some BMW and Mack Truck with canister oil filter housing and plastic cap/lid that unscrews to reveal the paper cartridge element encased inside (not spin-on design)
- Quick Removal: Low profile 6-point design with a 3/8-inch socket drive for a ratchet or extension
- Security Design: Provide multiple contact points of the oil filter housing which decreases the chances of stripping the cap
- High Strength and Corrosion-Resistance: Constructed from chrome-vanadium (CR-V) steel

Specifications:
- Constructed from chrome-vanadium (CR-V) steel
- Sizes include 24mm (Cadillac), 27mm and 36mm (Mercedes A Class, Volkswagen, 2.8L, 3.2L, and 3.6L V6 Cadillac CTS, STS, SRX, Buick Rendezvous Ultra, Buick Lacrosse CXS, Saturn L3000, SAAB 9-5, and Mercedes 1.8L), 29mm (Dodge Cummins), 30mm (Korean cars), 32mm (GM Ecotec, 2.0L, 2.2L, and 2.4L 4-Cylinder Some Saturn and SAAB), and 38mm.
- Components:
- 24mm: 3/8" x 24mm x 6PT x 30mm long
- 27mm: 3/8" x 27mm x 6PT x 30mm long
- 29mm: 3/8" x 29mm x 6PT x 30mm long
- 30mm: 3/8" x 30mm x 6PT x 30mm long
- 32mm: 3/8" x 32mm x 6PT x 30mm long
- 36mm: 3/8" x 36mm x 6PT x 30mm long
- 38mm: 3/8" x 38mm x 6PT x 30mm long



B07R419

15pc Oil Filter Cap Wrench Set

Features:
- Cap type filter wrenches, made from 7 and 16 gauge steel will withstand up to 115Nm (85lb.ft) of torque
- Designed to grip like sockets, thereby minimizing the possibility of crushing filters
- Electro-black oxide finish for rust protection
- All comes in a storage case which helps to locate and organise the tools

Specifications:
- Electro-black oxide finishes for rust protection.
- Use with 3/8" or 1/2" drive wrenches.
- 15pc set including:
  -65mm - 14 Flutes - 1 Step Toyota / Vauxhall / Daihatsu
  -65/67mm - 14 Flutes - 2 Step Filters
  -68mm - 14 Flutes - 1 Step Ford / Mazda / Subaru
  -73mm - 14 Flutes - 1 Step Toyota / Lexus
  - 76mm - 14 Flutes - 2 Step Various
  -74/76mm - 15 Flutes - 1 Step BMW / Mercedes/ Porsche / Vw
  -75/77mm - 15 Flutes - 2 Steps Ford/ Renault/ Isuzu
  -76mm - 30 Flutes - 1 Step Motorcraft Filters
  -80mm - 15 Flutes - 1 Step Honda / Isuzu / Mazda / Subaru / Niss
  - 80/82mm - 15 Flutes - 2 Steps Mazda / Honda / Nissan / Subaru
  -90mm - 15 Flutes - 1 Step Fiat / Renault
  -93mm - 15 Flutes - 1 Step Nissan / Porsche /Renault / Vw / Vaux
  -93mm - 36 Flutes - 1 Step Ford
  -100mm - 15 Flutes - 1 Step Isuzu / Mitsubishi
  - Adaptor - 1/2" (F) to 3/8"(M)



B05Z042

Telescoping Hood Prop Rod (18" to 45")

Features:
- The only prop to hold sport utility or mini-van gates 100% open.
- Exclusive locking system.
- Extends from 46.5cm to 113.5 cm (18" to 45") allowing a mechanic to hold the hood in the desired position
- Rubber caps to protect the surface and provide extra grip.
- Constructionted of tubular aluminum is lighter than similar products.
- Button for controling expand of rod, easy to operate.

Specifications:
- Constructed of tubular aluminum.
- Maxium length: 113.5cm (45")
- Folding length: 46.5cm (18")



B07R462

19PC Aluminium Oil Filter Cup Wrench Set

11 4Features:
- Audi,Volvo,Renault,Lexus,Peugeot,Ford,BMW,Volkswagen, Mercedes,Toyota,Nissan,Subaru,Mazda,Kia, Opel/Vauxhall, Mini,Many others
- Fluted oil filter cup wrenches for the removal and installation of oil filters used in modern engine applications
- Suitable for use on popular petrol or diesel filters used in passenger, light commercial and heavy duty applications
- Fluted cup design allows for gripping on corrugated end of the filter, reducing the possibility of filter damage during removal and installation
- Professional 19 piece set supplied in blow mould storage case
- Features two of the popular Toyota sizes, for removing the plastic cartridge housing on most 4cyl and 6cyl applications
- Manufactured from high grade aluminium to eliminate shearing, wearing and breakage"

Specifications:
- 1-Oil Filter Claw Wrench:55mm-90mm
- 1-ADAPTOR:1/2"-3/8"
- 1-SW87mm,16 Point:Volvo
- 1-SW63-64mm,14 Point:Toyota
- 1-SW74mm,14 Point:Mercedes-Benz
- 1-SW79.5mm,14 Point:Lexus
- 1-SW70mm,14 Point:Toyota
- 1-SW66.5mm,14 Point:Ford,Mazda
- 1-SW84mm,14Point:2007 Dodger Sprinter, 2007 Mercedec-Benz E320,2007 Jeep Cherokee V6 Common Rail Diesel Engines
- 1-SW79mm 15 Point:Toyota,Mitsubishi,Subaru,Mazda,Lsuz
- 1-SW92mm 15 Point:Nissan,Subaru
- 1-SW94.5mm 15 Point:Nissan,Toyota
- 1-SW100.5mm 15 Point:Mazda,Mitsubishi
- 1-24mm:BMW 2004 and newer 5.7 Series and X5 with V8 motor (N62) Saturn 2008 Astra with Chrysler 2011 aftr with 3.6LV6 engine,200,300 and T/C Dodge Jeep
- 1-27mm:Benz A class
- 1-30mm:Audi A2,VW polo,Lupo wit 1.4L or 1.6L engine
- 1-32.5mm:Opel Astra G, Corsa B,Zafira Audi
- 1-36mm:Opel Omega,Vectra B,Zafira(98 on), BMW M43/60,Benz Vito CDI,C and E Class
- 1-38mm:Opel Vectra 2.0D




B09B213

80Pcs Heavy Duty Hand Wipes 20"26.5cm

Features:
- This 80pcs heavy duty hand wipes set has been specially developed for efficient and professional dirt cleaning. The hand wipes quickly remove unpasteurized PU foam, sealants and adhesives, paints, ink, greases, oils, adhesive residues from adhesives, as well as many other dirt from the skin, tools and many surfaces.
- Large and multi-purpose cleaning wipes for cleaning hands, tools and most surfaces.
- Applicable to hygiene use: working households, in a car carrier, in a boat to travel, in repair and maintenance.
- HYGIENE USE: The product is antibacterial and kills 99.99% of the bacteria on the surfaces.
- COMPOSITION Unwashed cloth binds dirt - does not move dirt - does not mess. The product is non-alcoholic, solvent free and gentle for hands. Scent of fresh apple fragrance. Biodegradable eco-friendly cloth material. Convenient dispenser packaging is easy to carry and refill.

Specifications:
- Material: Non-woven fabric + blue textured, 45gsm
- Wipe size: 20*26.5cm
- 80pcs/can
- Can size: Dia 11.2cm, Height 24.5cm
- 1 Can Weight: about 800g



B09E023

2 Drawer Rolling Tool Chest Seat

Features:
- Dual side trays provide additional storage for pliers, screwdrivers and other tools
- Product weight:10kg (22LB)

Specifications:
- Weight capacity:160KG(350lb)
- Seat dimensions:40.6 x 22.9 cm (15.98"x9.01")
- Chest storage area: 34.3 x 22.2 x 7.6 cm(13.50"x8.74"x2.99")
- Drawer dimensions:31.8 x 19.7 cm(12.52"x7.76")
- 2-1/2 inch full bearing casters for smooth movement



B11C010

100AMP 6/12V Battery Load Tester

Features:
- Tests load, battery condition, starter motor draw, with complete charging system diagnosis
- Features top-mounted rocker switch for easier operation
- Includes super-grip, heavy-duty, color-coded battery clamps

Specifications:
- Fixed load current: 100AMP
- 100AMP load test - for 12V batteries up to 1000CCA
- 50AMP load test - for 6V batteries up to 1000CCA
- Voltage accuracy: ±0.2V
- Test cycle: 10 seconds per test with 1 minute cool down, 3 tests in 5 minutes
- Surface treatment: powder coating



B11D012

1.1/0.75A 12V Battery Charger LED-Indicator

Features:
- Perfect for charging all 12 volt lead-acid, flooded or sealed maintenance free batteries (AGM and gel cell); It's the best portable car smart battery charger for automobiles, motorcycles, marine, boats, RVs, ATVs, Powersport, lawnmower&garden, children toys, etc.
- Automatic and High Efficiency: Automatic charge cycle functionality switches to float mode after fully charging the battery by MCU controlled; High efficiency, long life and high reliability.
- Intuitive LED Indicators: LST 1.1A automotive battery charger maintainer provide visual state-of-charge feedback and diagnostic information by MCU controlled, even when in maintenance mode.
- Unique design and waterproof: Ultra-compact, lightweight, non-slipping and easy to carry; Featured with detachable ring or alligator connectors, It will charge and maintain your battery wherever you go; Water and dust resistant means it is safe to use in any situations.
- Multi-Protection and What you get: Short circuit/Over Voltage/Over Current/Overload/ Polarity reversed, it will extend the battery life and recover batteries more effectively; You will get awesome trickle charger for car battery with accident package.

Specifications:
- Input voltage: 110V ~ 60Hz
- Output voltage: DC 12V
- Output current: 1.1A-MAX
- 2 LED indicator for battery charging 50% and 100%
- An independent failure indicator
- Overcharging protection.
- Reverse hookup protection.
- Short circuit protection.
- Charging Mode:Fully automatically 4 stages by MCU controlled
- Charging Time:4~24H
- Waterpoof: IP64
- Weight:200gSize:85*52.5*38mmWith 1pc clip wire and 1pc leadwireElectric
- Wire length: 16AWG 60cmCharging wire length: 16AWG 60cm
- With FCC,CE certification



B11D016

1.0A 6/12V Battery Charger LED Indicator

Features:
- Charges and maintains 12 volt and 6 volt AGM, GEL and WET batteries, for most vehicles.
- Easy connection to vehicle battery using battery clips, O-ring terminals, and DC accessory plug
- Built-in circuit protection guards against overcharging, reverse polarity, or short circuit
- Stops charging automatically when battery is fully charged or topped off, switching to float mode monitoring
- Convenient to use, easy to read the status from light
- IP65 waterproof
- With LVD/EMC certification

Specifications:
- Input voltage: 220VAC-240VAC,50-60Hz
- Battery voltage : 6V/12V
- Charging current : 1.0A
- Standard Cable Length: 1.5M



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Auto Tools

Brake Fluid Boiling Point Tester

B15AF213

Features:
- Brake fluid boiling point tester with 250mm goose neck probe provides flexibility of detection.
- Protection of reverse polarity power connection.
- Step-by-step operating instruction on screen.
- Quickly diagnose boiling point with referenced minimum accepted values.
- Sampling paper not required, cost saving

Specifications:
- Boiling point:100~180℃(212~356°F) ±3%
- 180~320℃(356~608°F) ±5%
- Brake fluid type DOT3, DOT4, DOT5.1
- Test time 15~60 seconds
- Alarm mode Sound
- Wrong polarity connection protection
- Power 12V
- Dimension 180*90*32mm
- Weight 407g
- Contains 1pc digital boiling point detector, 1pc manual
- 1pc ABS sampling syringe and 2pcs ABS beaker



Ignition Spark Plug Tester

B15AP015

Features:
- This is a must have diagnostics tool for any engine with spark plug that will easily help you diagnose ignition/engine issues.
- Simple to use by just connecting the tester between the plug wire and the spark plug, If a spark is being sent, the tester will mirror the spark and light up.
- Provides a safe and secure way to identify the spark, visible from any angle and takes out the guess work.
- This is ideal for troubleshooting all internal and external combustion engines, cars, trucks, motorcycle, lawnmowers, trimmers, chainsaw, snow-blowers and generators.

Specifications:
- Product packing size：198*107*27mm
- Product packing weight：82.2g
- Metal probe: galvanized iron
- Wire: PVC copper wire
- Wire diameter: 5 mm



Digital Display Professional Petrol Gas Engine Cylinder Compression Gauge Tester Tool

B15AT045

Features:
- Exceeds Industry Standards, Precision Manufacturing, Improved Design Standards, Professionally Tested, Quality Assured Guaranty
- Checking Compression On Petrol Engine Quickly And Accurately
- Easy Pressure Release Button On Side Of Tester
- Completed Kit Comes With Adapters For Most Applications
- Our Item Is Suitable For Petrol Engines On Lawn Mowers, Motorbikes, Cars, Trucks And So On.

Specifications:
- Can be quickly set to your motor / car, get accurate readings in valves, piston rings, cylinder bores or head gaskets.- Manometer with two test pressure: 0 - 300 PSI / 0 - 21 kg / cm2.
- Drain valve with full copper nickel plating, anti-oxidation and corrosion.- M10 thread is suitable for motorcycles, M12 / M14 / M18 threads are suitable for car.
- With rubber protection to prevent scratches.- Come with 2 rubber cones that don't need to be threaded into the head, can test the compression on almost any engine.
- Pressure gauge diameter: 75mm, four thread size: M10 x 1.0mm, M12 x 1.25mm, M14 x 1.25mm, M18 x 1.5mm.
- Hose overall length: 430mm, pressure tube length: 150mm, angled pressure tube length: 160mm.



OBDII/EOBD Scanner Bluetooth for Android/window

B15B005

Features:
- MOST EFFECTIVE CAR SCANNER: Diagnose Your Car - Like a Pro and instantly transform your car into a Smart Car!
- Quick diagnose scan and clear trouble codes, reset the check engine light.
- You can diagnose any car problem and unlock massive amounts of data on your car's performance in real SMART SCANNING: Display current sensor data, including Engine RPM, Calculated Load Value, Coolant Temperature, Fuel System Status, Vehicle Speed, Short Term Fuel Trim, Long Term Fuel Trim, Intake Manifold Pressure, Timing advance, Intake Air Temperature,Air Flow Rate, Absolute Throttle Position, Oxygen sensor voltages/associated shortterm fuel trims, Fuel System status, Fuel Pressure.
- SUPPORT CARS: Work with all 1996 and newer vehicles that areOBD2 compliant including but not limited to GM, Chevrolet,Honda, TOYOTA, Mazda, Ford, Dodge, Subaru, BMW, Audi,Subaru,Hyundai, Kia, Chyrysler, Benz, Fiat,etc.
- Multi-Protocol Support:SAE J1850 PWM (41.6Kbaud) SAE J1850 VPW (10.4K baud) ISO9141-2(5 baud init, 10.4K baud) ISO14230-4 KWP (fast init, 10.4 Kbaud) ISO15765-4 CAN (11bit ID, 500 Kbaud)ISO15765-4 CAN (29bit ID, 500 K baud) ISO15765-4 CAN (11bit ID, 250 Kbaud)ISO15765-4 CAN (29bit ID, 250 Kbaud)

Specifications:
- Integrated chip
- The connection method:
- bluetooth
- Window: FREE APP:ScanMaster-elm,PCMSCAN. (can download from the Web)
- Android:FREE APP:Torque,Auto Doctor (QRcode on the case)



20pcs Back Probe Kit

B15Z906

Features:
- Use with your meter to back probe harness connectors, fuel injectors and automotive sensors
- Color coded for easy identification, and insulated bodies for testing up to 30 volts
- Matching colored 12" extension leads quickly plug in to permit testing in recessed areas

Specifications:
- 5pcs straight stainless steel probes
- 5pcs 45° stainless steel probes
- 5pcs 90° stainless steel probes
- Straight，45° and 90° stainless steel probes in 0.027" and 0.04" diameter
- Compatible with standard 4mm plug



6 Channel Combination Electronic Stethoscope Kit

B15AN155

Features:
- Super-sensitive stethoscope with rubber cone and test probe.
- Suitable for detection of faults in: Engine,Transmission, Cat intake/exhaust Manifold, Fuel injectors, Radiators, Valves,Fuel tanks.
- Used by Noise, Harshness and vibration engineers can isolate problem sources.

Specifications:
- Sensor cord length: 4.8 m
- Audio probe length: 14 cm
- Clamping strength of the sensors: Up to 20 mm
- 9V batteries (included)
- Quantity of sensors: 6
- Suits 3.5 mm plug
- Adjustable microphone length: 21 cm



8 PCS Petrol Engine Cylinder Compression Tester Kit Automotive Tool Gauge

B15AT035

Features:
- Exceeds Industry Standards, Precision Manufacturing, Improved Design Standards, Professionally Tested, Quality Assured Guaranty
- Checking Compression On Petrol Engine Quickly And Accurately
- Easy Pressure Release Button On Side Of Tester
- Completed Kit Comes With Adapters For Most Applications
- Our Item Is Suitable For Petrol Engines On Lawn Mowers, Motorbikes, Cars, Trucks And So On.

Specifications:
- Can be quickly set to your motor / car, get accurate readings in valves, piston rings, cylinder bores or head gaskets.- Manometer with two test pressure: 0 - 300 PSI / 0 - 21 kg / cm2.
- Drain valve with full copper nickel plating, anti-oxidation and corrosion.- M10 thread is suitable for motorcycles, M12 / M14 / M18 threads are suitable for car.
- With rubber protection to prevent scratches.- Come with 2 rubber cones that don't need to be threaded into the head, can test the compression on almost any engine.
- Pressure gauge diameter: 75mm, four thread size: M10 x 1.0mm, M12 x 1.25mm, M14 x 1.25mm, M18 x 1.5mm.
- Hose overall length: 430mm, pressure tube length: 150mm, angled pressure tube length: 160mm.



3pcs Machanic´s Stethoscope

B15AN017

Features:
- Provides a quick and reliable method for locating and identifying trouble in engines and other moving parts
- Perfectly suited to pin-pointing sounds like oil, water, air, steam and moving parts.
- Highly durable, stainless steel construction will give years of flawless performance.

Specifications:
- Super sensitive ear pieces and probe Metal Probeextends to 350mm Heavy duty flexible vinyl tubing.
- Locates trouble spots within the engine block



OBDII/EOBD Scanner Wifi for iOS & Android / window

B15B007

Features:
- MOST EFFECTIVE CAR SCANNER: Diagnose Your Car - Like a Pro and instantly transform your car into a Smart Car!
- Quick diagnose scan and clear trouble codes, reset the check engine light.
- You can diagnose any car problem and unlock massive amounts of data on your car's performance in real SMART SCANNING: Display current sensor data, including Engine RPM, Calculated Load Value, Coolant Temperature, Fuel System Status, Vehicle Speed, Short Term Fuel Trim, Long Term Fuel Trim, Intake Manifold Pressure, Timing advance, Intake Air Temperature, Air Flow Rate, Absolute Throttle Position, Oxygen sensor voltages/ associated shortterm fuel trims, Fuel System status, Fuel Pressure.
- SUPPORT CARS: Work with all 1996 and newer vehicles that are OBD2 compliant including but not limited to GM, Chevrolet,Honda, TOYOTA, Mazda, Ford, Dodge, Subaru,BMW, Audi,Subaru,Hyundai, Kia, Chyrysler, Benz, Fiat,etc.
- Multi-Protocol Support:SAE J1850 PWM (41.6Kbaud)SAE J1850 VPW (10.4K baud) ISO9141-2(5 baud init, 10.4K baud) ISO14230-4 KWP (fast init, 10.4 Kbaud)ISO15765-4 CAN (11bit ID, 500 Kbaud)ISO15765-4 CAN (29bit ID, 500 K baud) ISO15765-4 CAN (11bit ID, 250 Kbaud)ISO15765-4 CAN (29bit ID, 250 Kbaud)

Specifications:
- The connection method:wifi
- Window: FREE APP:ScanMaster-elm, PCMSCAN.(can download from the Web)
- Android:FREE APP:Torque,Auto Doctor (QRcode on the case)
- IOS:FREE APP:Incardoc,Auto Doctor, Mini OBDII(QRcode on the case)
- All of these APPs are third-party software.



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

Auto Tools

R22 R134A R404A R407C AC Manifold Gauge Case Set

B13D925

Features:
- Perfect Fits： Professional 3 way air conditioning diagnostic manifold gauge set for R134A R404A R407C and R22 Refrigerants. Designed for AC charging, diagnostic check and recovery work.
- The gauge have a unique spring pressure indication
- Premium Quality: The solid brass gauge threaded connector and hose fitting is different from the brass plated construction, corrosion-resistant and rustless , can be used for many years. Durable rubber gauge cover for added suppor, protection and anti-collision , stands up to heavy use and accidental drops .Comes with back hook for hanging the manifold gauge in place.

Specifications:
- Manifold Gauge Set and 3PCS 5FT Freon Charging Hose: The gauge have a unique spring pressure indication, and the pointer reading accuracy error is 1.5, 5FT Hose assemblies for 3000 psi (206 bar) burst and 600psi (41 bar) working pressure.RED for high pressure,BLUE for low pressure,YELLOW for can tap.
- Package Content: 1 x Manifold Gauge Set, 3 x 5FT Hose with Copper Connector, 2 x R134a Adpater: 1/4" male, 1 x Tank Adapter:1/4" male to 1/2" female, 1 x Can Tap: 1/2" Acme male, 1 x Outlet LCD Digital Thermometer, 85 pcs Kit Air Conditioning O Rings




R1234YF Aluminum Manifold Gauge Set

B13G013

Features:
- For R1234YF specially
- Biger size of gauge faces for easier viewing measurement
- Sight Glass for easier to see refrigerant going into system
- Easy to read temperature scales on 3 1/2" gauge face (Bar/PSI/°F/°C)
- Anti-Flutter Gauges
- Easy to read temperature scales on 3 1/2" gauge face (Bar/PSI/°F/°C)
- Excellent performance and using experience with duribility

Specifications:
- Solid extruded aluminum body with aluminum hand grip
- Brass valve core and connector
- Yellow hose thread:one end M12x1.5-M, opposite end 1/2"-ACME-LH-F"
- Red & blue hose thread：M12x1.5-M both ends
- Gauge diameter: 70mm without sheath
- Hose working pressure：800psi
- Hose bursting pressure：4000psi
- Manifold gauge thread size：M12x1.5-F
- Length of hose：1.8m
- 3" Gauge faces
- With 2pcs brass quick couplers
- With 3pcs service rubber hose



ISTAGE 1.5CFM Portable Vaccum Pump

B13K055

Features:
- Ergonomic grip handle is designed for superior comfort and portability.
- It features a simple oil fill port for a clean pour, oil window provides vital information like oil level and oil quality
- Ideal for automotive air conditioning, HVAC work, refrigeration and other applications and industrial needs that require high vacuum pull from a compact pump

Specifications:
- 1.5CFM 1STAGE
- Ultimate vacuum:5Pa
- Voltage:110V 60Hz
- Power:1/4HP
- Inlet port:1/4"Flare
- Oil capacity:200ml
- Dimensions:245*101*180mm
- Weight:4.6kg



3CFM Air Vacuum Pump And AC Manifold Gauge Case Set

B13X135

Features:
- SIMPLE BUT POWERFUL - 3CFM Air Vacuum Pump is designed to have high efficiency and low noise output with internal high volume cooling fan for extended use.
- HEAVY DUTY VACUUM PUMP - Die-cast Aluminum Alloy Casing enables the vacuum pump be light and durable at the same time. Equipped with brass fitting tethered safety caps to prevent oil leaks during transportation and handling.
- HVAC GAUGE READING - The HVAC service gauge set is great for diagnosing and repairing AC systems.
- EASY OIL CHANGE - The vacuum pump features a simple Oil Fill Port for a clean pour and Oil Drain Plug positioned beneath the oil reservoir to quickly drain when needed. Checking the spillage meter will help to ensure the proper level of oil.

Specifications:
- Heavy duty hook for hanging the manifold gauge in place
- No-flutter gauge design
- 36" Color coded charging hose
- Designed to meet 1/4" Standard SAE requirement for refrigerant permutation
- Ideal for R12, R22, R134a, R410a
- Quick disconnect couplers for high/low fittings included
- Operating Pressure: 600 PSI
- Burst Pressure: 3000 PSI
- Gauge Reading: R12, R22, R134a, R410a
- Vacuum Pump Features: Free Air Displacement: 3 CFM, Microns Rating: 75 microns (10pa), Power: 1/4HP,Voltage 110V/60hz, RPM: 1400, Ultimate Vacuum: 5pa, Oil Capacity: 220mL, Inlet Port: 1/4" Flare
- Package Content: Manifold Gauge Kit, Vacuum Pump, Carrying Tote
- With M1/4-F5/16;M1/4-F1/2 Adapotor



Engine Compression Test

B15AD013

Features:
- Engine Compression Test Rehtiounce
- Designed for dry and wet automotive cylinder compression testing, to detect ring or cylinder head problems, sticking valves, blown head gasket(s), and more.
- Pressure gauge has a tege easy-to-read face,and includes hose and adapters for testing engines with 14 mm and 18 mm short thread,and 14 mm long thread spark plugs.
- Not for use on diesel engines.

Specifications:
- Product Size: 12.9 x 5.5 x 1.5 inches
- Material: rubber
- Step Adapter: 14 and 18mm



Professional R134a Aluminum Manifold Gauge Set

B13E009

Features:
- Include 3pc 60 " extra long freon charging hose, 3 color for easily recognition, red for high pressure, blue for low pressure, yellow for refrigerant bottle.
- The side can tap with self sealing function Add Anti back flow and to flat needle tip

Specifications:
- Solid extruded aluminum body with plastic hand grip
- Gauge diameter：50mm With sheath
- Thread size: 1/2"ACME (copper-aluminized joints on both side of body, copper-plated joints on the lower side of body, all-copper joints for yellow pipe)
- With 3pcs service rubber hose
- Yellow hose thread：1/2"ACME-F both ends
- Red&blue hose thread:one end 1/2"ANME-F,opposite end M14-M
- Hose working pressure：600psi
- Hose bursting pressure：3000psi
- Length of hose：1.5m
- With 2pcs M14x1.5 female brass quick couplers
- With aluminum bottle opener with joint size 1/2"acme
- Bottle opener needle flat or acute optional.



4.2 CFM Air Operated Vacuum Pump

B13K013

Features:
- The air vacuum pump is easy to operate and pulls full vacuum within two minutes of being connected to an air line.
- Perfect for automotive air conditioning system, home air conditioner, refrigerators, freezers and much more
- Venturi-type ac pump eliminates moisture from air conditioning system, makes it safe and easy to charge refrigerant

Specifications:
- For R134a and R12 automotive use, includes tings.
- High impact nylon case.
- Operates on shop air: 75PSI minimum / 180PSI maximum.
- Air consumption: 4.2CFM @ 90PSI.
- Vacuum capacity: 28.3" of mercury at sea level @ 90PSI.



Halogen Detector 14g/yr

B13P755

Features:
- Detects all kinds of halogen refrigerants including but not limited to R11, R12, R500, R503, R22, R123, R124, R502, R125, R134a, R404a R600a R290
- With Japan FIGARO sensor
- Excellent sensor with maximum sensitivity of 14gr/yr
- Flexible long probe allowas detections in difficult and hard-to-reach areas
- Instant response; Warm up in 6 seconds
- Power：3pcs*AAA alkaline batteries
- Hand-held design for easy operation

Specifications:
- Ultimate sensitivity：14g/yr
- Working temperature：-10~50℃
- Probe cord length：30cm
- With 1pc removable inductive head



AUTO Code Reader DiagnosticTool For Obd2 Eobd

B15A055

Features:
- Display DTC definitions on unit screen.
- Easily determines the cause of the Check Engine Light (MIL).
- Turns off Check Engine Light (MIL), clears codes and resets monitors.
- Retrieves generic (P0, P2, P3 and U0), manufacturer specific (P1, P3 and U1) codes and pending codes.
- Views freeze frame data.
- Display monitor and I/M readiness status (emissions).
- Retrieves vehicle information (VIN, CIN and CVN).
- Supports CAN (Controller Area Network) and all other current OBD-II protocols.
- Easy to use and highly reliable.
- It has only one language of English.
- It provides DIYers easy and quick access to diagnostic trouble codes and their definitions on all OBDII compliant vehicles sold worldwide since 1996.
- Though small in size, it is powerful enough to retrieve the same information as large expensive scanners. It is the best solution to diagnose all 1996 and newer OBDII compliant vehicles.
- With CE ROHs FCC certifications

Specifications:
- Power: 8 to 18 Volts provided via vehicle battery
- Dimensions: 120x65x21mm/4.7x2.6x0.83inch
- Color: Red&black



Brake Fluid Tester DOT3 DOT4 DOT5.1

B15AF073

Features:
- The brake fluid test pen is based on the change of electrical conductivity to determine the brake fluid moisture changes
- This brake fluid tester fit for the car 4S shop and car owners, it is simple, accurate and fast
- The brake fluid test pen is made of high quality plastic which is sturdy and durable
- Quickly determine percentage of moisture in brake fluid.

Specifications:
- Red light means brake fluid needs to be replaced immediately, green light means in good condition
- Measurement range: brake fluid (DOT3, DOT4 and DOT5.1).
- Power supply: 1.5V "AAA" x 1 (included)
- Long press the switch to toggle the test DOT3,DOT4 and DOT5.1
- Temperature range:0°C – +50°C
- Length:150mm
- Diameter:20mm



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

C03B310

Digital Auto Range Multimeter600V With NCV Function

Features:
- SAFETY MEASURE TOOL- Equipped with PTC thermistor and fuses to protect circuit, provide HIGHEST SECURITY during your working. The multimeter is designed to safely and accurately troubleshoot automotive and household electrical issues, devote to improving your life quality
- Usage: AC/DC voltage Tester, AC/DC current checker, Continuity Tester, Non Contact Voltage Digital Meter, Resistance Electronic Tester, Diode Multimeter, Frequency checker

Specifications:
- 3-1/2 digital LCD display Max. reading 1999
- DCV: 200m/2/20/200V ±（0.5% rdg+2dgt）
  600V ±（0.8% rdg+2dgt)"
- ACV: 2/20/200V ±（1.0% rdg+3dgt）
- DCA: 200μ/2000μ/20m/200m/10A ±（1.5% rdg+3dgt)
- ACA: 200μ/2000μ/20m/200m/10A ±（1.5% rdg+4dgt)
- OHM: 200/2k/20k/200k/2MΩ ±（0.8% rdg+2dgt）
  20MΩ ±（1.0% rdg+2dgt）"
- Frequency：200k Hz ±（1.5% rdg+5dgt）
- Non contact voltage function
- Data hold、diode test
- Low battery indication
- Overload and high voltage spark protection
- With PTC protection when test OHM and HZ
- Safety class：IEC61010-1，CAT Ⅱ600V
- Power：9V battery
- Product size：138x68x30mm
- Accessory: 1pc probe；1pc manual
- With CE、Rohs、FCC certification



C03B800

1.5/0.75A 6/12V BatteryCharger LED-Indicator

Features:
- Multifunction: Can accurately measure DC/AC voltage current, resistance, capacitance,frequency,diode,continuity test.
- NCV test: Non-contact voltage detection function make it detect voltage without touching any wires to avoid electric shock.
- Large LCD backlight display:read clearly,convenient to read data in dark.
- More advantages:Auto power off,auto range,data hold,True RMS,NCV test.
- Widely used in professions,factories,schools,amateur and home.

Specifications:
- Dc voltage:600mV/6V/60V/600V/1000V
- Ac voltage:600mV/6V/60V/600V/700V.
- Dc current:600u/6000uA,60m/600mA,6/10A.
- Ac current:600u/6000uA,60m/600mA,6/10A.
- Resistance:600Ω/6kΩ/60kΩ/600kΩ/6MΩ/60MΩ.
- Capacitance:9.999nF/99.99nF/999.9F/ 9.99uF/99.99uF/999.9uF9.999mF.
- Frequency:9.999/99.99/9.999k/99.99k/999.9k/9.999MHz.
- Duty ratio:1%-99%.
- MAX display:6000 or 9999.
- Auto range,Manual range,Diode,Continuity buzzer.
- MAX-MIN,Data hold.Rel:Capacitance.Auto power off. Low battery indication.Function protection.True-RSM: 10Hz-1kHz.Back light.Battery:AA1.5Vx2.External dimensions:178x85x35mm.
- With CE.



C09A570

8.5MM Borescope with WIFI Function

Features:
- View live inspection video instantly on your IOS ,Android devices through Wi-Fi connection. 2.0 MegaPixels camera supports 720P HD video output.
- Phone holder bunled
- App.APK and PC software bundled
- Widely used in the fields such as car maintaining, mechanical inspection, pipe repair and house maintenance, etc. 8.5MM diameter slim sized camera make it easier to extend the field of view to a narrower space, such as car spark plugs, wall drilling, rusty water pipes, violin f hole etc.
- It is simple and convenient, does not require phone and computer to download any driver software.

Specifications:
- Camera pixels：two-mega-pixel OD 8.5mm camera
- 6pcs unadjustable LED
- Tube length：1m
- View angle：60°
- Frame rate：15 fps
- Tube waterproof：IP67
- Depth of field：5~8cm
- Unobstructed transmission effective distance：Max. 20m
- Function：recording picture/vedio
- Free APP available for IOS & Android systems
- Power：3.7V 1500mAh lithium battery5V 1A charging
- adaptor with UL, CE, FCC, RoHs certification



C09A600

2 Megapixels WIFI Endoscope With 8pcs LED OD 8mm Camera

Features:
- This wireless wifi endoscope camera not only work with Android smartphone(Above Android 2.3), but also iPhone IOS system(Above IOS 6.0).
- This is perfect for iPhone user who want do inspection work.
- Without using extra adapter or cable, it can be easily connected with your smartphone via WIFI.

Specifications:
- Free APP available for Android、IOS、Windows、Mac
- 2.0 megapixels HD snake camera
- Camera Resolution：1600*1200p
- Camera outer diameter：8mm
- 8pcs adjustable LED
- Cable length：3.5m hard tube
- Frame rate：30fps
- Depth of field（DOF）：4~10cm
- Field of view（FOV）：70 degree
- WIFI transmission distance：20m
- Battery capacity：500MAH Li-ion battery
- Run time: approx 1.5hours
- Function：take photo and video
- Waterproof：IP68
- Accessories：1pc mirror,1pc hook,1pc magnet, 1pc USB charging cable



C09A605

2 Megapixels WIFI Endoscope With 8pcs LED OD 8mm Camera

Features:
- This wireless wifi endoscope camera not only work with Android smartphone(Above Android 2.3), but also iPhone IOS system(Above IOS 6.0).
- This is perfect for iPhone user who want do inspection work.
- Without using extra adapter or cable, it can be easily connected with your smartphone via WIFI.

Specifications:
- Free APP available for Android、IOS、Windows、Mac
- 2.0 megapixels HD snake camera
- Camera Resolution：1600*1200p
- Camera outer diameter：8mm
- 8pcs adjustable LED
- Cable length：3.5m hard tube
- Frame rate：30fps
- Depth of field（DOF）：4~10cm
- Field of view（FOV）：70 degree
- WIFI transmission distance：20m
- Battery capacity：1000MAH Li-ion battery
- Run time: approx 1.5hours
- Function：take photo and video
- Waterproof：IP68
- Accessories：1pc mirror,1pc hook,1pc magnet, 1pc USB charging cable



C09A650

Wifi Digital Inspection With Telescopic Rod

Features:
- Increase trust and credibility by showing inspection images and videos to your customers!
- Smart phone enabled 720P camera with LED illumination. .Connect to your phone through Mirror CAM App - available in Android and IOS app stores.

Specifications:
- Sensor Size:1/4"H62
- Image Resolution:1280*720
- View Angle:65 degree +/-5 degree
- Video Resolution:720P/25fps
- Transmission wireless:WIFI
- Transmission distance:10m in sight
- Wireless standards:IEEE 802.1b/g/n
- Interface:Micro USB
- Working current:380+/-10mA
- Working time:45min
- Charging time: 1 hour IP54
- Product size:50x40x20mm
- APP:"Mirror CAM" for IOS & Android systems
- Telescopic tube:length:315-1300mm
- Max diameter:φ18mm
- 6 knot aluminum tube



C09B220

2.4" Inspection Camera 9mm O.D

Features:
- 9mm smaller camera head allow to reach smaller area for easy visual inspections
- Recommended for up close visual inspections in confined areas
- 2.4-inch color LCD (234-by-160 Resolution)
- 3-foot RCA video output cable included
- A Flexible 3-foot cable puts your eyes where they are needed at the point of discovery; all from the comfort of an ergonomic grip
- Image rotation on monitor allows better orientation, 4 adjustable LED on camera day and night viewing
- Lightweight, compact, easy carry and storage

Specifications:
- Display: 2.4"TFT LCD
- Camear Resolution: 640(H)x480(V)
- LCD Resolution: 320x240 pixels
- OD 9 mm Camera
- 4 adjustable LEDs
- Cable Length:100cm
- Function：AV out
- Waterproof carmera tube(IP67)
- Frame Rate: -30 fps
- Field of View (FOV): 53 degree
- Depth of field：3cm-7cm
- Power:4 x AA battery (include)
- Accessories:1pc Magent，1pc Hook，1pc mirror,1pc AV cable
- With CE、RoHs、FCC certification



C09B427

2.4" Rechargeable Borescope with Recording 8.5mm O.D

Features:
- With 100 CM adjustable cable and IP67 waterproof, this snake camera can work in dark and humid areas. It's flexible and tiny,making it easy to reach places you can't easily reach.
- Built-in lithium battery can work for 1.5 hours. Light weight, convenient and easy to use.
- The Borescope can be used for cars engines, vent, industrial, construction sites, home maintenance, pipeline inspections, ship, aircraft, repair, parts assembly.

Specifications:
- 2.4" inspection camera
- Display: 2.4"TFT LCD monitor
- Camera Resolution: 640x480p
- LCD Resolution: 960x240p
- OD 8.5 Camera
- 6pcs adjustable LEDs
- Cable Length:100cm
- View angle：60°
- Waterproof camera tube：IP67
- Depth of field：3~8cm
- Power:800mah Li-ion battery
- Charge time: 2 hours
- Run time: approx 1.5 hours
- Accessories：1pc mirror,1pc hook, 1pc magnet,1pc USB charging cable



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

B15Z908

70pcs Automotive Circuit Tester Lead Set

Features:
- This comprehensive automotive diagnostic kit is including TOTAL 70PCS various male/ female connectors which are designed and made for automotive technicians to connect into automotive wiring securely and quickly
- It is suitable for 12V and 24V automotive application & multi meter set
- For fault finding on the increasing number of sensors, actuators and electronic circuits found on today's vehicles
- Used in tracing, checking, capturing, or fixing complex vehicle circuitry
- Electronic test lead kits is adapt to the multi-meters, battery testers, diagnostic tools with convenient test method

Specifications:
- 2PCS 5KΩ potentiometer (variable resister) Without Cover
- 2PCS LED stroboscope
- 2PCS SRS Connector
- 2PCS Alligator clip
- 2PCS Probe
- 2PCS Test Probe
- 2PCS Acicular probe
- 2PCS 1 to 2 connector
- 2PCS 1 to 1 connector
- 52PCS Various automotive flat terminals



B15Z910

25Pcs Automotive Circuit Tester Lead Kit

Features:
- Professional wiring circuit checking tool of 25Pcs Automotive Circuit Tester Lead Kit
- Applied in monitor Hall Effect, photoelectric signals, nozzles, electromagnetic valve of transmission shift gears and control signals Complete set of various wires in the case that are suitable for most European, American and Japanese made terminals
- Apply to any Automotive Multimeter, the extended line of probe for oscilloscope. More convenient connection and checking rapidly
- Variable Resister can simulate the pretend signal of coolant temperature sensor, throttle valve sensor and send the pretend signal to computer. It would avoid risk to exchange car parts
- Applications: 12V and 24V Automotive, RV, Heavy Duty, Marine Equipment

Specifications:
- Material:
- Iclude:
- 4Pcs x Alligator clip
- 4Pcs x Acicular probe
- 2Pcs x LED stroboscope"
- 2Pcs x Test probe
- 2Pcs x Probe
- 1Pc x 5KΩ potentiometer (variable resister)"
- 1Pc x wire checking clip
- 1Pc x to 1 connector
- 8Pcs x Terminals"



B15Z926

17pc Electrical Back Probe Kit

Features:
- Pin type back probes
- No need to disconnect connector and terminal
- Kit contains (5) different color probes for easy identification

Specifications:
- Helps Take Voltage Or Signal Measurements By Back Probing
- Connectors Without Damage
- 5pcs straight stainless steel probes with clamp
- 4pcs 45° stainless steel probes with clamp
- 5pcs 90° stainless steel probes with clamp
- 4pcs 37cm extension leads quickly plug in to permit testing
- in recessed areas with clamp
- Insulated body for testing up to 30 volts
- Compatible with standard 4mm plug



B17A031

Chain Breaker & Riverting Tool

Features:
- Great for repairing, splitting & riveting motorcycle chains
- Essential tool for motorcycle mechanics that reduces work time in half.
- Easily breaks the chain and rivets back together. Complete Chain Press Tool Kit.
- Changeable pins

Specifications:
- Each kit includes 3 pin sizes to fit a variety of chains.
- This tool will break and rivet 420-630 rear drive chains.
- It comes with 2mm, 3mm, 4mm, replacement tips for different size Cam Chains.
- Will break chains from #35 to #630
- Recommended for light to medium duty use.



B17A237

3 PCS Tire Spoons 11inch + Valve Tool with 6 Valve Cores

Features:
- Works great on atv, motorcycle and bike tires, remove and reinstall motorcycle tires with minimal fuss, Rim Protectors-protect your wheel rims from being scratched
- User Friendly: Easy grip handle,smooth rounded edges of the spoons, easy to use and without pinching your innertube
- Useful: Set of 3 ,ensure works great on atv,motorcycle,bike,garden tractor,lawn tractor, snow blower,riding lawn mowers' tires, remove and reinstall motorcycle tires with minimal fuss

Specifications:
- 3-piece tire level spoons and two rim protector sheaths;
- 2-pc sheath+pp rope 28cm 11inch
- Material:45# carbon steel
- Cutter bar:full-polished chrome plated
- Handle:PP+TPR
- Heat treatment
- 4 in 1 Tire Repair Tool
- 6pcs Brass Schrader Valve Cores



B17A243

3 PCS Tire Spoons 14.5inch + Valve Tool with 6 Valve Cores

Features:
- Perfect For Motorcycle/Bike Tire and Rim Changes: 14.5"(370mm) provide much better leverage to change tires than others on the market which are 11"(280mm)
- User Friendly: Easy grip handle,smooth rounded edges of the spoons, easy to use and without pinching your innertube
- Useful: Set of 3 ,ensure works great on atv,motorcycle,bike, garden tractor,lawn tractor, snow blower,riding lawn mowers' tires, ATV,remove and reinstall motorcycle tires with minimal fuss

Specifications:
- 3-piece tire level spoons and two rim protector sheaths;
- 2-pc sheath+pp rope 37cm 14-1/2"
- Material:45# carbon steel
- Cutter bar:full-polished chrome plated
- Handle:PP+TPR
- Heat treatment
- 4 in 1 Tire Repair Tool
- 6pcs Brass Schrader Valve Cores



Instruments & Apparatuses

C03A021

Digital Multimeter 500V

Features:
- Multifunctional clamp type, handy and portable
- High degree of accuracy, LCD display, very easy to read
- The multimeter is ideal for laboratory, workshop, hobby and household use
- It can be used to overhaul all kinds of circuit boards, also as a teaching instrument

Specifications:
- 3-1/2 digits LCD
- DCV: 200m-2000m-20-200-500V ±0.5%
- ACV: 200-500V ±1.0%
- DCA:2000u-20m-200m-5A ±1.8%
- OHM: 200-2000-20K-200K-2000KΩ ±1.0%
- Diode Test: yes
- Continuity Buzzer: yes
- Transistor Test: yes
- Power: 9V Battery
- With CE certification



C03A240

Stud Center Finder, Metal AndAC Live Wire Detector

Features:
- The Most Accurate & Improved Safety - This stud center finder adopts the most Advance Sensors Technology for accurately & quickly locating studs wood metal AC wires! For Safety, in all modes, this wall scanner always detect and indicate the Live AC Wire. Whether you are a professional, homeowner or a DIY enthusiast, you can find great use in this electronic stud scanner
- This wall stud sensor combines large LCD display with the big sound warning to detect the accurate location of the objects.
- Auto calibration all functions detection-The stud finder calibrate itself when it is turned on, fast and simple detection.
- Usage-The stud finder detector wall scanner has four scanning modes, including Stud Scan, Deep Mode, Metal Scan and AC Scan. The wall stud finder can work on different wall surfaces, such as lath, wallpaper wood flooring, acoustic ceiling, painted walls, etc.
- Detects wood and metal stud up to 1.5 inch(38mm)
- Detects metal rebar up to 2.36 inch(60mm)
- Detects AC live wire up to 2 inch(51mm)

Specifications:
- Elastic rubber paint at the hand hold parts and button
- Operated by a 6F22 9V Alkaline battery (included)
- Product size: 7.8*3.8*16.7cm
- Material: ABS



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

Distance Meter 0.05~50m / 2in~164ft

C19A245

Features:
- Continuous Measurement Function
- Area Measurement Function
- Volume Measurement Function
- Angle Measurement Function
- Pythagorean proposition Measurement Function"
- Max./Min. Measurement, Area&Volume Addition/ Subtraction Delay Measurement
- Waterproof & large LCD with back light
- WIDE USE: Easy targeting with bright laser pointer, the laser distance meter makes field work easier and more accurate. Ideal for home, construction, industries, large areas such as rooms, apartments, buildings, real estates, factories, warehouses, etc.
- PORTABLE & LIGHTWEIGHT: compact size, handheld design, very convenient to carry. Double injection enables durable and well build, non-slip rubber-like material around the edge assures a solid grip and fast respond buttons.

Specifications:
- Measure range: 0.05~50m (2in~164ft)
- Measure accuracy: ± 2mm
- Measure unit: mm/in/ft
- Digital Angle Measure ±90°
- Laser level: Class II
- Laser type: 635nm,＜1mW
- Max. storage: 30 Units
- Backlight Key tone
- Automatic laser off: 20s
- Automatic shutdown: 150s
- Battery: 1.5V 2*AAA(include)
- Size: 112*50*25mm .Weight: 121g
- With punch
- With CE FCC ROHS FDA certification



Distance Meter 0.05~70m / 2in~229ft

C19A345

Features:
- Continuous Measurement Function
- Area Measurement Function
- Volume Measurement Function
- Angle Measurement Function
- Pythagorean proposition Measurement Function"
- Max./Min. Measurement, Area&Volume Addition/ Subtraction Delay Measurement
- Waterproof & large LCD with back light
- WIDE USE: Easy targeting with bright laser pointer, the laser distance meter makes field work easier and more accurate. Ideal for home, construction, industries, large areas such as rooms, apartments, buildings, real estates, factories, warehouses, etc.
- PORTABLE & LIGHTWEIGHT: compact size, handheld design, very convenient to carry. Double injection enables durable and well build, non-slip rubber-like material around the edge assures a solid grip and fast respond buttons.

Specifications:
- Measure range:0.05~70m （2in~229ft)
- Measure accuracy: ± 2mm
- Measure unit: mm/in/ft
- Digital Angle Measure ±90°
- Laser level: Class II
- Laser type: 635nm,＜1mW
- Max. storage: 30 Units
- Backlight Key tone
- Automatic laser off: 20s
- Automatic shutdown: 150s
- Battery: 1.5V 2*AAA(include)
- Size: 112*50*25mm Weight: 121g
- With punch
- With CE FCC ROHS FDA



Distance Meter 0.05~120m / 2in~393ft

C19A645

Features:
- Continuous Measurement Function
- Area Measurement Function
- Volume Measurement Function
- Angle Measurement Function
- Pythagorean proposition Measurement Function"
- Max./Min. Measurement, Area&Volume Addition/ Subtraction Delay Measurement
- Waterproof & large LCD with back light
- WIDE USE: Easy targeting with bright laser pointer, the laser distance meter makes field work easier and more accurate. Ideal for home, construction, industries, large areas such as rooms, apartments, buildings, real estates, factories, warehouses, etc.
- PORTABLE & LIGHTWEIGHT: compact size, handheld design, very convenient to carry. Double injection enables durable and well build, non-slip rubber-like material around the edge assures a solid grip and fast respond buttons.

Specifications:
- Measure range:0.05~120m (2in~393ft)
- Measure accuracy: ± 2mm
- Measure unit: mm/in/ft
- Digital Angle Measure ±90°
- Laser level: Class II
- Laser type: 635nm,＜1mW
- Max. storage: 30 Units
- Backlight Key tone
- Automatic laser off: 20s
- Automatic shutdown: 150s
- Battery: 1.5V 2*AAA(include)
- Size: 112*50*25mm .Weight: 121g
- With punch
- With CE FCC ROHS FDA certification



Rechargeable Distance Meter 0.03~40m .Aluminum alloy Case

C19A247

Features:
- One-piece aluminum-magnesium alloy casing, high-precision integrated molding process, rounded arc is anti-sweat and anti-corrosion.
- Choose simple, one button, you can get what you want.
- Key parts, professional quality, measurement accuracy of up to 1 mm and response time of 0.2 seconds.
- From Germany First Sensor photoelectric avalanche tube, ST chip, US Silicon labs - imported clock chip, Japan TDK inductor protects your range finder.

Specifications:
- Measuring range：0.03~40m
- Measuring accuracy：±2mm
- Measure unit：m/inch/ft
- Laser level：Class II
- Laser type：620-670nm,＜1mW
- Continuous measurement function
- Waterproof：IP51
- Automatically power off：60s
- Operating temperature：0~40℃
- Battery:180mAh
- Charging time:45minutes
- Battery status indication
- Size：86x22x11mm
- Weight:28g
- With cable
- Aluminum alloy material
- One button, easy to operate



Distance Meter 0.05~100m / 2in~328ft

C19A545

Features:
- Continuous Measurement Function
- Area Measurement Function
- Volume Measurement Function
- Angle Measurement Function
- Pythagorean proposition Measurement Function"
- Max./Min. Measurement, Area&Volume Addition/ Subtraction Delay Measurement
- Waterproof & large LCD with back light
- WIDE USE: Easy targeting with bright laser pointer, the laser distance meter makes field work easier and more accurate. Ideal for home, construction, industries, large areas such as rooms, apartments, buildings, real estates, factories, warehouses, etc.
- PORTABLE & LIGHTWEIGHT: compact size, handheld design, very convenient to carry. Double injection enables durable and well build, non-slip rubber-like material around the edge assures a solid grip and fast respond buttons.

Specifications:
- Measure range:0.05~100m (2in~328ft)
- Measure accuracy: ± 2mm
- Measure unit: mm/in/ft
- Digital Angle Measure ±90°
- Laser level: Class II
- Laser type: 635nm,＜1mW
- Max. storage: 30 Units
- Backlight Key tone
- Automatic laser off: 20s
- Automatic shutdown: 150s
- Battery: 1.5V 2*AAA(include)
- Size: 112*50*25mm .Weight: 121g
- With punch
- With CE FCC ROHS FDA certification



Network Cable Tester

C99AD020

Features:
- Test of double-twisted cables: Switch on the power. Put cables into both main tester and remote tester. The lights of the main tester will turn on sequentially from 1 to G
- Switch ON the normal test speed, S for the slow test speed
- Main tester: 1-2-3-4-5-6-7-8-G
- Remote tester: 1-2-3-4-5-6-7-8-G RJ45 / 1-2-3-4-5-6 RJ11
- If two cables are short circuited, neither of the corresponding lights is on of the remote tester while main tester remains unchanged. If three cables, including three, are short circuited, none of the corresponding lights is on
- If test patch panels or wall plate outlet, two cables which can match each other (RJ45) will be connected to the tester
- If test cables of the same axes, BNC turns on when the cable works
- Automatic scanning, rapid testing, streamlined appearance, ergonomic design
- Smooth lines and simple, drop resistance, anti-light design

Specifications:
- Cable Test:BNC、RJ11、RJ45
- Power consumption：25 MA
- Power supply：DC 9V laminated cell
- Dimension：10.5*10.5*2.6mm
- Weight：150g
- Certification：CE、ROHS



Film/Coating Thickness Gauge 0~1.8mm

C21A020

Features:
- Digital LCD display for clear reading.
- Thickness measurement for surface coatings on metal substrates.
- 3 measurement modes: single measurement, continuous measurement and differential measurement.
- Zero-point calibration, 2-point calibration and basic calibration.

Specifications:
- Measurement range: 0~1.8mm / 0~71 mil
- Resolution: 0.01mm / 1 mil
- Accuracy：±0.03mm
- Measurement substrate：metal
- Min. diameter of substrate：50mm
- Min. thickness of substrate：0.5mm
- Operating temperature：0~40℃
- Operating humidity：10~95%RH
- Single、continuous and differential measurement
- With CE、FCC、RoHS certification



Combustible Gas Detector 5~10000PPM

C99AH145

Features:
- Combustible Gas Detector 5~10000PPM
- With England FIS sensor, sensitive to 5 ppm methane
- Also detects natural gas, propane, butane, cyclopentane, ethane, ethanol, isobutane and ammonia
- Variety of usage in all kinds of industries
- Multiple LEDs, variable intensity audio alarm indicate leak strength
- Adjustable sensitivity helps pinpoint leaks fast
- Instant response, and warm up in approx 30 seconds (25℃, 60% RH environment)

Specifications:
- Detection range：5~10000PPM
- Operation Temperature: 15~50℃
- Continuous operation time：more than 4 hours
- Probe length：30cm
- With 1pc removable inductive head
- Power: 3pcs*AAA alkaline batteries



TDS Meter 0~9990PPM

C99Z150

Features:
- 100% Brand new and high quality
- Hold function: Saves measurements for convenient reading and recording
- Auto-off function: Turns off meter after 10 minutes of non-use to conserve batteries
- Dual Range: Measures form 0-999ppm, with a resolution of 1ppm. From 1,000 to 9,990ppm, the resolution is 10ppm, indicated by drinking x10image
- This item can be used in: water purifiers and filters, food (vegetable, fruits) & drink quality monitoring, pools and spas, aquariums, hydroponics

Specifications:
- Measuring range: 0~9990PPM
- Accuracy: ±2%
- ATC:0℃ to 50℃
- Auto shut-off:10 minutes
- Power:2x1.5V(LR44L)
- Dimensions:156x30x23 mm
- Weight:48g
- Certificate:CE



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

Instruments & Apparatuses

4.3" LCD Hand Held Multi-Purpose Inspection Camera Home Auto Industrial

C09B720

Features:
- Ectra-large color display is 3X larger than standard screen
- Submersible 11/32in (9mm) diameter camera probe
- Camera probe & cord coil inside the housing for compact storage

Specifications:
- Display:4.3"TFT color LCD
- Camear resolution: 640(H)x480(V)
- LCD resolution: 320x240 pixels
- OD 9mm camera(1/9" VGA)
- 4 adjustable LEDs
- Insertion tube length:90 cm
- Function: digital zoom and picture reverse
- Waterproof carmera tube：IP67
- Frame rate~30 fps
- Field of view (FOV):57 degree
- Depth of field (DOF):3cm - 7cm
- Power:4*AA battery
- Assessment：1*magent 1*hook 1*mirror



Digital Tachometer 2.5~99999RPM

C11B020

Features:
- Highly accurate non-contact digital tachometer with high speed laser-aim operation and instant readings from 2.5 to 99,999 RPM
- Readings are displayed on a large, easy-to-read LCD screen; stores last, minimum, and maximum reading; features auto-zero adjustment
- Includes 24-inches of reflective tape and aim and measure design for non-contact diagnostics and measurements
- Compact and lightweight, operates for hours on three included AA batteries; perfect for measuring motors, machine parts, lathes, etc. Accurate to +/- 0.05 percent and capable of measuring at a distance from 2-20 inches; RPMs measured over 1 second sampling time
- CE/FDA approved



Infrared Thermometer -50~550℃

C13A320

Features:
- BETTER ACCURACY: The Distance to Spot Ratio is 12:1, meaning our infrared thermometer can accurately measure targets at greater distances compared to most other IR Thermometers
- Target quicker: measure surface temperature ranging from -58℉ 1022℉/-50℃ 550℃, you can choose the unit from ℉/℃;response time: ≤500Ms
- ADDED FUNCTIONS: The LCD screen is backlit, also has an Auto-Off function to extend the battery life, and features a low battery indicator so you never accidentally run out of juice (battery included)
- VERSATILE DESIGN: Infrared Technology makes this thermometer handy to measure the surface temperature of various objects especially temperatures above boiling points and below freezing points; Use it when you are cooking and barbequing, performing auto maintenance, doing home repairs, and a host of other tasks

Specifications:
- Single dot laser targeting
- Measurement range: -50~550℃ (-58~1022℉)
- Accuracy:±2℃ or ±2%
- Resolution：±1℃ or ±1%
- Distance spot ratio：12:1
- Emissivity:0.1~1.0 Ajustable
- Response time:500ms
- Wavelength:5-14μm
- Max power output＜1mw class
- ℃/℉ Selection
- Data Hold Function
- Laser Target Pointer ON/OFF Selection, Backlight ON/OFF Selection, Auto Power Shut Off, MAX/MIN/ AVG/DIF Reading, High/Low Temperature Alarm Set up
- Unit Size:43*101*153mm
- Power: 9V 6F22 Battery (include carbon-zinc battery)
- CE,ROHS,FCC,FDA



Infrared Thermometer -40~550℃ With Temperature Alarm

C13A575

Features:
- Multipoint dot laser targeting
- Back light LCD
- Measurement range:-40℃~550℃;－40°F~ 1022°F
- Accuracy:±2% or ±2℃
- Resolution:0.1°C/0.1℉
- Distance spot ratio：12：1
- Emissivity：0.95
- Response time：500ms
- Wavelength：8-14μm
- With high/low temperature alarm
- ℃/℉ display selection
- Data hold function:Low battery indication Max power output＜1mw class II laser Auto power off：8sShell process：twice shooting technique
- 9V battery(Included)



I.8" Infrared Thermal Imager

C13B105

Features:
- Infrared thermal imager that can blend the visible and infrared images.
- Resolution of infrared image/visible image: 1024 pixels
- This infrared imaging device is professional, precision and efficient.
- For car engine overhaul, transformer room line maintenance, air conditioner repair, etc.
- Our infrared thermal imager can turn thermal image into visional image, quickly find out the problem area.

Specifications:
- 1.8" color screen
- Infrared imagery resolution：32*32
- Pixel：1024
- Thermal sensitivity：0.15℃
- Temperature measure range：-20~650℃ (-4~1202℉)
- Temperature measure accuracy：±2%
- Image frame frequency：8Hz
- Emissivity：0.1~1 adjustable
- Focusing mode：settled
- File format：BMP With 4G SD card cspacity(without Card)
- Power：4*1.5V AAA batteries(include)
- Humidity：＜90%
- Operating temperature：0~50℃ (32~122℉)
- Storing temperature：-40~70℃ (-40~158℉)



Distance Meter 0.05~25m

C19A170

Features:
- This item belongs to high precision and multi-functional laser measuring instrument, which can be used to measure the distance.
- The product is portable and reliable in measuring, making your measurement more accurate, simple and faster, and getting twice the result with half the effort.
- The laser tape measure takes instant and reliable measurements from 0.05 to 25m, and the data error can be controlled at ±3mm. This laser distance meter allows users to measure in meters only, or feet and inches only.

Specifications:
- Measure range:0.05~25m
- Measure accuracy:± 3mm
- Measure unitm
- Laser level:Class II
- Laser type:620-690nm,＜1mW
- Max. storage:10 Units
- Continuous Measurement Function
- Automatic laser off 30s
- Automatic shutdown 180s
- Battery:1.5V 2*AAA(include)
- IP54



Photo Tachometer(Laser)

C11B015

Features:
- Handheld Laser Tachometer for measurement of RPM revolutions per minute
- Readings are displayed on a large, easy-to-read LCD screen; stores last, minimum, and maximum reading; features auto-zero adjustment
- Widely used: Perfect for measuring motors, machine parts, lathes, etc.
- With CE certification

Specifications:
- Display 5 digit 18mm LCD.
- Range: 2.5~99999 RPM
- Resolution: 0.1 RPM (2.5~999.9RPM) 1 RPM (above 1000RPM)
- Accuracy: ± (0.05%+1digital)
- Sampling Time: 0.8 second (over 60RPM)
- Range Select: Auto-range
- Time Base: 6MHz Quartz crystal
- Memory: Max. value, Min. value
- Last value. Can store 96s data
- Detecting Distance: 50mm~200mm
- Power: 9V AAA battery.(include)



Infrared Thermometer -50~400℃ -58℉~752℉

C13A165

Features:
- BETTER ACCURACY: The Distance to Spot Ratio is 12:1, meaning our infrared thermometer can accurately measure targets at greater distances compared to most other IR Thermometers
- TARGET QUICKER: Measure surface temperature ranging from -58℉~752℉/-50℃~400℃, you can choose the unit from ℉/℃; Response time: ≤500Ms
- ADDED FUNCTIONS: The LCD screen is backlit, also has an Auto-Off function to extend the battery life, and features a low battery indicator so you never accidentally run out of juice (battery included)
- VERSATILE DESIGN: Infrared Technology makes this thermometer handy to measure the surface temperature of various objects especially temperatures above boiling points and below freezing points; Use it when you are cooking and barbequing, performing auto maintenance, doing home repairs, and a host of other tasks

Specifications:
- Single dot laser targeting
- Blue back light
- ℃/℉ display selection
- Hold function
- Low battery indication
- Measurement range: -50℃~400℃; ~58℉~752℉
- Accuracy: ±1.5% or ±1.5℃
- Resolution: 0.1℃/0.1℉
- Distance spot ratio：12：1
- Emissivity：0.95
- Response time：500ms
- Wavelength：8-14μm
- Auto power off: 7s
- 2*1.5V AAA battery(Included)
- Max power output＜1mw class
- CE,ROHS,FCC,FDA



Infrared Thermometer -30~330℃

C13A355

Features:
- Single dot laser targeting
- Back light
- Measurement range: -30℃~330℃; －22°F~ 626°F
- Accuracy:±2% or ±2℃
- Resolution:0.1°C/0.1℉
- Distance spot ratio：10：1
- Emissivity：0.95
- Response time：500ms
- Wavelength：8-14μm
- ℃/℉ display selection
- Hold function
- Low battery indicationMax power output＜1mw class II laser Auto power off：8sShell process：twice shooting technique
- 9V battery(Included)



I.8" Infrared Thermal Imager With Visual Image Function

C13B155

Features:
- The pistol grip and lightweight design ensures easy prolonged usage in any field.
- An image adjusting feature which enables users to align infrared and visible light images that is a common issue with thermal cameras.
- The perfect handheld thermal camera that displays thermal anomalies in home insulation, water damage, HVAC and various heat related issues.s.

Specifications:
- 1.8" color screen
- Infrared imagery resolution：32*32
- with visual image function
- Pixel：1024
- Thermal sensitivity：0.15℃
- Temperature measure range：-20~650℃ (-4~1202℉)
- Temperature measure accuracy：±2%
- Image frame frequency：8Hz
- Emissivity：0.1~1 adjustable
- Focusing mode：settled
- File format：BMP With 4G SD card cspacity(without Card)
- Power：4*1.5V AAA batteries(include)Humidity：＜90%Operating temperature：0~50℃ (32~122℉)
- Storing temperature：-40~70℃ (-40~158℉)



Rechargeable Distance MeterO.05~40m

C19A240

Features:
- Multifunctional, measures distance, area and volume accurately, quickly and conveniently, 20 data memories, allows to check the most recent measurement freely
- Wide measuring range 40M with a high accuracy up to ±2mm, accurate and efficient
- Continuous measurement function, with buttons/keys sound
- Switchable among meter(m), inch(in), feet(ft), convenient to read the measuring results
- Reinforced shell in dustproof and IP54 waterproof, can be used in the outdoor environment. Large LCD with backlight, help to see the data clearly in low-light conditions
- Handheld design makes it portable and lightweight to take for measuring. Widely used in interior decoration, indoor design, construction field

Specifications:
- Measuring range：0.05~40m
- Measuring accuracy：±2mm
- Measure unit：m/inch/ft
- Laser level：Class II
- Laser type：635nm,＜1mW
- Waterproof：IP54
- Automatically power off：480s
- Operating temperature：0~40℃
- Battery:200mAh
- Charging time:45minutes
- Battery status indication2 level of measuring basis
- Size：100x32x13mm
- Weight:45g
- With cable



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

E29X186

92pc Auto Fuse Assortment With Fuse Puller And 6-24v Electric Tester

Features:
- Auto car truck mini blade fuse assortment, made of zinc alloy and plastic, different values with different colors, including 5A, 10A, 15A, 20A, 25A, 30A.
- With a fuse puller help to reach the place where is limited
- With a 6-24V electric tester easy to check your circuit problems
- Comes with a plastic box for organized storage. Compact size, light weight, convenient to store or carry with in your car.

Specifications:
- Including:
- 15pcs 5AMP orange
- 15pcs 10AMP red
- 15pcs 15AMP blue
- 15pcs 20AMP yellow
- 15pcs 25AMP clear
- 15pcs 30AMP green
- 1pc Fuse puller
- 1pc 6-24V electric tester



E31B121

100PC Heat Shrinkage Tube Assortment

Features:
- The heat shrink tube is of flame retardant, wear resistant, with good sealing ability, good performance, helping to finish your work effectively.
- The heat shrink tube would shrink and wrap the protected things tightly if heated under high temperature, providing effective protection for items.
- Easy to use ,you just need to select the appropriate tube, put it on the wire joint and heat it to make it shrink with an air heater, then it could protect your items effectively.
- The heat shrink tube is mainly used for insulation protection of wire core, solder joints, inductors, also for rust prevention and corrosion protection of metal pipes.

Specifications:
- Size and quantity:
- 2mm-12PC
- 3mm-24PC
- 5mm-24PC
- 6mm-16PC
- 8mm-12PC
- 10mm-12PC



E31B123

100PC Heat Shrinkage Tube Assortment

Features:
- 100% Brand new and High quality.
- There are many styles and models, and there are different models for different needs.
- Suitable for electrical insulation, wire bundling, mechanical protection, cable joints and daily repairs etc

Specifications:
- Including:
- 15pcs 5AMP orange
- 15pcs 10AMP red
- 15pcs 15AMP blue
- 15pcs 20AMP yellow
- 15pcs 25AMP clear
- 15pcs 30AMP green
- 1pc Fuse puller
- 1pc 6-24V electric tester



E31D353

127PCS Shrinking Hose Assortment

Features:
- It is a high-quality and sufficient enough product to fit your wire needs.
- Durable Clear Storage Box IncludedHigh safeguard aptitude against water and moisture
- High expansion ratio makes it possible to repair most damaged cable jackets
- They are suitable for a wide range of applications including electrical insulation, cable bonding, and identification of wires, cables, pipes and electrical and electronic components etc.

Specifications:
- Size and quantity:
- 2.0 x 40mm-30pcs
- 2.5 x 40mm -25 pcs
- 3.5 x 40mm -20 pcs
- 5.0 x 40mm-20 pcs
- 7.0 x 80mm-16 pcs
- 10.0 x 80mm-8 pcs
- 13.0 x 85mm-8 pcs



Self-Adjusting Wire Stripper & Crimpers

E35B073

Features:
- Professional grade easy to use self-adjusting wire and cable stripper is a handy piece of equipment that will serve a wide range of wire adjusting and maintenance needs including home electrical jobs, installing lighting to working with tiny circuit boards.
- Innovative wire stripper with self-adjusting mechanism is ideal for copper and aluminum cables from 10-24 AWG
- Specially designed and precisely machined teeth grabs, holds, pulls and removes outer jacket in a simple one-handed motion Thumb wheel micro-adjusts jaw tension and clearance for perfect stripping on smaller gauge wires beyond 20 AWG

Specifications:
- Adjustable gauge/stopper controls the length of core wire from 1/4 to 3/4"
- Easily strip wires from as small as 30AWG to as large as 8AWG with a single squeeze
- High-frequency heat treated blades makes clean cuts on wires from 10-24 AWG
- Built-in crimper crimps 10-22 AWG insulated and 7-8 mm auto ignited terminals
- 8 Inch spring-loaded, flat-sided handle provides maximum comfort and leverage



E35B075

8" Ratchet Crimping Tool

Features:
- Adjustable Ratchet Mechanism ensures proper pressure is applied to the terminal for crimping, pre-set tension for accurate crimping, gives simple, accurate and high efficient operation; Automatic Release Device adds safety when in use.
- Ergonomically Designed Grip Handles for comfortable operation.
- Applicable to most types of non-insulated and insulated terminals and connectors, making the crimper more applicable to various projects.

Specifications:
- Heavy duty ratchet crimping pliers
- Hardened steel jaws.
- Crimps: red 0.5 - 1 mm2, blue 1.5 - 2.5 mm2 and yellow 4 - 6 mm2 terminals



220Piece Terminal Repair Kit

E95X255

Features:
- Contents are organized in dual-sided carrying case for easy retrieval
- Suitable for a broad range of industrial and commercial uses

Specifications:
- 36PC Ring terminals
- 8PC Spade terminals
- 21PC Butt connectors
- 10PC Screw-on wire connectors
- 7PC Quick splices
- 16PC Disconnects
- 6PC Insulated disconnects
- 11PC Heat shrink tubes
- 50PC Cable ties
- 16PC Clamps
- 10PC Closed-end connectors
- 20PC Grommets
- 1PC Battery brush
- 1PC Crimper tool
- 1PC Fuse puller
- 2PC Miniature screwdrivers
- 1PC Roll automotive wire
- 1PC Voltage tester
- 1PC Pair test leads
- 1PC 3/4"*30'Electrical tape(UL)



399Piece Electrical Repair Kit

E95X597

Features:
- Available in many different styles including PVC and weatherproof
- A large selection of wire gauges available
- Suitable for a broad range of industrial and commercial uses

Specifications:
- 1PC 8"4-Way crimp tool
- 1PC 6"Long nose pliers/cutter
- 1PC DC voltage tester
- 2PC Screwdrivers w/Insulated shafts
- 2PC 36"Test leads(1 Red & 1 Black
- 1PC 3/4"*30'Electrical tape(UL)
- 1PC 60" 18 gauge red primary wire
- 8PC Quick splices
- 4PC 4.75"Hook & Loop ties
- 1PC Fuse puller
- 30PC Wire nuts
- 16PC Wire clamps
- 6PC 8"White cable ties
- 75PC Insulated terminals
- 250PC 4"Cable ties



60FT Extra Large Open Cord Reel

E13B075

Features:
- Ideal for use with workshop and outdoor power tools, open reel allows for quick wall mounting.
- Home, workshop, yard and light industrial use
- Robust design, with four sockets
- Safety current overload protection
- High visibility cord
- ETL approved

Specifications:
- Cord lenght: 60FT
- Cord TYPE: 14AWG
- Material: PP+Iron
- Contains 4 us gauge plugs and Overload protection switch
- ETL



80FT Extra Large Open Cord Reel

E13B076

Features:
- Ideal for use with workshop and outdoor power tools, open reel allows for quick wall mounting.
- Home, workshop, yard and light industrial use
- Robust design, with four sockets
- Safety current overload protection
- High visibility cord
- ETL approved

Specifications:
- Cord lenght: 60FT
- Cord TYPE: 14AWG
- Material: PP+Iron
- Contains 4 us gauge plugs and Overload protection switch
- ETL



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

E01X025

Soldering Gun Set

Features:
- HEAVY DUTY SOLDERING GUN: Get rid of that old and worn out soldering tool and start saving time, money and effort now with this 100W soldering gun set, great for a range of light to heavy duty soldering tasks including plumbing, electronics, crafting, automotive, metalwork and even wood burning. Give your projects a professional finish that will last!
- FAST HEAT: Plug in and go! Soldering gun reaches soldering temperature in minutes so you can spend less time waiting for your tool to be ready and more time using it. The energy efficient design of the tool means that the heat stays centralized to the tool's tip and is capable of reaching temperatures of 1100 to 1300 degrees Fahrenheit. Between usage or while cooling the tool can be laid flat on its side to keep the high temperature tip out of harm's way
- READY, AIM, SOLDER!: The soldering guns pistol-like design makes it easy to grip and is balanced for maximum precision and control so you get the tip exactly where you need it. A trigger switch allows for easy turning on and off of the tool and to ensure it is working only when required to avoid overheating. The tool comes with a built-in light bulb that shines directly onto whatever you're working on so you can see in dark and enclosed spaces such as inside electronic appliances and cars
- NO EXPERIENCE REQUIRED: Whether seasoned professional or DIY enthusiast this tool will meet the needs of the user. Regardless of experience, for anyone working on components in home appliances, circuit boards, vehicle electronics, electrical connections, metalworking, plumbing, repairs and other sophisticated industrial applications you can be sure of professional results!

Specifications:
- 2PCS SKQ potentiometer (variable resister) Without Cover
- 2PCS LED stroboscope
- 2PCS SRS Connector
- 2PCS Alligator clip
- 2PCS Probe
- 2PCS Test Probe
- 2PCS Acicular probe
- 2PCS 1 to 2 connector
- 2PCS 1 to 1 connector
- 52PCS Various automotive flat terminals



E17I953

100W Emergency Power Station

Features:
- Portable, beautiful and easy to use.
- Using advanced lithium battery manufacturing process, strong output energy.
- Provide AC output and DC output two different output modes to match the demand of different electronic products.

Specifications:
- Modified sine wave
- Capacity:36000mAh, 3.7V/133Wh
- Size:215*75*205mm
- Weight:1.85kg
- Battery Type:High Quality Lithium Batteries
- Input:DC 15V/2A
- DC Output:1*DC9-12V/5A MAX
- USB Out:1*USB 5V/2A;1*5V~9V/2A Max(QC3.0)
- AC Output:2*AC Output 110V/60Hz(90-130V)
- Rated power:AC 100W
- Accessories:charger



E17I979

500W 624Wh Emergency Power Station

Features:
- Keep your computer and phone and other electronic devices charge up, just in case you might need emergency services
- No lethal fumes, noise, vibration or explosive fuel to store
- Easy for men or women to handle, portable, plug-N-play design

Specifications:
- Modified sine wave
- Capacity:168300mAh, 24V/624Wh
- Size:370*290*178mm
- Weight:5.5kg
- Battery Type:High Quality Lithium Batteries
- AC Output Voltage:110V/60Hz
- DC Output: DC5V/2A DC12V/10A DC24V/10A
- Input:AC 25.2V/4A
- Charging Time: 7 Hours
- Rated power:AC 500W
- Max power:AC 1000W
- Accessories:charger



97PC Auto Fuse Assortment

E27A097

Features:
- Function: Protect your car and your electrical device from shorting circuit and overloading when occuring to unstable vols / suddenly high amps.
- Auto fuses assortment kit are suitable for most of vehicles like Cars, Truck, SUV, ATV, UTV, Camper RV, Motorcycles and etc.
- Protect your car and your electrical device from short circuit

Specifications:
- Size and quantity:
- 3A-12 pcs
- 5A-12 pcs
- 7.5A-12 pcs
- 10A-12 pcs
- 15A-12 pcs
- 20A -12 pcs
- 25A -12 pcs
- 30A-12 pcs
- fuse tool-1 pcs



285 Pc. Automotive Electrical Repair Kit

E27X571

Features:
- Great for use on automotive, marine, industrial & agricultural applications.
- 2-Part plastic case folds open 180 degrees for easy access to both sides of kit.

Specifications:
- 1PC Red Screw Pressure Line Hat
- 1PC Fuse Puller
- 1PC Electrical Tape(CSA Certification)
- 1PC Phillips Screwdriver
- 1PC Slotted Screwdriver
- 1PC 6 to 12 Volt Tester
- 1PC 8.5" Wire Crimping Tool (thickness: 3.0mm)
- 1PC Primary Wire, 39"Long
- 1PC Box
- 2PC Test Leads
- 2PC Orange Screw Pressure Line Hat
- 2PC Yellow Screw Pressure Line Hat
- 5PC 5MM Heat Shrink Tubes
- 5PC Yellow Long Full Insulation Intermediate Splice
- 8PC Blue Screw Pressure Line Hat
- 8PC Blade Style Fuses (10A;15A;20A; 30A)
- 8PC Glass Style Fuses (10A;15A;20A; 30A)
- 8PC Red Long Full Insulation Intermediate Splice
- 9PC Red Female Pre-Insulation Splice
- 10PC 3X150MM White Cable Ties
- 10PC 4X200MM White Cable Ties
- 15PC 3MM Heat Shrink Tubes
- 15PC 1/8" White Wire Clamps
- 15PC Red Round Shape Insulated Terminals
- 15PC Blue Fork Shape Insulated Terminals
- 18PC Blue Round Shape Insulated Terminals
- 18PC Red Fork Shape Insulated Terminals
- 18PC Blue Male Pre-Insulation Splice
- 20PC Blue Fork Shape Insulated Terminals
- 20PC Black Rubber Grommets (5/16 C 8)
- 20PC Red Round Shape Insulated Terminals
- 26PC 3X100MM White Cable Ties



E17I947

100W Emergency Power Station

Features:
- Application: Charges or powers products such as laptops, phones, tablets, cameras, drones, CPAP machine, small home appliances and more. It is also very handy to be put on your RV, camper and perfect for emergencies, camping or wherever you need power.
- Portable & Handle

Specifications:
- Modified sine wave
- Capacity:30000mAh, 3.7V/99Wh
- Size:380*159*215mm
- Weight:1.8kg
- Battery Type: High Quality Lithium Batteries
- Input:AC100-240V
- DC Output:1* 12V/6A MAX
- USB Out:2*5V/2A
- AC Output: 1*AC Output 110V/60Hz(90-130V)
- Rated power:AC 100W
- Accessories:charger



E17I957

150W Emergency Power Station

Features:
- MULTIPLE USES: Powerful to charge LED Light, LCD TV, Laptop, Desktop computer, Audio, Drone, Projector, respirator and Refrigerator or other small electrical device.
- Portable, beautiful and easy to use.

Specifications:
- Modified sine wave
- Capacity:45000mAh, 3.7V/166Wh
- Size:205*167*96mm
- Weight:1.7kg
- Battery Type: High Quality Lithium Batteries
- Input:DC 15V/2A
- DC Output:1* 12V/5A MAX
- USB Out:1*USB 5V/2A; 1*5V~12V/2A Max(QC3.0)
- AC Output: 1*AC Output 110V/60Hz(90-130V)
- Rated power:AC 150W
- Accessories:charger



E17I985

1000W 1920Wh Emergency Power Station

Features:
- MEGA-CAPACITY: ultra high-capacity of 1920Wh for portable power station, power outdoors!
- EASY TO CARRY: This is a convenient capacity power pack in just 16.30*12.24*6.54 inches, 44.1 Lb with an easy-carry handle for easy travel!
- MULTIPLE USES: Powerful to charge LED Light, LCD TV, Laptop, Desktop computer, Audio, Drone, Projector, respirator and Refrigerator or other small electrical device.

Specifications:
- Modified sine wave
- Capacity:520000mAh, 48V/1920Wh
- Size:413*166*311mm
- Weight:20kg
- Battery Type:High Quality Lithium Batteries
- AC Output Voltage:110V/60Hz
- DC Output: DC5V/2A DC12V/3A
- Input:AC 56.6V/5A
- Charging Time: 8 Hours
- Rated power:AC 1000W
- Max power:AC 2000W
- Accessories:charger



28pc Electrical Clip Assortment

E27X011

Features:
- Repair all kinds of connectors and testers with this 28.-piece set. Durable contruction with sturdy jaws that ensure maximum hold.
- Slotted case included, to keep you organized.

Specifications:
- Size and quantity
- 38mm Alligator Clips-6pc
- 50mm Alligator Clips-6pc
- mini Alligator Clips-10pc
- 30Amp Charging Clips-2pc
- 25Amp Charging Clips -2pc
- 10Amp Charging Clips -2pc



120pc Mini Car Fuse Assortment

E29A075

Features:
- Set contains the seven most commonly replaced fuses in today's cars, trucks, and SUV's.
- Color coded for easy identification
- Storage organizer case included.

Specifications:
- Size and quantity:
- 5 Amp Fuses-20 pcs
- 10 Amp Fuses-20 pcs
- 15 Amp Fuses-20 pcs
- 20 Amp Fuses-20 pcs
- 25 Amp Fuses-20 pcs
- 30 Amp Fuses-20 pcs



120pc Auto Fuse Assortment

E29A337

Features:
- Set contains the most commonly replaced fuses in today's cars, trucks, and SUV's.
- Color coded for easy identification
- Storage case organizer included
- Protect your car and your electrical device from short circuit, overload etc.

Specifications:
- Size and quantity:
- 5Amp (Orange) -20pcs
- 10Amp (Red) -20pcs
- 15Amp (Blue) - 20pcs
- 20Amp (Yellow) - 20pcs
- 25Amp (Clear) - 20pcs
- 30Amp (Green) - 20pcs



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

F05D151

5W COB Rechargeable Handheld Work Light

Features:
- Three model Brightness for difference environment.
- Swivel and stay base with strong magnet,fix the light to any ferrous surface,set the desired angle, and lock the angle.
- More lasting working time: 10 hours for Torch!
- Aluminum material for better hand touch feeling.
- 180 Degree bend for hands-free convience.

Specifications:
- LED: 5W COB + 1PCS SMD
- Brightness:400LM(HIGH), 200LM(LOW),60LM(TOP)
- Function: HIGH-LOW-TOP
- Battery: 3.7V 2200mAh Li-ion Rechargeable Battery
- Run time: 3 hours (HIGH) , 7 hours (LOW),10 hours (TOP)
- Material： Aluminum
- Lamp board 180° rotation
- With Magnetic base



F05D152

5W COB+5W LED 2IN1 Rechargeable Work Light

Features:
- 2 In 1 interchangeable head is a new design ,Interchangeable COB Worklight and Flashinglight modes,satisfy your need.
- 360° Rotate & Magnet Base , 360 degree rotate provide multi-angle illumination, magnet base make your hand free. Useful tools for car repair, workshop,outdoor camping, garage, power outages and home emergency lighting.
- Brightness Adjustable , Three model Brightness with high(400lm), Low(200lm) and torch(60lm)for COB light.
- Flashlight Brightness with High(350lm),Low(180lm),easy to carry.
- Aluminum material for better hand touch feeling

Specifications:
- LED: 5W COB + 1PCS SMD and 5W LED Flashlight
- Brightness:400LM(HIGH),200LM(LOW),60LM(TOP)
- Flashlight Brightness： 350LM(HIGH),180LM(LOW)
- Function: HIGH-LOW-TOP and Flashlight High-Low-Flash
- Battery: 3.7V 2200mAh Li-ion Rechargeable Battery
- COB Run time: 3 hours (HIGH) ,7 hours (LOW),10 hours (TOP)
- Flishlight Run time： 3 hours (HIGH) , 7 hours (LOW)
- Material： Aluminum
- Lamp board 180° rotation
- Bottom 360° rotation magnet



F05D153

5W COB+5W LED 2 IN 1 Rechargeable Handheld Work Light

Features:
- 2 In 1 interchangeable head is a new design ,Interchangeable COB Worklight and Flashinglight modes,satisfy your need.
- Magnet Base , magnet base make your hand free. Useful tools for car repair, workshop,outdoor camping, garage, power outages and home emergency lighting.
- Brightness Adjustable , Three model Brightness with high(400lm), Low(200lm) and torch(60lm)for COB light. .Flashlight Brightness with High(350lm),Low(180lm),easy to carry.
- Aluminum material for better hand touch feeling

Specifications:
- LED: 5W COB + 1PCS SMD and 5W LED Flashlight
- Brightness:400LM(HIGH),200LM(LOW),60LM(TOP)
- Flashlight Brightness： 350LM(HIGH),180LM(LOW)
- Function: HIGH-LOW-TOP and Flashlight High-Low-Flash
- Battery: 3.7V 2200mAh Li-ion Rechargeable Battery
- COB Run time: 3 hours (HIGH) , 7 hours (LOW),10 hours (TOP)
- Flishlight Run time： 3 hours (HIGH) , 7 hours (LOW)
- Material： Aluminum
- Lamp board 180° rotation
- With Magnetic base



F05D175

10W COB Rechargeable Work Light

Features:
- Unique Variable Dial Lets You Control Output (400-700 Lumens).
- Removable Magnetic Base with 360° Swivel and Lock Feature Lets You Adjust Angle and Point Light Where its Needed.
- Convenient Hook for Hanging.
- Ultrathin design convient to use in very narrow space, is the most handy tool for emergency lighting, car traveling, camping, hiking and so on, one light to meet all your demands.

Specifications:
- LED:10W COB LED
- Brightness:700lm(HIGH) 400LM (LOW)
- Battery:3.7V 2200mah Li-ion Battery
- Run time:2.5hrs(HIGH) 10hrs（LOW）
- Switch:High- Low-OFF
- Material:ABS
- Size： 380 *32cm (15" X 1.25")
- Weight： 177g
- With magnet on the base
- Includes USB charging cable （without adaptor）



F05D211

7W COB Rechargeable Work light

Features:
- Both ends of COB work light with two pcs hook and two pcs magnetic . hook design,easy to use in small space inside.
- 100% high quality,high power & high brightness, non-dazzling and comfortable to the eyes.
- Four light switches ,7 levels of light adjustment ,the bottom with SMD LED bearing make different lighting modes to meet your lighting needs,convenient for emergency roadside repair, camping light in camping siteor multi-purposes light maintenance light ,a wider range of application.
- 1M Type-C USB charging cable include

Specifications:
- LED:7W COB LED+1pcs SMD LED
- Brightnees: 700/600/500/400/300/200/100LM
- Battery： 3.7V, 4000mah Li-ion battery
- Charge time： about 5.5H
- Run time： 2H/3H/4H/5H/6H/7H/8H
- Four light switches,7 levels of light adjustment
- Size： 375*43*53MM
- Weight： 410g
- Material:PC+Aluminum
- Over Charge and Over Discharge Protection
- 1M Type-C USB charging cable and a manual
- With 2PCS hook and 2PCS Magnetic
- UL/CUL approved, 100-240V, 5V 1A USB Adaptor(not include)
- IP54Battery： 3.7V, 4000mah Li-ion battery



F05D213

7W COB + UV Rechargeable Work light

Features:
- Both ends of COB work light with two pcs hook and two pcs magnetic .
- Easy to use in small space inside.
- 100% high quality,high power & high brightness, non-dazzling and comfortable to the eyes.
- Four light switches ,7 levels of light adjustment ,the bottom with UV LED bearing make different lighting modes to meet your lighting needs,convenient for emergency roadside repair, camping light in camping siteor multi-purposes light maintenance light ,a wider range of application.
- 1M Type-C USB charging cable include

Specifications:
- LED:7W COB LED + UV LED
- Brightnees: 700/600/500/400/300/200/100LM
- Wavelength 390-400
- Battery： 3.7V, 4000mah Li-ion battery
- Charge time： about 5.5H
- Run time： 2H/3H/4H/5H/6H/7H/8H
- Four light switches,7 levels of light adjustment
- Size： 375*43*53MM
- Weight： 410g
- Material:PC+Aluminum
- Over Charge and Over Discharge Protection
- 1M Type-C USB charging cable and a manual With 2PCS hook and 2PCS Magnetic
- UL/CUL approved, 100-240V, 5V 1A USB Adaptor(not include)
- IP54



F05D074

5W COB Rechargeable Work Light

Features:
- portable handheld work light, features 4 kinds of lighting modes and rotatable function, can provide multi-angels illumination and perfect brightness. Besides, there are 2 kinds of magnets and hidden swivel hook for the hands-free use. you can put the portable inspection light into your bag or car with the foldable design. Come with an USB charging cable, it's easy to charge the rechargeable work flashlight by power bank, car charger, computer etc. A good choice of your versatile torch light!

Specifications:
- LED： 5W COB + 1PCS LED
- Brightness:450LM（COB）+100LM(Top LED)
- Mode:Top LED-COB（High）-COB(LOW)-RED（Flash）-OFF
- Battery： 1*18650 li-ion battery 3.7V 2000mah (include)
- Charging time:3.5hours
- Runtime:3H
- Weight： 180G
- Size： （165-295）*46*30mm
- Material： ABS+TPR
- With 50cm USB charging cable
- The bottom of the product has magnets and hooks
- Overcharge and overdischarge protection
- The light board can be rotated by 270°



F05D181

7W COB + UV Rechargeable Work light

Features:
- LED： 10W COB LED
- Lumen:800lm
- Battery:3.7v.3600mah Li-ion battery
- Charging time:6H
- Runtime:3H
- Mode:High-Low-Flash-OFF
- Include 1M USB charger line
- Bluetooth 5.0
- Weight： 680g
- Size： 175*50*130mm
- Color temperature： 6000K
- Material： Aluminumcharge smart phone with output
- Can connect bluetooth to play music
- BQB/CE/ROHS
- IP65



F05H175

12W COB Work Light With Cable

Features:
- COB LED light bar on the side, bright and visible, great for work use
- Strong magnetic bases on back, firmly stick to any metal surface
- Grounded outlet on the bottom.
- Skid resistance design on the handle of the auto repair work light saves your labor and helps avoid being dropped

Specifications:
- LED:12W COB LED
- Brightness: 800lm
- Swtich: High-Low-Close
- Material: Aluminum + Rubber + ABS
- Size: 55*65*330mm
- Weigh: 1500g
- Power: 7 m UL cable socket
- Wire gauge 18# (0.75 square)



F05K179

12PCS LED Handheld Work Light

Features:
- 12PCS LED Handheld Work Light, including 10pcs SAMSUNG LED + 1pc SAMSUNG LED on front head+ 1 CREE LED
- Function: 100% high-30% low-TOP LED-CREE XPG LED
- Ultra-slim body design pivots 180° providing more light to any work area
- Body light part designed for 180° Swive
- Magnetic base attaches to any ferrous surface
- Handle spotlight offers an additional light function

Specifications:
- Battery: 3 x AAA （including）
- Run time: 1.5 hours (10pcs LED) , 15 hours (Top LED), 3.5 hours (CREE XPG LED)
- Beam distance: 25 meters
- Weight:210g (including battery)
- IPX4



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

F05C002

20 SMD Rechargeable Work Light 300Lumen

Features:
- 20 super bright SMD LEDs generate 300 lumens of light for superior illumination, making it perfect for construction and automotive work
- Rechargeable large capacity 4,000mAh Li-ion battery with overcharge protection lasts for 5 hours and features a low battery indicator
- Handheld, portable stick design with impact resistant aluminum housing and industrial grade polycarbonate lens delivers on durable protection for lighting unit
- Charge on-the-go with the USB charging cable; charge with a wall plug or in your car at your convenience
- Accessories include magnetic mounting base and 360 degree swivel hook for hands-free use in emergency trouble, car repairs, garage shop, and camping

Specifications:
- LED: 20pcs SMD 2835 LED CRI 80
- Brightnees:300LM(HIGH)-200LM(MID)-100LM(LOW)
- Switch:HIGH-MID-LOW-OFF
- Battery: 3.7V, 2000mah Li-ion battery
- Includes 0.5 meter USB charging cable
- Charge time:approx 3H
- Run time: 3H(HIGH)-4H(MID)-8H(LOW)
- Material:PC+Aluminum
- Size： 335*41*45mm
- Weight： 263g
- Accessories: 1pcs hook , manual
- Over Charge and Over Discharge Protection
- Adaptor:UL/CUL approved, 110-240V 5V 1A(NOT include)



F05C010

40 SMD Rechargeable Work Light 700Lumen

Features:
- 40 super bright SMD LEDs generate 700 lumens of light for superior illumination, making it perfect for construction and automotive work
- Rechargeable large capacity 4,000mAh Li-ion battery with overcharge protection lasts for 5 hours and features a low battery indicator
- Handheld, portable stick design with impact resistant aluminum housing and industrial grade polycarbonate lens delivers on durable protection for lighting unit
- Charge on-the-go with the USB charging cable; charge with a wall plug or in your car at your convenience
- Accessories include magnetic mounting base and 360 degree swivel hook for hands-free use in emergency trouble, car repairs, garage shop, and camping

Specifications:
- LED: 40pcs SMD 2835 LED CRI 80
- Brightnees:700LM(HIGH)-400LM(MID)-200LM(LOW)
- Switch:HIGH-MID-LOW-OFF
- Battery: 3.7V, 4000mah Li-ion battery
- Includes 0.5 meter USB charging cable
- Charge time:approx 5H
- Run time: 3H(HIGH)-6H(MID)-10H(LOW)
- Material:PC+Aluminum
- Size： 355*41*45mm
- Weight： 341g
- Accessories: 1pcs hook , manual
- Over Charge and Over Discharge Protection
- Adaptor:UL/CUL approved, 110-240V 5V 1A(NOT include)



F05C031

10SMD Bluetooth Speaker Working Light

Features:
- Powerful SMD: 350 lumens working light offers higher brightness and 110° wide beam angle provide larger light coverage, can be stuck to the metallic surface or hang it on any place for hands-free operation.
- Multiple Purposes: Designed in a compact size, easy to carry around even in a pocket and toolkit, can use for camping, fishing, travelling, home using, car repair, blackout, emergency, etc
- In addition to a bright light, there is sound. The fushion of music and light, not only the cross-border audio series-built in high-quality Bluetooth audio allows you to enjoy life and enjoy work.

Specifications:
- LED： 10pcs SMD LED
- Lumen:350lm
- Battery:3.7v.3000mah Li-ion battery
- Mode:High-Low-OFF
- Run time： 3-5H
- (5V 1A) USB charging
- Bluetooth 5.0
- The power of the speaker is 4W
- The product weight： 210g
- Size： 6.3"x2.7"x1.4"(160*68*35mm)
- Material Compostition: ABS



F05D021

4W COB Rechargeable Work Light

Features:
- Three model brightnees for difference environment..
- A magnetic rear and base allows for mounting of the light in multiple locations.
- 360 Degree stainless steel rotating hook for hands-free convience.
- 3 hour run time on high, 5 hour run time on medium, and 6 hour on low.
- Allows for use in tight spaces.
- Front power button for an easy one handed use.

Specifications:
- LED: 4W COB LED
- Brightnees:400LM(HIGH)-200LM(MID)-100LM(LOW)
- Switch:HIGH-MID-LOW-OFF
- Battery: 3.7V, 2000mah Li-ion battery
- Includes 1 meter TYPE-C USB charging cable
- Charge time:approx 3H
- Run time: 2H(HIGH)-4H(MID)-8H(LOW)
- Size： 271*35*43MM
- Weight： 190g
- Material:PC+Aluminum
- With 1pcs hook on the top
- With 1pcs magnets at the bottomOver Charge and Over Discharge Protection
- Adaptor:UL/CUL approved, 110-240V 5V 1A(NOT include)



F05D023

4W COB + UV Rechargeable Work Light

Features:
- Three model brightnees for difference environment..
- 360 Degree stainless steel rotating hook for hands-free convience.
- A magnetic rear and base allows for mounting of the light in multiple locations.
- 3 hour run time avarge.
- Allows for use in tight spaces.
- Front power button for an easy one handed use.
- Each one come with one 1W UV LED

Specifications:
- LED: 4W COB LED
- Brightnees:400LM(HIGH)-200LM(MID)-100LM(LOW)
- Switch:HIGH-MID-LOW-OFF
- Battery: 3.7V, 2000mah Li-ion battery
- Includes 1 meter TYPE-C USB charging cable
- Charge time:approx 3H
- Run time: 2H(HIGH)-4H(MID)-8H(LOW)
- Size： 271*35*43MM
- Weight： 190g
- Material:PC+Aluminum
- With 1pcs hook on the top
- With 1pcs magnets at the bottomOver Charge and Over Discharge Protection
- Adaptor:UL/CUL approved, 110-240V 5V 1A(NOT include)



F05D033

4W LOGO COB + UV Rechargeable Work Light

Features:
- Two model brightnees for difference environment..
- 360 Degree stainless steel rotating hook for hands-free convience.
- A magnetic rear and base allows for mounting of the light in multiple locations.
- 3 hour run time average.
- Allows for use in tight spaces.
- Front power button for an easy one handed use.
- Each one come with one 1W UV LED
- Product is come with Customize Logo LED

Specifications:
- LED: 4W LOGO COB LED+1W UV LED
- Brightnees:400LM(HIGH)-200LM(LOW)-UV
- Wavelength 390-400
- Switch:HIGH-LOW-UV-OFF
- Battery: 3.7V, 2000mah Li-ion battery
- Includes 1 meter TYPE-C USB charging cable
- Charge time:approx 3H
- Run time: 2H(HIGH)-4H(MID)
- Size： 271*35*43MM
- Weight： 190g
- Material:PC+Aluminum
- With 1pcs hook on the top
- With 1pcs magnets at the bottomOver Charge and Over Discharge Protection
- Adaptor:UL/CUL approved, 110-240V 5V 1A(NOT include)



F05D032

4W LOGO COB Rechargeable Work Light

Features:
- Three model brightnees for difference environment..
- A magnetic rear and base allows for mounting of the light in multiple locations.
- 360 Degree stainless steel rotating hook for hands-free convience.
- Red charging and green charged lights for quick indication.
- 3 hour run time on high, 5 hour run time on medium, and 6 hour on low.
- Allows for use in tight spaces.
- Front power button for an easy one handed use.
- Product is come with Customize Logo

Specifications:
- LED: 4W LOGO COB LED
- Brightnees:400LM(HIGH)-200LM(MID)-100LM(LOW)
- Switch:HIGH-MID-LOW-OFF
- Battery: 3.7V, 2000mah Li-ion battery
- Includes 1 meter TYPE-C USB charging cable
- Charge time:approx 3H
- Run time: 2H(HIGH)-4H(MID)-8H(LOW)
- Size： 271*35*43MM
- Weight： 190g
- Material:PC+Aluminum
- With 1pcs hook on the top
- With 1pcs magnets at the bottomOver Charge and Over Discharge Protection
- Adaptor:UL/CUL approved, 110-240V 5V 1A(NOT include)



F05D029

4W COB Rechargeable Work Light

Features:
- New COB LED provides 400 Lumen Output
- Rechargeable—No need to purchase replacement batteries
- 2 position switch (High/Low)—Extends run time
- 3.7V 2000 mAh Lithium Ion Battery
- 3 Hour run time on high / 6 hours run time on low
- Field Repairable—any repair can be performed in a matter of minutes
- AC charger included
- CE-English only
- UL® / cUL Listed

Specifications:
- LED: 4W COB LED
- Brightnees:400LM(HIGH)-200LM(MID)-100LM(LOW)
- Switch:HIGH-MID-LOW-OFF
- Battery: 3.7V, 2000mah Li-ion battery
- Includes 0.5 meter USB charging cable
- Charge time:approx 3H
- Run time: 2H(HIGH)-4H(MID)-8H(LOW)
- Size： 262*39*40mm
- Weight： 220g
- Material:PC+Aluminum
- Accessories: 1pcs hook , manual
- Over Charge and Over Discharge Protection
- Adaptor:UL/CUL approved, 110-240V 5V 1A(NOT include)



F05D030

7W COB Rechargeable Work Light

Features:
- 700 lm light output for broad illumination
- 3.7V, 4,000 mAh Li-ion battery, 5-1/2 hour charger, 3 hour run time
- Dual position switch—100% and 50% power levels
- Top and bottom ratcheting hooks for versatile positioning
- All key parts are user-replaceable reducing downtime on any necessary repairs
- Rechargeable features saves money on batteries

Specifications:
- LED: 7W COB LED
- Brightnees:700LM(HIGH)-400LM(MID)-200LM(LOW)
- Switch:HIGH-MID-LOW-OFF
- Battery: 3.7V, 4000mah Li-ion battery
- Includes 0.5 meter USB charging cable
- Charge time:approx 5.5H
- Run time: 3H(HIGH)-6H(MID)-10H(LOW)
- Material:PC+Aluminum
- Size： 380*44*45mm
- Weight： 395g
- Accessories: 1pcs hook , manual
- Over Charge and Over Discharge Protection
- Adaptor:UL/CUL approved, 110-240V 5V 1A(NOT include)



F05D150

5W COB Rechargeable Handheld Work Light

Features:
- 360 degree rotate provide multi-angle illumination, magnet base make your hand free. Useful tools for car repair, workshop,outdoor camping, garage, power outages and home emergency lighting.
- Three model Brightness with high(400lm),Low(200lm) and torch(60lm) provide your need.
- Aluminum material for better hand touch feeling

Specifications:
- LED: 5W COB + 1PCS SMD
- Brightness:400LM(HIGH), 200LM(LOW),60LM(TOP)
- Function: HIGH-LOW-TOP Battery: 3.7V 2200mAh Li-ion Rechargeable Battery
- Run time: 3 hours (HIGH) , 7 hours (LOW),10 hours (TOP)
- Material： Aluminum
- Lamp board 180° rotation
- Bottom 360° rotation magnet



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

F07M015

5W Mini floodlight Worklight

Features:
- Light weight and hand-portable, easy for carrying and storage. The COB flood light is powered by 3 x AA batteries (included), simple and safe for children using.
- Made of premium quality plastic so that the battery powered COB LED work light is sturdy and durable, ensuring a long service life.

Specifications:
- LED：5W COB
- Brightness: 500LM
- Battery: 3*AA carbon battery（include）
- Switch: High-Low-OFF
- Material:ABS,TPR
- Size：12.5*3.7*11.7cm
- Weight:160G



F07M155

6W COB Standing Work Light-Heavy duty

Features:
- ENERGY SAVING . 4 modes adjustable: Both ON / One Side ON / Another Side ON / OFF. The brightness of the LED flood light can be altered from power-saving mode (10W) to light mode (20W)
- SUPERIOR QUALITY. Made of premium quality plastic so that the battery powered COB LED work light is sturdy and durable, ensuring a long service life.
- EASY OPERATION. Light weight and hand-portable, easy for carrying and storage. The COB flood light is powered by 6 x AAA batteries (not included), simple and safe for children using.
- WIDE APPLICATION. 360 degree rotating. Stable support makes the COB LED light can be easily put on the ground or hang on ceiling.

Specifications:
- LED:6W,2PS COB LED
- Brightness: 500lm
- Battery: 6*AAA dry battery
- Swtich: High-Low-Flash
- Run Time: 3hrs(High)
- Material: PA6
- Size: 250*190MM
- Weigh: 600g



F11A105

2500 Lumen LED Flashlightby Dry Batteries

Features:
- Built from tough aircraft grade aluminum and using the latest LED technology, the Kolossus produces a 1400' beam of light! high (2500 lumens) and low (630 lumens) modes, easily selectable by repeatedly pressing the power switch.
- Unique hybrid beam, giving you a tightly focused spotlight beam and a wide beam at the same time. This allows you to illuminate your target and the surrounding area. Both parts of the beam are very bright at 2500 lumens.
- This is the ultimate flashlight for hunting, camping, recreation, work or emergencies.

Specifications:
- LED: CREE XHP70 LED
- Brightness:2500LM
- Battery: 9*AA dry battery (Alkaline Batteries Included)
- Run time: 2H (high)-- 3.5H (Low)
- Switch: High-Off-Low-Off
- Material:Aluminum
- Size：75*38*310mm
- weight：477g
- Color box size：8*8*32cm



F11A115

3000 Lumen LED Flashlight by dry Batteries

Features:
- Provides up to an incredible 3000 lumens of light and sets the standard for tactical flashlights. You'll notice its solid professional grade feel as soon as you hold it and appreciate its military grade performance in use. Clicking the switch allows you to select either 3000 or 975 lumen brightness settings. You can also quickly focus the powerful beam to put light exactly where you need it. It's built to perform in the most demanding situations and environments and is well suited for professional use.

Specifications:
- LED: CREE XHP70 LED
- Battery: 9*AA dry battery (Alkaline Batteries including)
- Run time: 1H (high)-- 3H (Low)
- Switch: High-Off-Low-Off
- Push-Pull Focusing Beam from Flood to Directed Light
- Material:Aluminum
- Size：52*40*230mm
- weight：384g
- Color box size：6*6*24cm



F11D007

200LM USB Rechargeable Flashlight

Features:
- Powerful LED with max output when used with rechargeable battery
- Aluminum alloy lamp body to withstand abrasion and shock.
- Zoom allows adjustable focus
- Soft-touch Tail Switch allows on/off mode .
- Highly reliable and easy to use, it is the perfect flashlight to have while fishing, hiking, hunting, exploring, or even taking the kids out trick-or-treating.

Specifications:
- LED：T6 LED
- Brightness:200lm.
- Mode:High-Low-Flash
- Battery：1*18650 li-ion battery 3.7V 1200mah (include)
- Charging time:4hours
- Runtime:3H
- Weight：94G
- Size：112/124*27*23mm
- Material：Aluminum
- Adjustable focus



F11D017

450LM LED Tactical Flashlight Set

Features:
- Powerful LED with max output when used with rechargeable battery
- Aluminum alloy lamp body to withstand abrasion and shock.
- Zoom allows adjustable focus
- Soft-touch Tail Switch allows on/off mode .
- Highly reliable and easy to use, it is the perfect flashlight to have while fishing, hiking, hunting, exploring, or even taking the kids out trick-or-treating.

Specifications:
- LED：T6 LED
- Brightness: 200lm-450lm.
- Mode:High--Mid-Low-Flash-SOS
- Battery：1*18650 li-ion battery (includ)or 3*AAA Dry battery （not include)
- Weight：146G
- Size：134/159*40*28mm
- Material：Aluminum
- Adjustable focus
- Accessories：1 x AAA Battery Holder , 1 x Battery Sleeve (For Use With Rechargeable Battery) , 1 x Battery Charger , 1 x 18650 li-Ion Battery (3.7V) , 1 x Green CaseCharging Time: 6 Hours (Approx) （5V 0.5A）Run Time: 3 Hours (Approx)IP45



F11E043

10W LED Rechargeable Flashlight (with Clip)

Features:
- RECHARGEABLE& POWER INDICATOR: Including a battery and a USB cable cable, you can recharge the LED Flashlight timely when the indicator light showing red. No battery replacement.
- 5 MODES&ZOOMABLE: Fully zoomable from wide to narrow beam.
- Features 5 adaptable settings: High / Medium / Low / Strobe / SOS.
- SMART DESIGN: A pocket-friendly compact chassis with an anti-slip
- finish holds fast in your hand or stands on-end as an emergency lamp. with focus function

Specifications:
- Bulb:Cree XPG LED
- Brightness:350LM
- Battery:1X18650 3.7V 1800mAh (With battery)
- Mode:High-Middle-Low-Flash-SOS-Off
- Charge time:4hrs 5v1A
- Run time:6hours(low),3.5hours(high)
- Material: ALUMINUM
- Size: 30X125mm
- Product weight: 120g
- Clip & focus on function



F07M153

6W COB Standing Work Light-Light duty

Features:
- The heat shrink tube is of flame retardant, wear resistant, with good sealing ability, good performance, helping to finish your work effectively.
- The heat shrink tube would shrink and wrap the protected things tightly if heated under high temperature, providing effective protection for items.
- Easy to use ,you just need to select the appropriate tube, put it on the wire joint and heat it to make it shrink with an air heater, then it could protect your items effectively.
- The heat shrink tube is mainly used for insulation protection of wire core, solder joints, inductors, also for rust prevention and corrosion protection of metal pipes.

Specifications:
- LED:6W,2PS COB LED
- Brightness: 500lm
- Battery: 4*AA dry battery（not include）
- Swtich: 2 COB ON - Left COB ON- Right COB ON-OFF
- Material: PA6
- Size: 230*190*50MM
- Weigh: 465g



F11A075

10W LED +COB Flashlight IPX45

Features:
- High Quality & LONG-LASTING
- SUPER BRIGHT
- MAGNETIC BASE DESIGN
- CREATIVE DESIGN with COB FUNCTION
- PORTABLE MINI SIZE

Specifications:
- LED:XML-T6 LED+COB
- Brightness: 800LM(LED) and 200LM（COB）
- Battery:3.7V 18650 Li-ion battery Or 3*AAA dry battery(not include)
- Switch:high-Medium-flash-SOS-COB
- Material: Aluminum
- Size: 155-180mm
- 6-7.2 inches
- Weight：130g（No battery included）
- With magnet
- IPX45



F11A109

3 LED Telescopic Flashlight with Magnetic Pick Up

Features:
- 3 Powerful LED lights and extendable length from 6.7" to 22"
- Extendable stem, 360° illumination and magnetic head provides light where most flashlight can not go
- Power saving led technology help to lift up to 2lb (1kg)
- Magnetic head helps to pick up washers, screws, nuts, bolts, etc, when you need a third hand
- Built with military grade aluminium alloy, making them extreme-weather adjustment and shockproof
- Versatile and perfect for camping, boating, fishing and roadside emergencies

Specifications:
- Material: aluminum alloy
- Dimension (head x tail x L): 22 x 17 x 170mm
- Weight: 100g/pc
- Battery: 4*LR44
- Extend long to 21 1/2"(55cm)



F11D005

80LM USB Charge Rechargeable Flashlight

Features:
- Powerful LED with max output when used with rechargeable battery
- Aluminum alloy lamp body to withstand abrasion and shock.
- Zoom allows adjustable focus
- Soft-touch Tail Switch allows on/off mode .
- Highly reliable and easy to use, it is the perfect flashlight to have while fishing, hiking, hunting, exploring, or even taking the kids out trick-or-treating.

Specifications:
- LED：XPE LED
- Brightness:80lm.
- Mode:High-Low-Flash
- Battery：1*16340 li-ion battery 3.7V 400mah (include)
- Charging time:1hours
- Runtime:1H
- Weight：71G
- Size：94/104*26*24mm
- Adjustable focus
- Material：Aluminum



F11D015

450LM LED Tactical Flashlight

Features:
- Powerful LED with max output when used with rechargeable battery
- Aluminum alloy lamp body to withstand abrasion and shock.
- Zoom allows adjustable focus
- Soft-touch Tail Switch allows on/off mode .
- Highly reliable and easy to use, it is the perfect flashlight to have while fishing, hiking, hunting, exploring, or even taking the kids out trick-or-treating.

Specifications:
- LED：T6 LED
- Brightness:200lm-450lm.
- Mode:High--Mid-Low-Flash-SOS
- Battery：1*18650 li-ion battery(not include) or 3*AAA Dry
- battery (not include)
- Weight：146G
- Size：134/159*40*28mm
- Material：Aluminum
- Adjustable focus



F11E041

10W LED Rechargeable Flashlight

Features:
- RECHARGEABLE& POWER INDICATOR: Including a battery and a USB cable cable, you can recharge the LED Flashlight timely when the indicator light showing red. No battery replacement.
- 5 MODES&ZOOMABLE: Fully zoomable from wide to narrow beam.
- Features 5 adaptable settings: High / Medium / Low / Strobe / SOS.
- SMART DESIGN: A pocket-friendly compact chassis with an anti-slip finish holds fast in your hand or stands on-end as an emergency lamp.with focus function

Specifications:
- LED:10W Cree U2 LED
- Brightness:400lm
- Battery:1*18650 3.7V 1800mAh
- Switch:High-Middle-Low-Flash-SOS-Off
- Charge time:4hours 5v1A
- Run time:6hours(low),3.5hours(high)
- Material:aluminum
- Size:30*125mm
- with USB cable
- With charge lamp



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

F05K235

12+1 SMD Work Light

Features:
- LED:12+1 SMD LEDs
- Battery: 3*AA alkaline battery (include)
- Switch:1 SMD-12SMD Low-12 SMD High
- High output area light and spot light in one tool.
- Comfortable lightweight housing with ergonomic grip.
- Thin, low profile light bar body for access in confined areas.
- Light bar adjusts 120 Degree for precise illumination.
- Swivel hook and magnetic base for hands free use.



F05L013

1.5w Logo Cob Pocket Light

Features:
- We offer two levels for adjustment :200 Lumens (high) and 100 Lumens(low) COB LED light for compact brightness.
- TOP offer 50Lumens SMD LED light for compact brightness. ABS texture provides a non-slip grip and hands free use.
- Compact size fits easily into a tool bag or backpack for on the go Use.
- Pocketlight;batteries

Specifications:
- LED: 1.5W COB LED+1pcs SMD LED
- Brightness:200lm(Hhgh)-100lm（low）-50lm（Top）
- Battery: 3*AAA dry battery(includes)
- Run Time：2.5H（HIGH）-5H(LOW)
- Switch:HIGH-LOW-TOP-OFF
- Size：112*47*12MM
- Weight：76g
- Material: ABS
- With clip



F05L039

3W COB Handheld Work light

Features:
- The work light has a portable appearance, it is designed in a compact size that you can easily carry it in your pocket and toolbox. The powerful COB chip can provide 160 lumens brightness, 120 ° floodlight and up to 16ft irradiate distance, which is ultra-bright and can cover a wide area.
- The light combines strong magnetic base, 360° hanging hook and 5-grade 180° folding. It can make the light can stick to the metallic surface or hang on any place, which is convenient for hands-free operation.
- Besides, the lifespan of LED is 100,000 hrs. It is 3 times longer than other LED work lights. You can use it for decades of years without changing bulbs.

Specifications:
- LED：3W COB
- Brightness:160LM
- Mode:ON—OFF
- Battery: 3*AAA Dry Battery (NOT Include)
- Weight：97G（not contain batteries）
- Holder Size：13*6*3 CM
- Material：ABS
- Color temperature：6000K
- With magnets and hooks



F05L041

3w Cob Mini Worklight

Features:
- Three magnets in the light. One is on the stand
- The other two are on the hook which on the back of light.
- The body and the hook can rotate 360°.

Specifications:
- 3W COB LED
- Brightness:200lm
- Battery: 3*AAA dry battery(includ)
- Switch：on/off
- Weight：131g
- Size：130*71*39mm



F05L176

3W COB+1SMD Work Light

Features:
- Portable and lightweight, easy to carry or put onto the ground with the stand or hanging, use in Basement, Garage or Home Garden at night, even if the back-up when it's power outage

Specifications:
- LED：3W COB +SMD
- Brightness:260lm.
- Mode:SMD - COB（High）-COB(LOW) -SOS
- Battery：3*AAA dry battery (NOT Include)
- Weight：80G （not contain batteries）
- Holder Size：10.5*8*2.5 mm
- Material：ABS
- With magnet on the bottom



F05L159

5W COB+1SMD Work Light

Features:
- Cordless design: Free to use in anywhere.
- Magnet base: Firmly stick to any metal surface and free your hands when for
- Rotate head: More convenient to use in various ways and places.

Specifications:
- Bulb:COB+SMD
- Brightness:COB:500LM
- Battery:3XAAA
- Modes: SMD ON-COB ON-OFF
- Product size:40*40*300MM
- Products weight:150g
- Material:ABS+Aluminum
- With magnet on the bottom
- 360 degree rotating light
- Running time:about 2-3hours



F05L183

5W COB Handheld Work Light 3xAAA

Features:
- Three model Brightness for difference environment.
- Swivel and stay base with strong magnet,fix the light to any ferrous surface,set the desired angle, and lock the angle.
- More lasting working time: 10 hours for Torch!
- Aluminum material for better hand touch feeling.
- 180 Degree bend for hands-free convience.
- Bottom 360° rotation

Specifications:
- LED: 5W COB + 1PCS SMD
- Brightness:350LM(HIGH), 180LM(LOW),60LM(TOP)
- Function: HIGH-LOW-TOP
- Battery: 3 x AAA Dry Batteries （NOT Including）
- Run time: 2 hours (HIGH) , 6 hours (LOW),10 hours (TOP)
- Material: Aluminum
- Lamp board 180° rotation
- With Magnetic base



F05L181

5W COB Handheld Work Light 3xAAA

Features:
- Three model Brightness for difference environment.
- Swivel and stay base with strong magnet,fix the light to any ferrous surface,set the desired angle, and lock the angle.
- More lasting working time: 10 hours for Torch!
- Aluminum material for better hand touch feeling.
- 180 Degree bend for hands-free convience.
- Bottom 360° rotation

Specifications:
- LED: 5W COB + 1PCS SMD
- Brightness:350LM(HIGH),180LM(LOW),60LM(TOP)
- Function: HIGH-LOW-TOP
- Battery: 3 x AAA Dry Batteries （NOT Including）
- Run time: 2 hours (HIGH) , 6 hours (LOW), 10 hours (TOP)
- Material：Aluminum
- Lamp board 180° rotation
- Bottom 360° rotation magnet



F07H133

16SMD Rechargeable Work Light with bluetooth speaker IPX4 1000lumens

Features:
- POWER BANK FUNCTION: Built-in 2200mAH Lithium Batteries rechargeable work light with 1 USB output ports to charge Mobile Phones or other digital products; Perfect backup power supply gear for your camping/wild exploration life
- MUSIC ANYWHERE: Bluetooth wireless speaker is suitable for indoor and outdoor use. This is great if you want to relax and unwind after a long day, make your kids bedtime an enjoyable experience, or help kick start that party.
- EASY TO CARRY: the worklight is able to carry and stand with the handle.

Specifications:
- LED:16pcs LED
- Brightness:1000lm
- Battery:2*18650 3.7V/ 2200MAH(include)
- Switch:16pcs LED HIGH-LOW-OFF, bluetooth speaker ON-OFF
- Charging time: 5hrs@5V/2.1A
- Output:5V2.1A
- Run time:LED 2-4hrs; bluetooth 4hrs
- Material: ABS
- With 2pcs 3W speaker
- With Tripod 540° rotate
- Size: 185*140*50MM (7.28*5.51*1.97INCH)
- Weight:490g(with battery)



F05L465

5W COB Rechargeable Underhood Work light

Features:
- POWERFUL LAMP COMBINATION:5W COB main light 800 lumen (High)\ 400 lumen (Low) and top with removable mini flashlight 50 lumen.
- USB CHARGING LIGHT: it can be charged by Laptop, charger, plugs or car charger.
- COB FLOODLIGHT:The floodlight offers a wide light coverage and high brightness, great color rendering, your eyes won't too fatigue after long time use.
- COMFORTABLE HANDFEEL: ABS surface, anti-slip and anti-scratch, great for camping, hiking, fishing enjoyment, traveling, home urgent case, inspection and repairing such as car.
- 360°HOOK UP AND BOTTOM MAGNET: 360 degree swivel hook and magnet base for hand-free use. Hanging hook can be hung and buckled in pocket or belt, convenient to carry. Bottom magnets with multi-angle body adsorption, liberating hands .

Specifications:
- LED：5W COB
- Brightness:800LM（HIGH）,400LM(LOW)
- Mode:HIIGH-LOW-OFF
- Battery:1*18650,3.7V 2200mAh
- Runtimeabout 1.5H（High） 3H（Low）
- Charging time：approx 3H（5V 1A）
- Product size:380*85*64mm
- Product weight:550g
- Material：ABS
- With magnets and hooks
- With USB cabel(50cm)
- With removable mini flashlight (50 lm) including AAA battery



F07I013

5W COB Rechargeable StandingWork Light

Features:
- Portable and lightweight spot light, put onto ground with the stand or hanging for camping, fishing, construction, job site work lighting.
- Super portable Emergency light, super bright outdoor light Include 2PCS 3000 mAh 18650 battery, It can provide 20 hours of lighting. Equipped with COB technology, integrated LEDs, the work light guarantees you crystal clarity and over 100,000 hours of use.

Specifications:
- LED：5WCOB +16 LED
- Brightness:150lm
- Battery： 2*18650 li-ion battery 3.7V 800mah (include)
- Charging time:6h
- Runtime:4H
- Switch: COB（ON)-COB(OFF)-LED(ON)-LED(OFF)
- Weight：230G（not contain batteries）
- Holder Size：130*170*50 mm
- Material：ABS
- With USB Cable
- Solar charging



F07I001

10W COB Rechargeable Working Light

Features:
- Rechargeable Lithium-ion Battery
- Color: Super Bright Pure White
- Durable Aluminum Tubing Frame with Aluminum Die
- Casting Housing
- All Weather Resistant
- Adjustable head & stable steel H base adjustable lamp body

Specifications:
- Lamp Power: 10W
- Lamp Luminous Flux: 700 Lumens
- Color temperature: 6500-7000K
- Battery:7.4V 4400MAH Li-ion battery
- Charge time:6 hrs
- Run time:3.5 hrs
- Waterproof On/Off switch
- With GS 100-240V 50/ 60Hz 8.4V/1A,DC 12V car
- IP65



F07I015

1.8W COB Rechargeable StandingWork Light

Features:
- This work Lights aims at delivering convenient, portable solutions that increase your productivity and safety; it can meet your needs in job sites, warehouses, camping, Fishing in night, emergency, roadside repairs and backyard BBQ.
- Super portable Emergency light, super bright outdoor light Include 2PCS 3000 mAh 18650 battery, It can provide 20 hours of lighting. Equipped with COB technology, integrated LEDs, the work light guarantees you crystal clarity and over 100,000 hours of use.

Specifications:
- LED：1.8W COB +18 LED
- Brightness:280lm.
- Battery： 2*18650 li-ion battery 3.7V 1200mah (include)
- Charging time:7h
- Runtime:6H（high）-10H（low）
- Switch:COB（HIGH)-COB(LOW)-LED-RED/BULE FALSH
- Weight：240G（not contain batteries）
- Holder Size：175*135*45 mm
- Material：ABS+PS
- CE/ROHS
- With USB Cable



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

F19A033

30LED Reading Lampswith Warm White Light

Features:
- Non-Flicking, No dark area, No ghosting, No glaring.
- Comfortable for your eyes with flicker-free & zero-radiation soft light.
- Ultra-low voltage input and Lighting temperature (Capped at 122°F) for absolute safety.
- Great for Music Stands, Pianos, Orchestra Pits, Reading,
- Work Tables, Mixing Tables, DJ's, Craft Tables and Much More...;Brighten up any activity with the click of a button.

Specifications:
- LED: 5W COB + 1PCS SMD
- Brightness:400LM(HIGH), 200LM(LOW),60LM(TOP)
- Function: HIGH-LOW-TOP
- Battery: 3.7V 2200mAh Li-ion Rechargeable Battery
- Run time: 3 hours (HIGH) , 7 hours (LOW),10 hours (TOP)
- Material: Aluminum
- Lamp board 180° rotation
- With Magnetic base



F19A035

60LED Reading Lampswith Warm and Cool White Light

Features:
- Non-Flicking, No dark area, No ghosting, No glaring.
- Comfortable for your eyes with flicker-free & zero-radiation soft light.
- Ultra-low voltage input and Lighting temperature (Capped at 122°F) for absolute safety.
- Great for Music Stands, Pianos, Orchestra Pits, Reading,
- Work Tables, Mixing Tables, DJ's, Craft Tables and Much More...; Brighten up any activity with the click of a button.

Specifications:
- LED:60pcs SMD LED
- Brightness:Cool 300lm;Warm 300lm;Cool+Warm 550lm
- Cool+Warm White Light 8.5W
- Warm White Light 2700-3200K
- Cool+Warm White Light 4000K
- Switch:Cool White Light ON-OFF;Warm White Light ON-OFF
- Input:USB 5V
- Power: Cool White Light 5W;Warm White Light 5W
- Color temperature:Cool White Light 5500-6500K
- LED Lifetime:50000hrs
- USB Cable:1500mm
- Material:Aluminium+ABS



F19E041

22 SMD Solar Lights Outdoor

Features:
- White Light, Safe for Eye—Nature light, reflect the real color surrounding and safe for eye. Meanwhile, blue light make people fatigue easily.
- HIGH EFFICIENCY AND ENERGY SAVING—Equipped with 22 upgraded high power LEDs and newest energy management chip.
- TWO CONVENIENT MODES—Human Body Induction Mode / Light Induction Mode. Perfect for using on front door, back yard, garage, driveway, deck, pathway, and porch.
- Fashion 2019—Beautiful curve make it elegant and confident.
- Waterproof—IP65 waterproof, and very faster heat transfer.

Specifications:
- LED: 22pcs SMD LED
- Solar charge:5.5V 0.6W
- Brightness:400lm
- Battery: 3.7V 2000mah li-ion battery(include)
- Runtime:about 10H
- Size: 128*60*98mm
- Material: ABS
- Color:black
- Weight: 165G
- IP64
- Induction mode: human body induction + light induction



F19E043

24 SMD Solar Lights Outdoor

Features:
- HIGH EFFICIENCY AND ENERGY SAVING—Equipped with 40 upgraded high power LEDs and newest energy management chip.
- TWO CONVENIENT MODES—Human Body Induction Mode / Light Induction Mode. Perfect for using on front door, back yard, garage, driveway, deck, pathway, and porch.
- Solar powered light is IP64 waterproof that it completely protects circuit and battery and makes its life span 2 times than others.

Specifications:
- LED: 24pcs SMD LED
- Solar charge:5.5V 0.6W
- Brightness:600lm
- Battery: 3.7V 2000mah li-ion battery(include)
- Runtime:about 10H
- Size: 150*105*48mm
- Material: ABS
- Color:black
- Weight: 210G
- IP64
- Induction mode: human body induction + light induction



F19E045

22 SMD Solar Lights Outdoor

Features:
- TWO CONVENIENT MODES—Human Body Induction Mode / Light Induction Mode. Perfect for using on front door, back yard, garage, driveway, deck, pathway, and porch.
- HIGH EFFICIENCY AND ENERGY SAVING—Equipped with 40 upgraded high power LEDs and newest energy management chip.
- UPGRADED BATTERY—Rechargeable 2000mAh Li-ion battery make the solar light fully charged by sunshine.
- IP64 WATERPROOF—Made of high qualified ABS material, more durable, water resistant and heat-resistant, suitable for most kinds of weathers. it can be installed without fear of environmental damage.

Specifications:
- LED: 40pcs SMD LED
- Solar charge:5.5V 0.6W
- Brightness:600lm
- Battery: 3.7V 2000mah li-ion battery (include)
- Runtime:about 10H
- Size: 195*115*45mm
- Material: ABS
- Color:black
- Weight: 285G
- IP64
- Induction mode: human body induction + light induction



F19E056

72core COB Solar Lights Outdoor

Features:
- BRIGHTER SOFTER WIDER—With COB LED technology and wide-angle design, the solar light is more bright and wide than regular led in the market. COBs give out uniform and eye-care lights.
- EASY-TO-INSTALL—Designed with one hang hole, it's easy to places where you want.
- TWO CONVENIENT MODES—Human Body Induction Mode / Light Induction Mode. Perfect for using on front door, back yard, garage, driveway, deck, pathway, and porch.
- Solar powered light is IP64 waterproof that it completely protects circuit and battery and makes its life span 2 times than others.

Specifications:
- LED: 72core COB LED
- Solar charge:5.5V 0.6W
- Brightness:700lm
- Battery: 3.7V 2000mah li-ion battery(include)
- Runtime:about 10H
- Size: 150*105*48mm
- Material: ABS
- Color:black
- Weight: 210G
- IP64
- Induction mode: human body induction + light induction



F21A241

1 LED Pen Light

Features:
- suitable for carrying around
- Skid-proof, abrasion resistance and ordinary waterproof design.
- Aluminum to ensure this LED flashlight is sturdy and durable enough for long time daily use

Specifications:
- Bulb Type: 3W CREE-XPE LED
- Lumen:120lm
- Battery:2*AAA(not incl.)
- Light mode:ON-OFF
- Size:16*138MM
- Weight:40G
- Material:Aluminum
- CE/ROHS



F21A247

1 LED Spot Pen Light

Features:
- suitable for carrying around
- Skid-proof, abrasion resistance and ordinary waterproof design.
- Aluminum to ensure this LED flashlight is sturdy and durable enough for long time daily use

Specifications:
- Bulb Type: 3W CREE-XPE LED
- Lumen:80lm
- Battery:2*AAA(not incl.)
- Light mode:ON-OFF
- Size:16*138MM
- Weight:54.3G
- Material:Aluminum
- CE/ROHS
- The top has the function of focusing light



F05D036

7W COB Rechargeable Work Light

Features:
- 7W COB Rechargeable Work Light
- Light on with 3 modes: High, Low and Flash, practically useful at emergency when in need of HELP in the wild
- Built-in super-strong magnet, which can be attached to metal surfaces such as car bodies
- The hook design allows the LED flood lights to be hung on objects such as tents or branch that cannot be absorbed, e.g., camping, hiking, home use, fishing, barbecue, car repairing, shop, exploring and more outdoor activities
- With USB port to serve as a convenient power bank for charging phone and other devices in emergency
- Built-in rechargeable 18650 3.7V 3600mAH Li-ion battery
- IP65 waterproof

Specifications:
- Material: ABS TPR
- Brightness:500lm
- Mode: High-Low-Flash-OFF
- Battery: 18650 3.7V 3600mAH
- Size: 4.33"x2.56"x1.38" (11x6.5x3.5cm)
- Weight: 193G
- Charging time: 4hours
- Runtime:4H (high) -6H (low)
- Includes 0.5m USB charging cable



F07I097

10W COB Rechargeable Standing Work Light

Features:
- Super Bright& Portable Handheld Size: handheld portable LED lighting, 1000 Lumens
- LED Work Light Rechargeable & Power Bank: Powered by 3.7V 4400mah lithium-ion rechargeable batteries, equipped a USB cable allows for quick and convenient charging. Also Serve as a convenient 4400 mAh power bank for charging your phone and other devices in emergency
- Widely Use:Super Bright LED work lights use for Camping,Hiking,Fishing, Barbecue,Car Repairing, Exploring and more Outdoor Activities

Specifications:
- LED: 10W COB LED
- Brightness: 1000lm
- Battery: 3.7V 4400mah Li-ion battery
- USB output: 5V 2.1A
- Input: 5V/1A
- Charge time: about 5.5hrs@5V/1A
- Run time: High/3hrs, Low/5hrs
- Switch:High-Low-off
- Material:Nylon+TPR
- Adjustable head
- Size:172*127*44mm
- Over Charge and Over Discharge Protection
- With USB cable



F07I107

10W COB Rechargeable Standing Work Light

Features:
- Super Bright& Portable Handheld Size: handheld portable LED lighting, 1000 Lumens
- LED Work Light Rechargeable & Power Bank: Powered by 3.7V 4400mah lithium-ion rechargeable batteries, equipped a USB cable allows for quick and convenient charging. Also Serve as a convenient 4400 mAh power bank for charging your phone and other devices in emergency
- Widely Use:Super Bright LED work lights use for Camping,Hiking,Fishing, Barbecue,Car Repairing, Exploring and more Outdoor Activities

Specifications:
- LED: 10W COB LED
- Brightness: 1000lm
- Battery: 3.7V 4400mah Li-ion battery
- USB output: 5V 2.1A
- Input: 5V/1A
- Charge time: about 5.5hrs@5V/1A
- Run time: High/3hrs, Low/5hrs
- Switch:High-Low-off
- Material:Nylon+TPR
- Adjustable head
- Size:172*127*44mm
- Over Charge and Over Discharge Protection
- With USB cable



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

F11E053

5W LED Rechargeable Flashlight IP44

Features:
- WATERPROOF & RELIABLE: IP44 water resistant and designed for use in heavy rain. Its durable aluminum body and shock-resistance endure rough handling.
- SMART DESIGN: A pocket-friendly compact chassis with an anti-slip finish holds fast in your hand or stands on-end as an emergency lamp.

Specifications:
- LED:5W CREE XPG LED
- Brightness:500lm
- Battery:1*18650 li-ion battery 3.7V 2200MAH
- Charge time:5hrs 5V/1A
- Run time:high 1.5hrs;low 5hrs
- Swtich:High-Low-Off
- Material:Aluminium
- Size:40*168MM
- IP44
- With USB cable



F11E065

10W LED Rechargeable Flashlight

Features:
- USE FOR: police officers, everyday carry, hunting, camping,
- working on cars, professional jobs
- EVERY DAY CARRY: Light weight and compact size ensure portability.
- Anti-slip knurling enables a firm grip in your hand.
- Metal clip allows for a convenient pocket carry.

Specifications:
- Led Bulbs: CREE-U2
- Brightness: 600lm
- Battery:1*18650 2000mAh
- Run time:2H(high),4H(low)
- Mode:High-Low-Off
- Material: aluminum
- Size: 34*174mm
- weight: 152g
- With clip
- USB input and output function
- include USB cable
- With focus on



F11E067

10W LED Rechargeable Flash light

Features:
- USE FOR: police officers, everyday carry, hunting, camping,
- working on cars, professional jobs
- EVERY DAY CARRY: Light weight and compact size ensure portability.
- Anti-slip knurling enables a firm grip in your hand.
- Metal clip allows for a convenient pocket carry.

Specifications:
- Led Bulbs: made in china
- Brightness: 350lm
- Battery:1*18650 2000mAh
- Run time:2H(high)-4.5H (low)
- Mode:High-Middle-Low-Flash-SOS-Off
- Size: 35.5*143mm
- weight: 128g
- Material: aluminum
- USB input
- Include USB cable
- With hook
- With focus on



F13D001

3pcs LED Rechargeable Induction Headlamp

Features:
- 3 Pack Head Lamp - Super bright, Handsfree, Waterproof, Light weight, adjustable band, comfortable for wearing.
- 5 Different Light Modes - Easily Switch Between Middle / High in focusing, Extremely bright in Floodlight+Focusing, High / Low in Floodlight.
- Sensible switch meet your demand as you want while working.
- Perfect Design Head Light - Head Swivels up to 40 Degrees, Fully Adjustable Elastic Strap Fits All, perfect for Camping, Hiking, Running, Jogging, Fishing, Hunting, Cycling, Reading and more.

Specifications:
- LED:1*Cree LED+2*white LEDs
- Battery Type: Installed 1800mAh Li-polymer battery
- Lumen:440lm
- Run Time: 2.5H(High)-70H (LOW)
- Charging time (5V1A) : 3H
- Settings: Middle/High in focusing →Extremely bright in Floodlight+Focusing →High/Low in Floodlight →OFF
- Net Weight: 93.5g
- Shooting Beam: 100m
- Watrerproof: IPX5
- Certification: CE/RoHS
- With usb charging line



F13E035

180° Wide Angle Rechargeable Headlamp 600 lumens

Features:
- 180° WIDE ANGLE VISION. Introducing the stunning Wide angle vision headlamp. Whole new way for night activity with 180 angle view.
- 600LUMEN & 30M VISIBLE DISTANCE. The most powerful headlamp up to 600 lumen power and visible up to 30m.
- MINIMAL DESIGN & PORTABLE SIZE. Weighs only 155g. Easily Adjustable Elastic band. Wear as a belt lamp with extension belt.

Specifications:
- LED: 14pcs SMD LED
- Brightness:600lm.
- Mode:High-Low-OFF
- Battery: 1*18650 li-ion battery 3.7V 2200mah (include)
- PCB Size: 12*240MM
- Material: ABS
- Weight: 155g
- Charging time:5hours
- Runtime:4H (high)
- With cable of 30cm



F15F061

750LM Multi-function Rechargeable lamp 42CM

Features:
- This light is ideal for both under hood and under dash repairs.
- 60pcs LEDs put out an incredible 750 Lumens and the 2 strong magnets on the back and its flat base keep the light right where you need it.
- This light with light weight and compact size make it great for tool bags, backpacks, camping and power failures. The Li-Ion technology means this light will be ready whenever you need it.

Specifications:
- LED: 60pcs SMD LED
- Brightness:750LM
- Mode:Top LED - White light - Warm light - Neutral light
- Long press infinite dimming
- Battery: 3600mah li-ion battery (include)
- Runtime: 4H
- Charging time:10 hours
- Size: 420*36*36mm
- Material: PC+Aluminum
- Color temperature: 6000K (±500K)
- The back contains two magnets
- The top contains a hook
- Includes 50cm USB charging cable



F15F063

550LM Multi-function Rechargeable lamp 32CM

Features:
- This light is ideal for both under hood and under dash repairs.
- 48pcs LEDs put out an incredible 550 Lumens and the 2 strong magnets on the back and its flat base keep the light right where you need it.
- This light with light weight and compact size make it great for tool bags, backpacks, camping and power failures. The Li-Ion technology means this light will be ready whenever you need it.

Specifications:
- LED: 48pcs SMD LED
- Brightness:550LM
- Mode:Top LED - White light - Warm light - Neutral light
- Long press infinite dimming
- Battery: 3600mah li-ion battery (include)
- Runtime: 5H
- Charging time:10 hours
- Size: 320*36*36mm
- Material: PC+Aluminum
- Color temperature: 6000K (±500K)
- The back contains two magnets
- The top contains a hook
- Includes 50cm USB charging cable



F15F065

350LM Multi-function Rechargeable lamp 22CM

Features:
- This light is ideal for both under hood and under dash repairs.
- 36pcs LEDs put out an incredible 350 Lumens and the 2 strong magnets on the back and its flat base keep the light right where you need it.
- This light with light weight and compact size make it great for tool bags, backpacks, camping and power failures. The Li-Ion technology means this light will be ready whenever you need it.

Specifications:
- LED: 36pcs SMD LED
- Brightness:350LM
- Mode:Top LED - White light - Warm light - Neutral light
- Long press infinite dimming
- Battery: 1200mah li-ion battery (include)
- Runtime: 4H
- Charging time:8 hours
- Size: 220*36*36mm
- Material: PC+Aluminum
- Color temperature: 6000K (±500K)
- The back contains two magnets
- The top contains a hook
- Includes 50cm USB charging cable



F15F067

200LM Multi-function Rechargeable lamp 14CM

Features:
- This light is ideal for both under hood and under dash repairs.
- 60pcs LEDs put out an incredible 750 Lumens and the 2 strong magnets on the back and its flat base keep the light right where you need it.
- This light with light weight and compact size make it great for tool bags, backpacks, camping and power failures.
- The Li-Ion technology means this light will be ready whenever you need it.

Specifications:
- LED: 20pcs SMD LED
- Brightness:200LM
- Mode:Top LED - White light - Warm light - Neutral light
- Long press infinite dimming
- Battery: 1200mah li-ion battery (include)
- Runtime: 4H
- Charging time:6 hours
- Size: 140*36*36mm
- Material: PC+Aluminum
- Color temperature: 6000K (±500K)
- The back contains two magnets
- The top contains a hook
- Includes 50cm USB charging cable



F19A031

30LED Reading Lamps With Cool White Light

Features:
- Non-Flicking, No dark area, No ghosting, No glaring.
- Comfortable for your eyes with flicker-free & zero-radiation soft light.
- Ultra-low voltage input and Lighting temperature (Capped at 122°F) for absolute safety.
- Great for Music Stands, Pianos, Orchestra Pits, Reading,
- Work Tables, Mixing Tables, DJ's, Craft Tables and Much More...;Brighten up any activity with the click of a button.

Specifications:
- LED:30pcs SMD LED
- Brightness:300lm
- Switch:ON-OFF
- Input:USB 5V
- Power:5W
- Color temperature:5500-6500K
- LED Lifetime:50000hrs
- USB Cable:1500mm
- Material:Aluminium+ABS
- Accessories: 1pc screwdriver, 4pcs 3M stickers,
- 4pcs iron plates, 2pcs magnetic posts, 2pcs screws and 3pcs thread fasteners
- MINI order quantity: 3000pcs



F19A033

30LED Reading Lamps With Warm White Light

Features:
- Non-Flicking, No dark area, No ghosting, No glaring.
- Comfortable for your eyes with flicker-free & zero-radiation soft light.
- Ultra-low voltage input and Lighting temperature (Capped at 122°F) for absolute safety.
- Great for Music Stands, Pianos, Orchestra Pits, Reading,
- Work Tables, Mixing Tables, DJ's, Craft Tables and Much More...;Brighten up any activity with the click of a button.

Specifications:
- LED:30pcs SMD LED
- Brightness:300lm
- Switch:ON-OFF
- Input:USB 5V
- Power:5W
- Color temperature:5500-6500K
- LED Lifetime:50000hrs
- USB Cable:1500mm
- Material:Aluminium+ABS
- Accessories: 1pc screwdriver, 4pcs 3M stickers,
- 4pcs iron plates, 2pcs magnetic posts, 2pcs screws and 3pcs thread fasteners
- MINI order quantity: 3000pcs



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com


Hand Tools

3rd Hand Support System 57-to-144-Inches

H03R035

Features:
- This unique system makes constructing temporary walls to control dust quick and simple!
- The DUST SHIELD Pole locks the screening material firmly against the ceiling.
- The Dust Shield poles can be extended up to 12 feet.

Specifications:
- Materials: Q235A
- Handle material: reinforced nylon
- Top plate: PP+TPR
- Upper and lower roof: 3"x3"
- Inner tube: φ27.5X1238X0.8MM
- Outer tube: φ30.4X1235X0.8MM
- Center rod: φ12X1150MM.
- Telescopic length: 146-366CM
- Bearing capacity: 60KG
- Product weight: 2.89KG



6" Adjustable Wrench

H05A053

Features:
- Designed for tight and hard-to-reach spaces
- Can take on bicycle repair and furniture assembly.
- It also works well to secure back nut or bolt while tightening or loosening front nut or bolt with a socket or combination wrench.

Specifications:
- Material:45# Carbon steel
- Surface treatment: Chrome plated
- Heat treatment
- 3/4 in. jaw capacity



8" Adjustable Wrench

H05A055

Features:
- Designed for tight and hard-to-reach spaces
- Can take on bicycle repair and furniture assembly.
- It also works well to secure back nut or bolt while tightening or loosening front nut or bolt with a socket or combination wrench.

Specifications:
- Material:45# Carbon steel
- Surface treatment: Chrome plated
- Heat treatment
- 1 in. jaw capacity



10" Adjustable Wrench

H05A057

Features:
- Designed for tight and hard-to-reach spaces
- Can take on bicycle repair and furniture assembly.
- It also works well to secure back nut or bolt while tightening or loosening front nut or bolt with a socket or combination wrench.

Specifications:
- Material:45# Carbon steel
- Surface treatment: Chrome plated
- Heat treatment
- 1-1/8 in. jaw capacity



12" Adjustable Wrench

H05A059

Features:
- Designed for tight and hard-to-reach spaces
- Can take on bicycle repair and furniture assembly.
- It also works well to secure back nut or bolt while tightening or loosening front nut or bolt with a socket or combination wrench.

Specifications:
- Material:45# Carbon steel
- Surface treatment: Chrome plated
- Heat treatment
- 1-3/8 in. jaw capacity



3pc Adjustable Wrenches 6" 8"10"

H05A537

Features:
- Designed for tight and hard-to-reach spaces
- Can take on bicycle repair and furniture assembly.
- It also works well to secure back nut or bolt while tightening or loosening front nut or bolt with a socket or combination wrench.
- Laser etched metric and SAE scales makes jaw adjustments easy and quick

Specifications:
- Material:45# Carbon steel
- Size： 6" 8"10"
- Surface treatment: Chrome plated
- Heat treatment
- Smooth operating gears open to 3/4", 1-1/8" and 1-1/4"



4PCS Adjustable Wrenches 6" 8"10"12"

H05A545

Features:
- Designed for tight and hard-to-reach spaces
- Can take on bicycle repair and furniture assembly.
- It also works well to secure back nut or bolt while tightening or loosening front nut or bolt with a socket or combination wrench.
- Laser etched metric and SAE scales makes jaw adjustments easy and quick

Specifications:
- Material:45# Carbon steel- Maximum Rated Speed: 20000rpm
- Size： 6" 8"10"12"
- Surface treatment: Chrome plated
- Heat treatment
- Smooth operating gears open to 1-5/16",1-1/8",15/16",3/4"



1/2" Click Stop Torque Wrench

H05AB001

Features:
- Nice and firm ratchet handle.
- Compact but heavy duty, very nice quality.
- Easy to use.

Specifications:
- Material:40CR
- Size:1/2" Driver,28-210Nm， 470mm Length.
- Click-type,accurate within +/-3%
- Surface treatment: Chrome plated



3/8" Torque Wrench

H05AB004

Features:
- Nice and firm ratchet handle.
- Compact but heavy duty, very nice quality.
- Easy to use.

Specifications:
- Material:40CR
- Size:3/8" 19-110Nm
- Click-type,accurate within +/-3%
- Surface treatment: Chrome plated
- Length: 360mm
- reversible



1/4" Drive Reversible Head Torque Wrench

H05AB123

Features:
- Nice and firm ratchet handle.
- Compact but heavy duty, very nice quality.
- Easy to use.

Specifications:
- Operating range: 5 to 25 Nm (3.7to18.4ft/lb)
- Torque wrench has reversible head
- Ratchet: CR-V, 24 Tooth
- Length: 10"
- Dual Range: 20-200 inch/lb. / 23-230 cm/kg
- Increment: 1 inch/lb. / 0.53 cm/kg
- Calibration: +/- 4%



1/2" Drive Reversible Head Torque Wrench

H05AB157

Features:
- Reversible Drive, Forged Chrome Vanadium Steel Ratchet Head
- Corrosion-Resistant Chrome Plated Finish
- Locking Micrometer Torque Adjustment with Non-Slip Knurled Grip
- Wrench Clicks when Torque Setting is Reached
- Meets or Exceeds Federal Specification GGG-W00686C

Specifications:
- Ratchet: CR-V, 24 Tooth
- Length: 18"
- Dual Range: 20-150 ft./lb. / 2.8-20.7 m/kg
- Increment: 1 ft./lb. / 0.14 m/kg
- Calibration: +/- 4%1-pc. 1/2" Drive Torque Wrench1-pc. 1/2"Dr. (F) x 3/8" Dr. (M) Reducer1-pc. Storage Case
- Instruction Sheet / Torque Conversion Chart



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Lighting

10W COB Standing Work Light

F07M039

Features:
- Super Bright& Portable Handheld Size: handheld portable LED lighting, 500 Lumens
- Widely Use:Super Bright LED work lights use for Camping,Hiking,Fishing, Barbecue,Car Repairing, Exploring and more Outdoor Activities

Specifications:
- LED10W COB LED
- Brightness: 500lm
- Battery: 4*AA dry battery(unclude)
- Switch:ON-OFF
- Material: Nylon+TPR
- Adjustable head
- Size:172*127*46 mm
- Weight： 361g



5W COB Standing Work Light

F07M047

Features:
- Super Bright& Portable Handheld Size: handheld portable LED lighting, 500 Lumens
- Widely Use:Super Bright LED work lights use for Camping,Hiking,Fishing, Barbecue,Car Repairing, Exploring and more Outdoor Activities

Specifications:
- LED:5W COB LED
- Brightness: 500lm
- Battery: 4*AA dry battery(unclude)
- Switch:ON-OFF
- Material: Nylon+TPR
- Adjustable head
- Size:172*127*44mm



1000 Lumen 2x10W COB Rechargeable Standing Work light

F07I083

Features:
- Light weight and hand-portable, easy for carrying and storage.
- The COB flood light is powered by 2x2200mAh li-ion battery.
- simple and safe for children using.
- Made of premium quality plastic so that the battery powered COB LED work light is sturdy and durable, ensuring a long service life.

Specifications:
- Double Bulb: 2x10W COB LED
- Lumen: 1000 Lumen
- Functions: ON-OFF (Light touch single light on)
- Battery: 2x2200mAh li-ion battery
- Working time:4 hours
- IP Rate:IP44
- Product size: 172*127*46 mm
- Weight: 471g (without package)
- Material: Nylon+ TPR
- The bracket can adjust the Angle:180°
- Protable and lightweight worklight,easy to carry on



1100 Lumen 10W COB Rechargeable Standing Work light

F07I088

Features:
- Light weight and hand-portable, easy for carrying and storage.
- Functions:ON-OFF(Light touch switch high light & low light) , give you different use feeling.
- simple and safe for children using.
- Made of premium quality plastic so that the battery powered COB LED work light is sturdy and durable, ensuring a long service life.

Specifications:
- Double Bulb: High light 10W COB + Low light 5W LED
- Lumen: 1100 Lumen
- Functions:ON-OFF (Light touch switch high light & low light)
- Battery: 2x2200mAh li-ion battery
- Working time:5-6 hours
- IP Rate:IP44
- Product size: 172*127*46 mm
- Weight: 471g (without package)
- Material: Nylon+ TPR
- The bracket can adjust the Angle:180°
- Protable and lightweight worklight,easy to carry on



500 Lumen 2x10W COB Standing Work light With 4AA

F07M081

Features:
- Light weight and hand-portable, easy for carrying and storage.
- The COB flood light is powered by 4 x AA batteries (included),
- simple and safe for children using.
- Made of premium quality plastic so that the battery powered COB LED work light is sturdy and durable, ensuring a long service life.

Specifications:
- Double Light Bulb: 2x10W COB LED
- Lumen: 500 Lumen
- Functions: ON-OFF
- Battery: 4AA Alkaline Batteries; (not included)
- Working time:3-4 hours
- IP Rate:IP44
- Product size: 172*127*46 mm
- Weight: 360g (without package)
- Material: Nylon+ TPR
- The bracket can adjust the Angle:180°
- Protable and lightweight worklight, easy to carry on



1100 Lumen 10W COB Rechargeable Standing Work light

F07M085

Features:
- Light weight and hand-portable, easy for carrying and storage.
- Functions:ON-OFF(Light touch switch high light & low light) , give you different use feeling.
- simple and safe for children using.
- Made of premium quality plastic so that the battery powered COB LED work light is sturdy and durable, ensuring a long service life.

Specifications:
- Double Light Bulb: 10W COB + 5W LED
- Lumen: 500 Lumen
- Functions: ON-OFF(Light touch switch high beam & lower beam)
- Battery: 4AA Alkaline Batteries; (not included)
- Working time:4-5 hours
- IP Rate:IP44
- Product size: 172*127*46 mm
- Weight: 360g (without package)
- Material: Nylon+ TPR
- The bracket can adjust the Angle:180°
- Protable and lightweight worklight, easy to carry on



Welding & Cutting

Hot Stapler Gun Kit

G09B095

Features:
- Hot Staple Gun designed for quick repair and reinforcing broken/ripped/damaged/ split plastic on autos,motorcycles,
- ATVs,boats,etc
- Unique Staple Gun produces a strong durable repair Works by heating special designgned staples and settingstaples into plastic while still leaving plastic flexibleenough for correct fit
- Repairs plastic components such as bumpers,headlight fittingfittings and assemblies, panel clips,tabs,plastic pins,spoilers,etc

Specifications:
- 1x 25W Hot Staple Gun With 2m UL Cord
- 1x 8"Wire Cutter
- 1x 12-250V AC/DC Tester
- 4x 100pk Staples
- 1x Plastic Storage Case



6pcs Magnetic Holder

G99D565

Features:
- 100% Brand new and high quality.
- Widely used in the field of welding, allowing the welded materials to form multiple angles, and holding the materials together to complete the welding.
- It can be adjusting to multiple angles: 45°, 90°, AND 135°.
- Magnet design, Strong suction, easy to use, release your hands to work better.

Specifications:
- 2pcs 25 LBS 3" MULTI-PURPOSE MAGNETIC HOLDER.
- ARROW" SHAPED, 3-1/4" LONG X 4-5/8" AT WIDEST,
- 2-3/4" WIDE BASE X 9/16" THICK WITH ANGLED FACES OF 45 DEGREES, 90 DEGREES AND 135 DEGREES.
- BLACK MAGNET WITH RED POWDER COATED SHELL, RIVETED IN THREE PLACES.
- 4pcs 10 LBS MULTI-PURPOSE MAGNETIC HOLDER.
- EACH MAGNET DIMENSIONS 1/2"X 2-7/8"X1-3/4" HOLDS WORK AT 45°, 90°, AND 135°.
- DOUBLE BLISTER SIZE:175*245*15MM,1010G/SET,
- PDQ SIZE:215*160*255MM.



4' x 6' Welding Blanket

G99G221

Features:
- General purpose provides thermal protection from sparks & splatter heat treated flame retardant.
- Large working area: 4ft x 6ft. 1.22m x 1.83m
- Heavy Duty Material: Our welding blanket is made from durable materials that includes 19.8 oz per square yard of fiberglass. The premium weaving pattern adds extra durability and lasts throughout multiple usages.
- Brass Hanging Grommets:Blanket includes sturdy brass grommets every 11 inches for secure and easy hanging in your work environment
- Reinforced Hem: Never worry about fraying the hems with our reinforced 3/8" I.D. hem. This ensures that loos ends do not interfere with your work

Specifications:
- Heat treating welding blanket
- Unfold size： 4' x 6' 1.22m x 1.83m
- Thickness： 0.65mm
- Product weight： 600g/m
- Maximum working temperature： 550℃/1022℉
- Aluminum grommets(ID1.2CM) on each side,total:10pc
- Material： fiberglass
- OME FOR CPI



6' x 8' Welding Blanket

G99G225

Features:
- 1General purpose provides thermal protection from sparks &splatter heat treated flame retardant.
- Large working area: 6ft x 8ft. 1.83m x2.44m
- Heavy Duty Material:
- Our welding blanket is made from durable materials that includes 19.8 oz per square yard of fiberglass. The premium weaving pattern adds extra durability and lasts throughout multiple usages.
- Brass Hanging Grommets:
- Blanket includes sturdy brass grommets every 11 inches for secure and easy hanging in your work environment
- Reinforced Hem: Never worry about fraying the hems with our reinforced 3/8" I.D. hem. This ensures that loos ends do not interfere with your work

Specifications:
- Heat treating welding blanket
- Unfold size： 6' x 8' ,1.83m x2.44m
- Thickness： 0.65mm
- Product weight： 600g/m
- Maximum working temperature： 550℃/1022℉
- Aluminum grommets (ID1.2CM) on each side,total:10pc
- Material： fiberglass
- OME FOR CPI



8' x 8' Welding Blanket (Aluminum grommets)

G99G229

Features:
- General purpose provides thermal protection from sparks &splatter heat treated flame retardant.
- Large working area: 8ft x 8ft. 2.44m x 2.44m
- Heavy Duty Material:Our welding blanket is made from durable materials that includes 19.8 oz per square yard of fiberglass. The premium weaving pattern adds extra durability and lasts throughout multiple usages.
- Brass Hanging Grommets:Blanket includes sturdy brass grommets every 11 inches for secure and easy hanging in your work environment
- Reinforced Hem: Never worry about fraying the hems with our reinforced 3/8" I.D. hem. This ensures that loos ends do not interfere with your work

Specifications:
- Heat treating welding blanket
- Unfold size： 8' x 8' , 2.44m x 2.44m
- Thickness： 0.65mm
- Product weight： 600g/m
- Maximum working temperature： 550℃/1022℉
- Aluminum grommets(ID1.2CM) on each side,total:10pc
- Material： fiberglass
- OME FOR CPI



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

20Piece Ratcheting Wrench Set

H05I735

Features:
- Extremely strong, meets or exceeds ans din and federal torque specifications

Specifications:
- Material:carbon steel body+50BV30 ratcheting
- Includes sae sizes: 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16,5/8, 11/16 and 3/4 in ;
- Drake off road tools includes metric sizes: 6, 8, 10, 12,13, 14, 15, 16, 17, 18mm
- Ratcheting box end moves a fastener with the speed and ease of a fine tooth ratchet。



22Piece Ratcheting Wrench Set

H05I765

Features:
- This deluxe combo set makes emergency repairs a breeze.
- Speed up the work with this master set which is larger and more versatile than other 20 piece sets.
- The 72-tooth ratchet gears need only a 5-degree working swing arc. Full-drive box ends deliver reliable torque to tighten or loosen any bolt without rounding.

Specifications:
- Material:Carbon Steel body+50BV30 ratcheting
- Includes sae sizes: 1/4,9/32 , 5/16, 11/32, 3/8, 7/16, 1/2,9/16,5/8, 11/16 and 3/4 in ;
- Drake off road tools includes metric sizes: 6, 8,,9 , 10, 12,13, 14, 15, 16, 17, 18mm



12pcs Flexible Combination Ratchet Wrench Set

H05J639

Features:
- 180° Pivoting heads allow work to be carried out in awkward places.
- A must have spanner set for any mechanic or DIY enthusiast who knows how much time these can save in those hard to reach places.
- Rugged Heat Treated Chrome Vanadium Construction.
- Corrosion-Resistant and Anti-rust Chrome Finish.
- Double ended combination spanner - Open ended and flex-ratchet ring heads
- The wrenches have a 180 Degree pivoting flex head and 72 teeth ratchet mechanism
- BMC package convenient for carry and storage, not easy to be lost

Specifications:
- Material: Body 40CR; Gear 50BV30
- Surface treatment: Chrome plated finish
- Size:8mm,9mm,10mm,11mm,12mm,13mm, 14mm,15mm,16mm,17mm,18mm,19mm
- Two Types of spanners head :fixed Head / flexible Hea



5pc Extra Long Flex-Head Ratchetin Box End Wrench Set

H05L503

Features:
- Extra long beam offers extreme reach and loads of leverage
- Box end heads pivot 180 degrees to easily get around obstructions;
- 6-point openings snugly fit hex-shaped Fastener heads,
- gripping the flat sides, Not corners, to prevent round-off;
- 72tooth ratchet gears need only a 5-degree working Swing ARC
- Includes store-and-go Keeper with space-saving folding handl and nonslip grippers to lock in wrenches;

Specifications:
- Material:40cr body + 50BV30 ratchet.
- Size: 8x10mm, 12x14mm, 13x15mm, 16x18mm, 17x19mm。



Extra Long Flex-Head Ratchetin Box End Wrench Set, 4Pcs SAE

H05L509

Features:
- Extra long beam offers extreme reach and loads of leverage
- Box end heads pivot 180 degrees to easily get around obstructions;
- 6-point openings snugly fit hex-shaped Fastener heads,
- gripping the flat sides, Not corners, to prevent round-off;
- 72tooth ratchet gears need only a 5-degree working Swing ARC
- Includes store-and-go Keeper with space-saving folding handl and nonslip grippers to lock in wrenches;

Specifications:
- Material:40cr body + 50BV30 ratchet.
- Size:5/16 x 3/8,7/16 x 1/2， 9/16 x 5/8， 11/16 x 3/4 inch。



Extra Long Flex-Head Ratchetin Box End Wrench Set, 6Pcs

H05L525

Features:
- Extra long beam offers extreme reach and loads of leverage
- Box end heads pivot 180 degrees to easily get around obstructions;
- 6-point openings snugly fit hex-shaped Fastener heads,
- gripping the flat sides, Not corners, to prevent round-off;
- 72tooth ratchet gears need only a 5-degree working Swing ARC
- Includes store-and-go Keeper with space-saving folding handl and nonslip grippers to lock in wrenches;

Specifications:
- Material:40cr body + 50BV30 ratchet.
- Size:8*10mm、9*11mm、12*14mm、13*15mm、16*18mm、17*19mm



30PCS COMBINATION HEX KEY SET CR-V

H05T003

Features:
- Heat treated steel with black-oxide finish
- Precisely-sized, chamfered ends insert smoothly into fastener head, reducing wear
- Hinged storage case opens flat, making it easier to get wrenches in and out
- High visibility sizes marked on case for fast size selection Long arm wrenches provide extra reach and greater torque

Specifications:
- Material:CR-V 6150
- Hardened With Black Finished Surface
- SAE SIZE: 0.028, 0.035, 0.050, 1/16, 5/64, 3/32, 7/64,1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 in.;
- Metric Size:0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm



9Pc Hex Key Wrench Set,Star

H05T111

Features:
- Precisely-sized, chamfered ends insert smoothly into fastener head, reducing wear
- Hinged case opens flat, making it easier to get wrenches in and out
- High visibility sizes marked on case for fast size selection
- Long arm wrenches provide extra reach and greater torque

Specifications:
- Heat treated chrome vanadium steel with black-oxide finish;
- Size: T10, T15, T20, T25, T27, T30, T40, T45, T50;



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Hand Tools

1/2" Drive Click Torque Wrench

H05AB163

Features:
- High-contrast dual-range scale is easy to read
- Reversible ratchet head drives in both directions and
- measures torque in clockwise direction

Specifications:
- Material:40cr
- Size:1/2" Driver,75-350Nm
- Length:620mm
- Calibration +/- 4%



1/2-Inch Drive Click Torque Wrench with 4pc Impact Adapter

H05AB535

Features:
- Wrench emits a click that can be heard and felt when the preset value is reached.
- High-contrast, dual-range scale is easy to read;
- Spring-loaded detent balls securely latch onto sockets,
- preventing them from being dropped
- Adapter is made of premium chrome vanadium steel with a protective black oxide finish.

Specifications:
- Material:40cr wrench + CR-V adapter.
- 1pc 1/2-Inch Drive Click Torque Wrench
- 4pc Impact Adapter
  (1) 3/8 in. drive (F) to 1/4 in. drive (M) reducer
  (1) 1/2 in. drive (F) to 3/8 in. drive (M) reducer
  (1) 1/4 in. drive (F) to 3/8 in. drive (M) adapter
  (1) 3/8 in. drive (F) to 1/2 in. drive (M) adapter



9pc Combination Spanner set Metric

H05C642

Features:
- Made of premium chrome vanadium steel with a mirror chrome finish ;
- Open end is angled 15 degrees so the wrench can be flipped over to engage fasteners twice as often in tight spaces ;
- 12-point box end doubles the access angles of a 6-point and is offset 15 degrees to create clearance for fingers ;

Specifications:
- Size:8 9 10 11 12 13 14 15 16mm



11pc Combination Spanner set Metric

H05C685

Features:
- Made of premium chrome vanadium steel with a mirror chrome finish ;
- Open end is angled 15 degrees so the wrench can be flipped over to engage fasteners twice as oftenin tight spaces ;
- 12-point box end doubles the access angles of a 6-point and is offset 15 degrees to create clearance for fingers;

Specifications:
- Size:8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.



22PCS Combination Spanner set

H05C841

Features:
- Made of premium chrome vanadium steel with a mirror chrome finish。
- Open end is angled 15 degrees so the wrench can be flipped over to engage fasteners twice as often in tight spaces ;
- 12-point box end doubles the access angles of a 6-point and is offset 15 degrees to create clearance for fingers;

Specifications:
- Size:1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 3/16, 7/8incb;8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm.



1/2" Drive Click Torque Wrench and 1/2"x24" Breaker Bar

H05AB525

Features:
- Wrench: Emits a click that can be heard and felt when the preset value is reached
- Wrench: High-contrast dual-range scale is easy to read, even in low light
- Wrench: Reversible ratchet head drives in both directions and measures torque in clockwise direction
- Breaker Bar: Breaks loose rusted or stuck nuts and bolts
- Breaker Bar: 180-Degree, chrome moly flex head lets you work at any angle
- Breaker Bar: Spring-loaded ball bearing retains sockets

Specifications:
- Breaker Bar and torque wrench Material:40CR
- Torque wrench size:1/2" Driver,28-210Nm , 470mm Length.
- Click-type,accurate within +/-3%



9pc Combination Spanner set SAE

H05C641

Features:
- Made of premium chrome vanadium steel with a mirror chrome finish ;
- Open end is angled 15 degrees so the wrench can be flipped over to engage fasteners twice as often in tight spaces ;
- 12-point box end doubles the access angles of a 6-point and is offset 15 degrees to create clearance for fingers ;

Specifications:
- Size: 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4 inch



11pc Combination Spanner set SAE

H05C683

Features:
- Made of premium chrome vanadium steel with a mirror chrome finish ;
- Open end is angled 15 degrees so the wrench can be flipped over to engage fasteners twice as oftenin tight spaces ;
- 12-point box end doubles the access angles of a 6-point and is offset 15 degrees to create clearance for fingers;

Specifications:
- Size:1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 3/16,7/8 inch.



16Piece Ratcheting Wrench Set

H05I685

Features:
- Designed for the serious user who requires dependable strength
- This 16-piece ratcheting wrench set is built for turning stubborn fasteners in the most common metric sizes.
- Reach into low-access environments by using the thin head of these wrenches, then turn fasteners with swing arcs as small as 5° using the ratcheting box end on the head.

Specifications:
- Material:carbon steel body+50BV30 ratcheting
  Includes size： 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm 16mm,17mm, 18mm, 19mm, 20mm, 21mm, 22mm, and 24mm







Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Hand Tools

3Pcs Universal Socket

H11A301

Features:
- Chrome vanadium steel construction, Internally by 54 Alloy steel hardness pole constituted Fits standard 1/4 to 3/4-inch and metric 7-19mm nuts and bolt heads.
- Comes with a 3/8" power drill adapter, turn your drill to socket driver and 3/8" 45T carbon steel ratchet handle.
- Self-adjusts to fit grasp the hex, nut, eye, hook etc.makes your work easier.

Specifications:
- Compatible Fastener Range: 1/4" - 3/4"



2Pcs Universal Socket

H11A515

Features:
- Chrome vanadium steel construction, Internally by 54 Alloy steel hardness pole constituted Fits standard 1/4 to 3/4-inch and metric 7-19mm nuts and bolt heads.
- Comes with a 3/8" power drill adapter, turn your drill to socket driver.
- Self-adjusts to fit grasp the hex, nut, eye, hook etc.makes your work easier.

Specifications:
- Compatible Fastener Range: 1/4" - 3/4"



3-pc. Universal Joints Set

H11F523

Features:
- Engineered for use with impact drivers
- Works around obstructions to access hard-to-reach fasteners
- Spring-loaded detent balls securely latch onto sockets, preventing them from being dropped
- Through-hole in drive ends locks onto drive tang

Specifications:
- Material:CRV(50BV30)
- Size:1/4",3/8",1/2"
- Surface treatment: Manganese phosphate
- Heat treatment



3pc Hex Drill Socket Driver Set

H11F531

Features:
- Made Use of Highly Durable CRV steel and coated with corrosion resistant black phosphate for extended use and durability against heavy duty environments.
- Whether you are a diyer or an industry professional, the socket adapters will fit your needs across household, mechanical or automotive maintenance needs.

Specifications:
- Material: CR-V（50BV30）
- Hex shank
- Includes:2" x 1/4"，2 " x 3/8"， 2" x 1/2"
- Packing Size：11.5*9.5*2cm，78G/set。



3pc Hex Drill Socket Driver Set

H11F532

Features:
- Made of Highly Durable CRV steel and coated with corrosion resistant black phosphate for extended use and durability against heavy duty environments.
- Whether you are a diyer or an industry professional, the socket adapters will fit your needs across household, mechanical or automotive maintenance needs.

Specifications:
- Material: CR-V（50BV30）
- Hex shank
- Includes:2-1/2" x 1/4"，2-1/2 " x 3/8"，2-7/8" x 1/2"
- Packing Size：11.5*9.5*2cm，95G/set



Impact Adapter and Reducer Set 4PCS

H11F535

Features:
- Common size combinations multiply the range and capability of any socket set.
- Spring-loaded detent balls securely latch onto sockets,
- preventing them from being dropped
- Detent notches in drive ends lock onto ratchets and extensio
- Made of premium chrome vanadium steel with a mirror chrome finish.

Specifications:
- Material:CR-V
  (1) 3/8 in. drive (F) to 1/4 in. drive (M) reducer
  (1) 1/2 in. drive (F) to 3/8 in. drive (M) reducer
  (1) 1/4 in. drive (F) to 3/8 in. drive (M) adapter
  (1) 3/8 in. drive (F) to 1/2 in. drive (M) adapter



Impact Adapter and Reducer Set 4PCS

H11F537

Features:
- Common size combinations multiply the range and capability of any socket set.
- Spring-loaded detent balls securely latch onto sockets,
- preventing them from being dropped
- Detent notches in drive ends lock onto ratchets and extensio
- Made of premium chrome vanadium steel with a protective black oxide finish.

Specifications:
- Material: CR-V
  (1) 3/8 in. drive (F) to 1/4 in. drive (M) reducer
  (1) 1/2 in. drive (F) to 3/8 in. drive (M) reducer
  (1) 1/4 in. drive (F) to 3/8 in. drive (M) adapter
  (1) 3/8 in. drive (F) to 1/2 in. drive (M) adapter



5Pcs Socket Adapter and Drive Reducer Set

H11F551

Features:
- Fully polished, mirror-chrome plating finish is corrosion resistance and prevents rust to maximize tool life.
- Specialized chamfered ends with a spring-loaded ball at the end of bar locks socket into place for security and prevents dropping;
- Versatile set comes with adapter and reducer for convenient usage;

Specifications:
- Material: CR-V
- Size: 1/4" Fx 3/8"M, 3/8"Fx1/2"M, 1/2"Fx3/8"M and 1 pc- 3/8"x3" extension.



3/8" Dual Drive Gearless Ratchet

H11I065

Features:
- Round head is compact to get in tight quarters
- Gearless design provides no waiting for next gear to engage, as soon as you turn, it will turn the ratchet drive
- NO GEAR - You won't hear the clicking sound when you turn this ratchet

Specifications:
- CR-V 50BV30
- 3/8" Dual Drive



1/2" composite 72t offsetratchet

H11I093

Features:
- High-impact composite shell stays comfortable in cold temperatures and prevents scratching or marring of finished parts
- Offset handle gives fingers extra clearance
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.

Specifications:
- Material:Outside:PP+TPR,Inside carbon steel + SCM440
- 72-tooth oval head ratchet needs only 5-Degree swing arc
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.



1/4" composite 72t offsetratchet

H11I091

Features:
- High-impact composite shell stays comfortable in cold temperatures and prevents scratching or marring of finished parts
- Offset handle gives fingers extra clearance
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.

Specifications:
- Material:Outside:PP+TPR,Inside carbon steel + SCM440
- 72-tooth oval head ratchet needs only 5-Degree swing arc
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.



10pcs 1/2" Dr. Impact Deep Sockets Set

H11LI191

Features:
- 10 piece deep impact socket set
- Six points give the strength to withstand thousands of impacts easily
- Extra-deep broach accommodates longer fasteners
- Made from forged and heat treated chrome vanadium steel with a corrosion-resistant black phosphate finish

Specifications:
- Material:CR-V
- Size:3/8",7/16",1/2",9/16",5/8",11/16", 3/4",13/16",7/8",15/16"
- Surface treatment:black
- Heat treatment



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Hand Tools

13PC Hex Key Wrench Set, SAE

H05T163

Features:
- Precisely-sized, chamfered ends insert smoothly into fastener head, reducing wear
- Hinged case opens flat, making it easier to get wrenches in and out
- High visibility sizes marked on case for fast size selection
- Long arm wrenches provide extra reach and greater torque.

Specifications:
- Heat treated chrome vanadium steel with black-oxide finish;
- Size:3/64, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 inch;



13Pc Hex Key Wrench Set,Metric

H05T165

Features:
- Precisely-sized, chamfered ends insert smoothly into fastener head, reducing wear
- Hinged case opens flat, making it easier to get wrenches in and out
- High visibility sizes marked on case for fast size selection
- Long arm wrenches provide extra reach and greater torque

Specifications:
- Heat treated chrome vanadium steel with black-oxide finish;
- Size: 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 8, 10mm



26PC Long Arm Ball End Hex Key Wrench Set

H05T285

Features:
- Ball ends allow up to a 25-degree entry angle to reach around obstructions
- Chamfered, straight ends offer a snug fit and insert smoothly into fastener head, reducing wear
- Black oxide finish protects against corrosion without added plating that could chip off under high-stress contact
- Long arm/short arm design offers extended reach on one end and extra leverage on the other
- Color-coded housing for instant identification of size series
- Hinged housing opens flat, making it easier to get wrenches in and out

Specifications:
- Material:6150CR-V
- Size:(13) long arm ball end hex key wrenches (inch): 3/64, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 inch;
- (13) long arm ball end hex key wrenches (metric): 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 8, 10 mm;



35PC Long Arm Ball End Hex Key Wrench Set

H05T375

Features:
- Heat treated chrome vanadium steel with black-oxide finish
- Precisely-sized, chamfered ends insert smoothly into fastener head, reducing wear
- Color-coded housing for instant measurement identification
- Hinged case opens flat, making it easier to get wrenches in and out and high visibility size markings make for fast size selection
- Long arm wrenches provide extra reach and greater torque
- Ball hex ends (Inch/Metric) allow up to a 25-degree entry angle to reach around obstructions

Specifications:
- Material:6150CR-V
- Size:(13) long arm hex key wrenches (inch):3/64, 1/16,5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8";
- (13) long arm hex key wrenches (metric): 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 8, 10 mm;
- (9) long arm hex key wrenches (star): T10, T15, T20, T25, T27, T30, T40, T45, T50;



10Pce T Handle Hex SAE

H05U223

Features:
- Custom steel storage rack included
- Shafts are made from high quality steel
- Plastic handle grips for comfort and increased turning power

Specifications:
- Material:Chrome Vanadium Steel, blackening treament.
- Strong Metal Stand
- Size: 3/32 in., 7/64 in., 1/8 in., 9/64 in., 5/32 in.,
- 3/16 in., 7/32 in., 1/4 in., 5/16 in., 3/8 in.



10Pce T Handle Hex STAR

H05U227

Features:
- Custom steel storage rack included
- Shafts are made from high quality steel
- Plastic handle grips for comfort and increased turning power

Specifications:
- Material:Chrome Vanadium Steel, blackening treament.
- Strong Metal Stand
- Size:T7、T8、T9、T10、T15、T20、T25、T30、T35、T40



10Pce T Handle Hex Metric

H05U229

Features:
- T-handle design increases turning power. Shape provides a sure comfortable grip.
- Bonus storage tray mounts on wall or bench.
- Wrench set includes a variety of sizes for multiple uses.

Specifications:
- Material: Chrome Vanadium Steel, Blackening treatment.
- Strong Metal Stand
- Size: 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 8, 10mm



14PCS 1/2" Drive Jumbo Crowsfoot Wrench Set METRIC

H05Z603

Features:
- For use in confined areas or applications where challenging angles are present
- Stamped sizes in each wrench for quick identification
- Constructed from hardened and forged steel

Specifications:
- Sizes include: 27, 29, 30, 32, 33, 35, 36, 38, 41, 42, 45, 46, 48 and 50mm
- Product Dimensions 45 x 38 x 7.5cm
- Heavy duty blow molded storage case



14PCS 1/2" Drive Jumbo Crowsfoot Wrench Set SAE

H05Z601

Features:
- For use in confined areas or applications where challenging angles are present
- Stamped sizes in each wrench for quick identification
- Constructed from hardened and forged steel

Specifications:
- Sizes include: 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8 and 2"
- Product Dimensions 45 x 38 x 7.5cm
- Heavy duty blow molded storage case



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Hand Tools

1/2" Drive x 24" Mechanic's Flex Breaker Bar

H11K255

Features:
- Spring-load ball bearing holds sockets securely
- Ideal to break and loosen rusted, stubborn or stuck nuts and bolts

Specifications:
- Forged and Hardened 45# carbon stel body + 50BV30 Flex Head
- Corrosion-Resistant Chrome Plated Finish
- Sizes: 1/2" Drive x 24"
- 180° Flex Head



6PC 3/8" Dr. Dual Color Spline Socket Set

H11LB555

Features:
- 6pc. 3/8"dr universal socket set (7Pc sockets covers 31 applications)
- The unique design of the Powerbuilt universal sockets allows each socket to be used on all common types of fasteners SAE & mm hex 6 point & 12 point
- This allows you to carry less tools with a wider range of applications.

Specifications:
- Material: CR-V 50bv30
- Surface treatment:FULL-Polished +Phosphate+Knurling
- SIZE:1/4、5/16、3/8、7/16、1/2、9/16



10pcs 3/8" Dr. Spline Socket Set

H11LB695

Features:
- Universal spline design offers a tighter fit on proper size fasteners for better tightening
- Also works on SAE/MET sizes, 6pt, 12pt, external star, square
- Black phosphate finish with polished edges make sizes easy to read
- Chrome vanadium alloy steel construction for strength and durability
- Convenient storage rack

Specifications:
- Material： 50BV30
- SIZE:7 8 9 10 11 13 14 16 17 18mm 9/32-5/16-11/32-3/8-7//16-1/2-9-16-5/8-11/16-23/32
- Surface treatment:Double color Phosphate + Heat treatment + Knurled



14PC 1/2" DRIVE DEEP IMPACT SOCKET SET(SAE)

H11LC585

Features:
- High-torque, 6-point socket design grips the flat sides of fasteners, not just the corners, preventing round-off.
- Extra-deep broach accommodates longer fasteners.
- High-contrast permanent laser etched size markings are easy-to-read, even in low light.
- Made from forged and heat treated chrome vanadium steel with a corrosion-resistant black phosphate finish.
- Meets or exceeds ANSI performance standards.

Specifications:
- Size： 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4 inch
- Material:CR-V
- Surface treatment:black
- Heat treatment



15PC 1/2" DRIVE DEEP IMPACT SOCKET SET(METRIC)

H11LC587

Features:
- High-torque, 6-point socket design grips the flat sides of fasteners, not just the corners, preventing round-off.
- Extra-deep broach accommodates longer fasteners.
- High-contrast permanent laser etched size markings are easy-to-read, even in low light.
- Made from forged and heat treated chrome vanadium steel with a corrosion-resistant black phosphate finish.
- Meets or exceeds ANSI performance standards.

Specifications:
- Size： 10,11,12,13,14,15,16,17,18,19 ,20, 21, 22, 23, 24MM
- Material:CR-V
- Surface treatment:black
- Heat treatment



14PC 1/2" DRIVE DEEP IMPACT SOCKET SET(METRIC)

H11LC671

Features:
- High-torque, 6-point socket design grips the flat sides of fasteners, not just the corners, preventing round-off.
- Extra-deep broach accommodates longer fasteners.
- High-contrast permanent laser etched size markings are easy-to-read, even in low light.
- Made from forged and heat treated chrome vanadium steel with a corrosion-resistant black phosphate finish.
- Meets or exceeds ANSI performance standards.

Specifications:
- Size： 11, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27, 30, 32MM
- Material:CR-V
- Surface treatment:black
- Heat treatment



17pcs 1/2" Drive Socket Set(SAE)

H11LC791

Features:
- Forged with heat treated chrome vanadium steel and each socket with corrosion-resistant black phosphate finish for anti-oil, anti-rust.
- 6-point socket design enlarges contact surface between sockets and fasteners, locks force more firmly, reduces wear and prevents rounding off at corners
- Long-lasting laser etched size markings in each socket make it possible for quick and easy size selection even in the dim light。
- Designated slots in the case keep every piece in place and sockets don't fall off and slip. Sizes are also stamped beside each slot for identification.

Specifications:
- Size:14 sockets : 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4 inch;
- 3PCS extensions : 3" , 5" , 10".



18pcs 1/2" Drive Socket Set(Metric)

H11LC795

Features:
- Forged with heat treated chrome vanadium steel and each socket with corrosion-resistant black phosphate finish for anti-oil, anti-rust.
- 6-point socket design enlarges contact surface between sockets and fasteners, locks force more firmly, reduces wear and prevents rounding off at corners
- Long-lasting laser etched size markings in each socket make it possible for quick and easy size selection even in the dim light。
- Designated slots in the case keep every piece in place and sockets don't fall off and slip. Sizes are also stamped beside each slot for identification.

Specifications:
- Size:15pc sockets : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,20, 21, 22, 23, 24mm;
- 3PCS extensions : 3" , 5" , 10".



7Pcs 3/8" Drive Impact Spline Bit Socket Set

H11M535

Features:
- The 6 point fits all quick-change adapters and extensions, drill chucks
- Suitable for pneumatic screwdriver, electric screwdriver, pneumatic drill, electric drill, manual screwdriver and other tools installation
- Perfect for your impact driver or drill, and allows you to replace your ratchet with a power tool
- The product is easy to install and remove, not easy to fall off when in use

Specifications:
- Material: CR-MO
- Size:M5 M6 M8 M9 M10 M12 M14
- Hardness:HRC 51-53
- Surface treatment: Manganese phosphate
- Heat treatment



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Hand Tools

3/8〃 composite 72t offsetratchet

H11I095

Features:
- High-impact composite shell stays comfortable in cold temperatures and prevents scratching or marring of finished parts
- Offset handle gives fingers extra clearance
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.

Specifications:
- Material:Outside:PP+TPR,Inside carbon steel + SCM440
- 72-tooth oval head ratchet needs only 5-Degree swing arc
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.



1/4〃 composite 72t offsetratchet

H11I101

Features:
- High-impact composite shell stays comfortable in cold temperatures and prevents scratching or marring of finished parts
- Offset handle gives fingers extra clearance
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.

Specifications:
- Material:Outside:PP+TPR,Inside carbon steel + SCM440
- 72-tooth oval head ratchet needs only 5-Degree swing arc
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.



3/8〃 composite 72t offsetratchet

H11I103

Features:
- High-impact composite shell stays comfortable in cold temperatures and prevents scratching or marring of finished parts
- Offset handle gives fingers extra clearance
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.

Specifications:
- Material:Outside:PP+TPR,Inside carbon steel + SCM440
- 72-tooth oval head ratchet needs only 5-Degree swing arc
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.



1/2〃 composite 72t offsetratchet

H11I105

Features:
- High-impact composite shell stays comfortable in cold temperatures and prevents scratching or marring of finished parts
- Offset handle gives fingers extra clearance
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.

Specifications:
- Material:Outside:PP+TPR,Inside carbon steel + SCM440
- 72-tooth oval head ratchet needs only 5-Degree swing arc
- Lock-on, push-button, quick-release drive tang prevents dropped sockets.



1/2 Inch Drive Premium Breaker Bar,24" Length

H11K055

Features:
- 24 Inch extra long 40cr steel handle provides maximum torque.
- Forged and heat treated chrome-moly 1/2" drive head for added strength and durability
- 180-degree flexible head works at any angle, to reach around tight space and generate optimized leverage.
- Spring-load ball bearing holds sockets securely.
- Ideal to break and loosen rusted, stubborn or stuck nuts and b

Specifications:
- Length: 24 inches
- Treatment: Forged and heat treated chrome-moly



1/2" Drive x 18" Mechanic'sFlex Breaker Bar

H11K145

Features:
- 24 Inch extra long 40cr steel handle provides maximum torque.
- Forged and heat treated chrome-moly 1/2" drive head for added strength and durability
- 180-degree flexible head works at any angle, to reach around tight space and generate optimized leverage.
- Spring-load ball bearing holds sockets securely.
- Ideal to break and loosen rusted, stubborn or stuck nuts and bolts.

Specifications:
- Length: 18 inches
- Treatment: Forged and heat treated chrome-moly
- Forged and Hardened 45# carbon stel body + 50BV30 .180-degree Flex Head
- Corrosion-Resistant Chrome Plated Finish



3/8" Drive x 12" Mechanic's Flex Breaker Bar

H11K213

Features:
- Extra long chrome vanadium steel handle provides maximum torque
- Spring-load ball bearing holds sockets securely

Specifications:
- Material: 45# carbon stel body + 50BV30 flex Head
- Sizes: 3/8" Drive x 12"
- Work angle:180-degree Flex Head



1/2 Inch Drive Premium Breaker Bar,21" Length

H11K231

Features:
- Spring-load ball bearing holds sockets securely
- Ideal to break and loosen rusted, stubborn or stuck nuts and bolts

Specifications:
- Material: 40cr
- Sizes: 1/2" Drive x 21"
- Work angle:180-degree Flex Head



1/2 Inch Drive Premium Breaker Bar,18" Length

H11K229

Features:
- Spring-load ball bearing holds sockets securely
- Ideal to break and loosen rusted, stubborn or stuck nuts and bolts

Specifications:
- Material: 40cr
- Sizes: 1/2" Drive x 18"
- Work angle:180-degree Flex Head



1/2 Inch Drive Premium Breaker Bar, 30" Length

H11K249

Features:
- Spring-load ball bearing holds sockets securely
- Ideal to break and loosen rusted, stubborn or stuck nuts and bolts

Specifications:
- Material: 40cr
- Sizes: 1/2" Drive x 30"
- Work angle:180-degree Flex Head



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Hand Tools

5Pcs Professional Ultra Strong Screwdriver Bits Set

H15A515

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material： Chromium Vanadium Steel (S2)
- Include:4" Length Pozi:PZ2 x 5Pcs;
- Head Cold Extrusion To Prevent Sliding;
- Surface Treatment:Sandblasting.



5Pcs Professional Ultra StrongScrewdriver Bits Set

H15A517

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material： Chromium Vanadium Steel (S2)
- Include:4" Length Pozi:PZ2 x 2Pcs;
- 4" Length Phillips:PH2 x 2Pcs;
- 3" Length Phillips:PH1 x 1Pc;
- Head Cold Extrusion To Prevent Sliding;
- Surface Treatment:Sandblasting.



12Pcs Impact Driver Bit Set

H15A532

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material： Chromium Vanadium Steel (S2)
- Include:1" Length Phillips:PZ2 x 12Pcs
- Surface Treatment:Sandblasting and Colour printing.



15Pcs Impact Driver Bit Set

H15A534

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material： Chromium Vanadium Steel (S2)
- Include:1" LengthPhillips:PZ2 x 10Pcs ;
- 2" Length Phillips:PZ2 x 5Pcs ;
- Surface Treatment:Sandblasting and Colour printing.



20Pcs Impact Driver Bit Set

H15A539

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material： Chromium Vanadium Steel (S2)
- Include:1" Length Phillips:PH2 x 5Pcs;
- 1" Length Pozi:PZ2 x 10Pcs;
- 1" Length Pozi:PZ3 x 5Pcs;
- Surface Treatment:Sandblasting and Colour printing.



5Pcs Professional Ultra Strong Screwdriver Bits Set

H15A516

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material： Chromium Vanadium Steel (S2)
- Include:2" Length Pozi:PZ2 x 2Pcs;
- 3" Length Phillips:PH2 x 1Pc;
- 4" Length Phillips:PH2 x 2Pcs;
- Head Cold Extrusion To Prevent Sliding;
- Surface Treatment:Sandblasting.



12Pcs Impact Driver Bit Set

H15A531

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material： Chromium Vanadium Steel (S2)
- Include:1" Length Phillips:PH2 x 12Pcs
- SurfaceTreatment:Sandblasting and Colour printing.



15Pcs Impact Driver Bit Set

H15A533

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material： Chromium Vanadium Steel (S2)
- Include:1" Length Phillips:PH2 x 10Pcs ;
- 2" Length Phillips:PH2 x 5Pcs ;
- Surface Treatment:Sandblasting and Colour printing.



15Pcs Impact Driver Bit Set

H15A536

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material： Chromium Vanadium Steel (S2)
- Include:1" Length Pozi:PZ2 x 5Pcs;
- 1" Length Phillips:PH2 x 5Pcs;
- 2" Length Pozi:PZ2 x 3Pcs;
- 2" Length Phillips:PH2 x 2Pcs;
- Surface Treatment:Sandblasting and Colour printing.



33-pc. Screwdriver Bit Set

H15A555

Features:
- Torx and Hex Tamperproof Security Bit Set.
- Top quality bits for common security fasteners.
- High grade hardened steel bits.
- Includes extension screwdriver bit.
- Supplied in a plastic Storage Case.

Specifications:
- Material： Chrome Vanadium Steel
- Universal Fit 1/4" Hex Shank
- 32-pc. 1" Screwdriver Bits:
- Flat: 1/8, 5/32, 3/16, 1/4, 9/32"
- Phillips: #0, 1, 2 (3-pc.), #3
- Drywall: #2 (2-pc.)
- Star: SD-10, SD-15, SD-20, SD-25, SD-27, SD-30, SD-40
- Hex: 3/32, 5/64, 7/64, 1/8, 9/64, 5/32, 3/16, 1/4"
- Square: S-0, S-1, S-2, S-3
- 1-pc. 2-5/16" Magnetic Bit Holder



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Hand Tools

7Pcs 3/8" Drive Impact Socket Bits Star

H11M578

Features:
- The 6 point fits all quick-change adapters and extensions, drill chucks
- Suitable for pneumatic screwdriver, electric screwdriver, pneumatic drill, electric drill, manual screwdriver and other tools installation
- Perfect for your impact driver or drill, and allows you to replace your ratchet with a power tool
- The product is easy to install and remove, not easy to fall off when in use

Specifications:
- Material:CR-MO
- Size: T20、25、30、40、50、55、60
- Surface treatment: BLACK
- Heat treatment.



8pcs 1/2"DR.Torx Star ImpactBit Socket Set

H11M587

Features:
- Description:For many automotive、motorcycle & bike applications that use Torx/star fasteners essential set
- Impacted so ideal for use on impact guns or high torque tools
- Cold forging Cr-Mo alloy steel for increase impact resistance
- Impact resistance is 50% more than Cr-V alloy steel
- 1/2" drive fit any 1/2" drive ratchet / impact gun / breaker / power bar etc

Specifications:
- Material:42CR-MO
- Size:T30-T40-T45-T50-T55-T60-T70-T80
- Total Length: 78mm
- Hardness:51-53
- Surface treatment:Manganese phosphate
- heat treatment



94Pcs Socket Set (1/4" & 1/2")

H11X085

Features:
- The 94 Piece Tool set is the perfect tool kit to have to around, it is designed to be multi-purpose so you can even use it on your Car, Van, Truck, Caravan, Motor home or even boat!
- 2.As well as that it comes in a small compact case so you can easily store it once you have finished using it.
- These tools are made from Chrome Vanadium Steel for strength and durability. professional grade quality.

Specifications:
- Material:Cr-v
- 13PCS-1/4"DR.SOCKETS: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14MM
- 8PCS-1/4"DR.DEEP SOCKETS: 6,7,8,9,10,11,12,13MM
- 2PCS-1/4"DR.EXTENSION BARS: 2"& 4"
- 1PC-1/4"DR.UNIVERSAL JOINT
- 1PC-1/4"DR.QUICK RATCHET HANDLE with 45T.
- 1PC-1/4DR.SPINNER HANDLE: 6"
- 17PCS-1/4"DR.BIT SOCKETS: SL4,5.5,7 PH1,2 PZ1,2
- HEX3,4,5,6 T8,10,15,20,25,30
- 1PC-1/4"DR.FLEXIBLE EXTENSION:6"
- 1PC-1/4"DR.SLIDING T BAR
- 18PCS-1/2"DR.SOCKETS: 10,11,12,13,14,15,16,17,18,19,20,21,22,23, 24,27,30,32MM
- 4PCS-1/2"DR.DEEP SOCKETS: 14,15,17,19MM
- 2PCS-1/2"DR.EXTENSION BARS: 5"& 10"
- 2PCS-1/2"DR.SPARK PLUG SOCKETS: 16MM & 21MM
- 1PC-1/2"DR.UNIVERSAL JOINT
- 1PC-1/2"DR.QUICK RATCHET HANDLE with 45T
- 1PC-1/2"DR.BIT HOLDER1PC-3-WAY ADAPTOR
- 15PCS-BITS:5L8,10,12 T40,45,50,55 PH3,4 PZ3, 4 HEX 8,10,12,14
- 1PC-1/4"DR.BIT ADAPTOR
- 3PCS-HEX KEY WRENCHES: 1.5,2,2.5MM
- 1PC-BLOW CASE



25 in 1 Precision Screwdriver Set

H13X058

Features:
- Using traditional screwdriver requires us to touch the bits with hands. That will be difficult if the bits are stick too tightly and alsomake our hands dirty. This screwdriver set can provide quick bitsrelease and assemble and makes the process interesting.
- 120mm extension bar increases the length of the screwdriver makes it easy to work in narrow space.
- Multi-function for precision work in electronics,DIY models,jewelry, eye glasses and other home appliance.

Specifications:
- 25-In-1 Tool Set
- 1pc 121mm non-slip handle
- 1pc 150mm extention bar
- 1pc plastic box:(ABS+PC)207X78X34mm
- 22pc 6150 bits (4*28mm)
- Slotted:1.0,1.5,2.0,2.5,3.0,3.5mm
- Phillips:#000,#00,#0,#1
- Pozi:#000,#00,#0,#1
- Torx:T4,T5,T6;T8
- Hex:,2mm, 3mm,4mm,5mm



7Pcs 3/8"Drive Impact Socket Bits Metric

H11M582

Features:
- The 6 point fits all quick-change adapters and extensions, drill chucks
- Suitable for pneumatic screwdriver, electric screwdriver, pneumatic drill, electric drill, manual screwdriver and other tools installation
- Perfect for your impact driver or drill, and allows you to replace your ratchet with a power tool
- The product is easy to install and remove, not easy to fall off when in use

Specifications:
- Material:CR-MO
- Size: H4-5-6-7-8-10-12
- Surface treatment: BLACK
- Heat treatment.



8pcs 1/2"DR.Hex key Impact Bit Socket Set

H11M591

Features:
- Description:For many automotive、motorcycle & bike applications that use Torx/star fasteners essential set
- Impacted so ideal for use on impact guns or high torque tools
- Cold forging Cr-Mo alloy steel for increase impact resistance
- Impact resistance is 50% more than Cr-V alloy steel
- 1/2" drive fit any 1/2" drive ratchet / impact gun / breaker / power bar etc

Specifications:
- Material:CR-MO
- Size:H5 / H6 / H8 / H10 / H12 / H14 / H17 / H19
- Hardness: 51-53HRC
- Surface treatment: Black
- Heat treatment



Torque Wrench Screwdriver

H13K085

Features:
- Torque adjustment range from 10 inch/pounds to 65 inch/pounds,Includes convenient molded case for storage
- Accuracy plus/minus 2 inch/pounds up to 40 inch/pounds, 40-65 inch/opounds is accurate to plus/minus 5%
- Includes 10 of the more popular gunsmithing bits and a 1/4" socket
- This amazing handheld torque wrench lets you apply repeatable, accurate torque settings to scope rings, guard screws, windage screws and base screws, which aids in accuracy and decreases the opportunity for problems in the field
- Allows for consistency to every screw, fir repeatable, accurate torque settings to scope rings, guard screws and more

Specifications:
- Base Screws 30 inch-lbs
- Ring Screws (aluminum) 10 -15 inch-lbs
- Ring Screws (Steel) 15-20 inch-lbs
- Windage Screws 30-40 inch-lbs
- Guard Screws (with bedding pillars) 65 inch-lbs (no bedding pillars) 40 inch-lbs
- note: middle guard screw should not be torqued



31PCS TORQUE WRENCH SCREWDRIVER SET

H13K105

Features:
- Torque adjustment range from 10 inch/pounds to 60 inch/pounds, Includes convenient molded case for storage
- Accuracy plus/minus 2 inch/pounds up to 40 inch/pounds, 40-60 inch/opounds is accurate to plus/minus 5%
- Includes 30 of the more popular gunsmithing bits and a 1/4" socket
- This amazing handheld torque wrench lets you apply repeatable, accurate torque settings to scope rings, guard screws, windage screws and base screws, which aids in accuracy and decreases the opportunity for problems in the field
- Allows for consistency to every screw, fir repeatable, accurate torque settings to scope rings, guard screws and more.

Specifications:
- Material: .45#carbon steel
- Handle： Nylon+TPR
- 1Pc Torque Screwdriver with 1/4-inch Drive Head;
- Torque adjustment range from 10 to 60 inch pounds
- Accuracy: ^2 inch pounds;
- 30PC bits (S2):
- 4pc Phillips PH#0, PH#1, PH#2, PH#3;
- 6pc Slotted 3mm, 4mm, 5mm, 6mm, 8mm, 11mm (specialty bit);
- 7pc Hex 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm;
- 4pc Hex 3/32", 7/64", 5/32", 3/16"
- 8pc Torx T6, T8, T10, T15, T20, T25, T30, T40
- 1pc 1/4" Hex to 1/4" Drive Adapter
- Black BMC With New plastics,240G/PC.
- With operation drawing under the bottom
- Attached the test report



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

15Pcs Impact Driver Bit Set

H15X083

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools;
- Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material：Chromium Vanadium Steel (S2)
- Include:1" Length Phillips:PZ2 x 14Pcs;
- Magnetic Bit Holder:1Pc.
- Surface Treatment:Sandblasting and Colour printing.



15Pcs Impact Driver Bit Set

H15X084

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools;
- Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material：Chromium Vanadium Steel (S2)
- Include:1" Length Phillips:PH2 x 14Pcs;
- Magnetic Bit Holder:1Pc.
- Surface Treatment:Sandblasting and Colour printing.



101 PC SECURITY BIT

H15X285

Features:
- PREMIUM MATERIAL - High strength chrome vanadium steel bits withstand more torque and reduce wear-outs to ensure durability and longevity
- EASY TO USE - precisely machined bit tips guarantee accurate size and chamfered bit ends insert into fasteners more smoothly
- RATCHET SCREWDRIVER - Bonus 3-way reversible ratcheting bit driver (forward/reverse/lock) with comfortable non-slip grip for easy tightening and loosening fasteners
- FLEX-HEAD DESIGN - provides adjustable angles for maximum leverage, and reaches access to confined areas and close quarters

Specifications:
- material:CRV(6150)
- 8-pc Phillips: PH#0, PH#1, PH#2 x 5, PH#3;
- 8-pc Pozi drive: PZ#0, PZ#1, PZ#2 x 5, PZ#3;
- 9-pc Slotted: 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8mm
- 9-pc Torx Star:T8, T10, T15, T20, T25, T27, T30, T40, T45
- 9-pc tamper proof Torx Star: T8, T10, T15, T20, T25, T27, T30, T35, T40
- 9-pc Metric Hex: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8mm
- 6-pc tamper proof Metric Hex: 2, 2.5, 3, 4, 5, 6mm
- 10-pc SAE Hex: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4";
- 6-pc tamper proof SAE Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 4-pc Square: S0, S1, S2, S3
- 4-pc Spanner: 4, 6, 8, 10
- 4-pc Tri-Wing: 1, 2, 3, 4;
- 3-pc Clutch: 1, 2, 3;
- 3-pc Spline: 5, 6, 8mm;
- 1-pc Wing nut driver;
- 1-pc Magnetic bit holder;
- 1-pc 1/4" Hex to 1/4" Drive socket adaptor (1" long);
- 1-pc 1/4" Hex to 1/4" Drive socket adaptor (2" long);
- 1-pc 1/4" Drive to 1/4" Hex bit adaptor
- 1pc Socket Bit Holder



35Pcs Impact Driver Bit Set

H15X225

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material：Chromium Vanadium Steel (S2)
- Include:1" Length Slotted: SL5 x 1Pc,SL6 x 1Pc;
- 1" Length Phillips:PH1 x 1Pc,PH2 x 6Pcs,PH3 x 1Pc,PR2 x 1Pc;
- 2" Length Phillips:PH2 x 2Pcs,PH3 x 1Pc;
- 1" Length Torx:T15 x 1Pc,T20 x 2Pcs,T25 x 2Pcs,T30 x 1Pc;
- 2" Length Torx:T20 x 1Pc,T25 x 1Pc;
- 1" Length Square:#1 x 1Pc,#2 x 3Pcs,#3 x 1Pc;
- 2" Length Square:#2 x 1Pc;
- 1" Length Hex SAE:3/16" x 1Pc,1/4" x 1Pc;
- 1-5/8" Length Magnetic Nut Driver:1/4" x 1Pc,5/16" x 1Pc;
- 2-9/16" Length Socket Adapter:3/8" x 1Pc;
- Magnetic Bit Holder: 2Pcs.
- Surface Treatment:Sandblasting and Colour printing.



45Pcs Impact Driver Bit Set

H15X237

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material：Chromium Vanadium Steel (S2)
- Include:1" Length Phillips:PH1 x 1Pc,PH2 x 8Pcs,PH3 x 1Pc,
- PR2 x 2Pcs;
- 2" Length Phillips:PH2 x 2Pcs,PH3 x 1Pc;
- 3-1/2" Length Phillips:PH2 x 1Pc;
- 1" Length Slotted:SL4 x 1Pc,SL5 x 1Pc,SL6 x 1Pc;
- 1" Length Square:#1 x 1Pc,#2 x 4Pcs,#3 x 1Pc;
- 2" Length Square:#2 x 1Pc;
- 3-1/2" Length Square:#2 x 1Pc;
- 1" Length Hex SAE:3/16" x 1Pc,1/4" x 1Pc;
- 1" Length Torx:T15 x 1Pc,T20 x 4Pcs,T25 x 3Pcs,T30 x 1Pc;
- 2" Length Torx:T20 x 1Pc,T25 x 1Pc;1-5/8" Length Magnetic Nut Driver:1/4" x 1Pc,5/16" x 1Pc;Magnetic Bit Holder: 2Pcs;2-9/16" Length Socket Adapter:3/8" x 1Pc.
- Surface Treatment:Sandblasting and Colour printing.



26pcs impact bits and nutnut driver set

H15X165

Features:
- Material：Chromium Vanadium Steel (S2)
- Include:7Pc 25mm Length SL5, SL6,PH1, PH2, T20,T25, S1;
- 11Pcs 50mm Length :PH1 PH2 PZ1 PZ2 PZ3 T20 T25 SL6 S2 S2 S3;
- 3Pcs PH2 75mm Length;
- 3pcs 65mm nut drivers:6,8,10mm;
- 1pc 60mm magnetic bit holder;
- 1pc 65mm 3/8"AD
- Black oxide.
- Highly Compatible with Tool: Universal 1/4"hex shank with unique power groove fits most powered corded or cordless drill.



15Pcs Impact Driver Bit Set

H15X085

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material：Chromium Vanadium Steel (S2)
- Include:1" Length Slotted:SL4 x 2Pcs，SL5 x 2Pcs,SL6 x1Pc;
- 1" Length Phillips:PH1 x 2Pcs,PH2 x 2Pcs;
- 1" Length Pozi:PZ1 x2Pcs,PZ2 x2Pcs,PZ3 x1Pc;
- Magnetic Bit Holder:1Pc.
- Surface Treatment:Sandblasting and Colour printing.



47Pcs Impact Driver Bit Set

H15X239

Features:
- BIT RETENTION: Tough Case container bit retention system keeps bits secure
- STEEL BITS: Hardened steel screwdriver bits
- DURABLE CASE: Comes in a strong and durable case
- Well suited for all brand drills, electric screwdrivers and other power tools; Multi-magnetic driver makes it easy to fix bit and pull screws out
- Chrome Vanadium Steel Material - Manganous phosphate treatment surface with maximize rust and corrosion protection, Calibrated heat-treated process comes with higher quality

Specifications:
- Material：Chromium Vanadium Steel (6150)
- Include:1" Length Phillips:PH1 x 1Pc, PH2 x 6Pcs,PH3 x 1Pc;
- 2" Length Phillips:PH1 x 1Pc , PH2 x 4Pcs,PH3 x 1Pc;
- 1" Length Slotted:SL4 x 1Pc , SL5 x 2Pcs,SL6 x 2Pcs,
- SL7 x 2Pcs;
- 2" Length Slotted:SL6 x 1Pc, SL8 x 1Pc,SL10 x 1Pc;
- 1" Length Torx:T20 x 1Pc;
- 2" Length Torx:T20 x 2Pc,T25 x 1Pc;
- 1" Length Square:#1 x 1Pc, #2 x 4Pcs,#3 x 1Pc;
- 2" Length Square:#1 x 1Pc, #2 x 2Pcs,#3 x 1Pc;
- 1-7/8" Length Magnetic Nut Driver: 1/4" x 1Pc,5/16" x 1Pc;
- Socket Adapter:1/4" x 1Pc,3/8" x 1Pc;
- Surface Treatment:Sandblasting.



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

Hand Tools

33pc Security Screwdriver Bit

H15A565

Features:
- Ideal accessory for cordless screwdrivers and drills variable speed drills.
- With Plastic Storage Case.

Specifications:
- Chrome Vanadium Steel
- Universal Fit 1/4" Hex Shank
- 32-pc. 1" Security Screwdriver Bits
- Star: SD-8, SD-10, SD-15, SD-20, SD-25, SD-27, SD-30, SD-35, SD-40
- Hex Bits (SAE): 5/32, 9/64, 1/8, 7/64, 3/32, 5/64"
- Hex Bits (Metric): 2, 2.5, 3, 4, 5, 6mm
- Torque: 6, 8, 10mm
- Spanner: 4, 6, 8, 10mm
- Tri-Wing: #1, #2, #3, #4
- 1-pc. 2-1/2" Magnetic Extension Bit Holder
- Complete with Bit Organizer Item Weight 220g
- Product Dimensions： 7*4.5*2.5cm



7Pcs 3/8" Drive Extra LongHex Bit Socket Set,Metric

H15F127

Features:
- Premium quality CR-V steel bits are made to meet and exceed torque specifications;
- Precisely made tips fit fasteners with exact measure;
- Sockets made of chrome vanadium steel for strength and durability;

Specifications:
- 7-piece 3/8-inch drive Metric Hex bit sockets (Metric): 110mm x 3, 4, 5, 6, 7, 8, 10mm



7Pcs 3/8" Drive Extra Long Hex Star Bit Socket Set

H15F135

Features:
- Premium quality 6150 steel bits are made to meet and exceed torque specifications
- Precisely made tips fit fasteners with exact measure
- Secure storage and easy carrying
- Sockets are made of enduring Chrome-Vanadium

Specifications:
- Material: Chrome-Vanadium Steel
- Surface treatment: chrome plated, sandblast
- Size: T25, T30, T40, T45, T50, T55, T60




12 Piece Metric Combination Ratchet Spanner Set 8-19mm

H15I637

Features:
- The high quality geared ratcheting spanners are all mirror finished and made out of chrome vanadium.
- Comes in a tool bag for storage and easy transportation
- perfect for DIY jobs, car repairing etc.

Specifications:
- Material:40CR + 50BV30
- Size:8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm
- 5° return angle, 72 teeth quality ratchet end Overall heat treatment, rust-proof mirror chrome plating.



13Pcs Hex Bit Socket Set Metric

H15X033

Features:
- Bits made of premium S2 alloy steel for superior hardness
- that reduce wear-outs and insure longevity;
- High strength chrome vanadium steel sockets provide superior
- torque for greater turning power with mirror chrome finish
- for corrosion resistance;
- Precisely and automatically machined bit tips to ensure accurate size,
- Chamfered bit ends insert smoothly into fasteners and
- protect both bits and fasteners from damaged edges;
- Set includes a sturdy plastic organizing case for secure storage and easy carrying.

Specifications:
- 13-Piece Torx star bit socket set includes: 1/4" Drive:2mm, 2.5mm, 3mm, 4mm, 5mm, 5.5mm, 6mm;
- 3/8" Drive: 7mm, 8mm, 9mm, 10mm, 12mm; 1/2" Drive: 14mm





'100pc Security Screwdriver Bit Set

H15A755

Features:
- Comprehensive driver, security and tamper-proof bit set
- High quality Chrome Vanadium steel bits
- Suitable for a wide variety of applications
- Supplied in storage case

Specifications:
- 8-pc Phillips: PH#0, PH#1, PH#2 x 5, PH#3;
- 8-pc Pozi drive: PZ#0, PZ#1, PZ#2 x 5, PZ#3;
- 9-pc Slotted: 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8mm;
- 9-pc Slotted: 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8mm;
- 9-pc tamper proof Torx Star: T8, T10, T15, T20, T25, T27, T30, T35, T40;
- 9-pc Metric Hex: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8mm;
- 6-pc tamper proof Metric Hex: 2, 2.5, 3, 4, 5, 6mm;
- 10-pc SAE Hex: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4";
- 6-pc tamper proof SAE Hex: 5/64,3/32,7/64,1/8,9/64,5/32"
- 4-pc Square: S0, S1, S2, S3;
- 4-pc Spanner: 4, 6, 8, 10;
- 3-pc Torq: 6, 8, 10; 4-pc Tri-Wing: 1, 2, 3, 4;
- 3-pc Clutch: 1, 2, 3; 3-pc Spline: 5, 6, 8mm;
- 1-pc Wing nut driver; 1-pc Magnetic bit holder;
- 1-pc 1/4" Hex to 1/4" Drive socket adaptor (1" long);
- 1-pc 1/4" Hex to 1/4" -Drive socket adaptor (2" long);
- 1-pc 1/4" Drive to 1/4" Hex bit adaptor
- Material:Cr-v(6150)



7Pcs 3/8" Drive Extra LongHex Bit Socket Set,SAE

H15F129

Features:
- Premium quality CR-V steel bits are made to meet and exceed torque specifications;
- Precisely made tips fit fasteners with exact measure;
- Sockets made of chrome vanadium steel for strength and durability;

Specifications:
- 7-piece 3/8-inch drive SAE Hex bit sockets (SAE): 110mm*1/8, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8 inch.



13Pcs Torx Bit Socket Set

H15F712

Features:
- Bits made of premium S2 alloy steel for superior hardness
- that reduce wear-outs and insure longevity;
- High strength chrome vanadium steel sockets provide superior
- torque for greater turning power with mirror chrome finish
- for corrosion resistance;
- Precisely and automatically machined bit tips to ensure accurate size,
- Chamfered bit ends insert smoothly into fasteners and
- protect both bits and fasteners from damaged edges;
- Set includes a sturdy plastic organizing case for secure storage and easy carrying.

Specifications:
- 13-Piece Torx star bit socket set includes: 1/4" Drive: T8, T10, T15, T20, T25, T27, T30;
- 3/8" Drive: T40, T45, T47, T50, T55;
- 1/2" Drive: T60。



13Pcs Hex Bit Socket Set,SAE

H15X031

Features:
- Bits made of premium S2 alloy steel for superior hardness
- that reduce wear-outs and insure longevity;
- High strength chrome vanadium steel sockets provide superior
- torque for greater turning power with mirror chrome finish
- for corrosion resistance;
- Precisely and automatically machined bit tips to ensure accurate size,
- Chamfered bit ends insert smoothly into fasteners and
- protect both bits and fasteners from damaged edges;
- Set includes a sturdy plastic organizing case for secure storage and easy carrying.

Specifications:
- 13-Piece Torx star bit socket set includes: 1/4" Drive:5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4";
- 3/8" Drive: 9/32", 5/16", 3/8", 7/16", 1/2";1/2" Dr.9/16"





Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

6"Electronic Digital Caliper

H23H063

Features:
- THREE MEASURING MODES: Higher quality lower price stainless steel digital caliper with inch/metric/fraction conversion
- PRECISION | ACCURACY: Measurement Range: 0 - 6" and 0 - 150mm; Resolution: 0.0005" / 1/128" / 0.01mm; Accuracy: 0.001" / 0.02mm
- STAINLESS STEEL: Hardened stainless steel shaft with depth-measurement blade, precise internal and external measuring jaws , precision lapping finish electronic digital calipers
- VERSATILITY: measure inside, outside, depth and step with two sets of jaws and the probe.EASY READ VISIBILITY: extra large LCD screen for easy and clear reading
- BONUS: extra replacement LR44 battery along with one battery included and custom fit storage case included for better value

Specifications:
- inch/metric/fraction conversion
- ACCURACY: Measurement Range: 0 - 6" and 0 - 150mm;
- Resolution: 0.0005" / 1/128" / 0.01mm;
- Accuracy: 0.001" / 0.02mm
- LR44 battery along with one battery included and custom fit
- storage case included for better value



6" IP54 Electronic Digital Caliper 150mm, Extra-Large Screen

H23H091

Features:
- Finely polished stainless steel frame with knurled thumb roller and locking screw ensure smooth sliding and accurate positioning in use
- Extra-large LCD screen is larger than the standard and is highly visible for easy and clear reading
- One button quick change between three measuring modes including inch, fraction, millimeter for multiple conversion style
- Precise measurements range from 0-6" and 0-150mm with resolution 0.0005" / 1/128" / 0.01mm;
- Accuracy: 0.001" / 0.02mm provides accurate results eliminating chances of error
- Versatile function allows measuring inside, outside,depth and step with two sets of jaws and probe for all types of jobs



4" Plastic Digital Caliper

H23H103

Features:
- 【Accurate Result】 The button allows switching the LCD between inch and metric. Precise measurements(Resolution :0.1mm & accuracy 0.01 inch) will meet your accuracy requirements with the easy-to-read LCD Display
- 【Easy Operation】 The extra large LCD screen is for easy and clear reading even under the stong sunlight.The diameter caliper has a very smooth convertible function of setting measurement between inches and millimeters. There is also a flexible button-zero setting.
- 【Sturdy Body】 Well made of carbon fiber, it is light & hardly to be scratched in the surface. It makes sure the stable function could be enjoyed by people from different industry. The digital micrometer comes in a good blow molded case for protection. The jaws moves smoothly and produces no jams. The electronic caliper will be fairly easy to control and can be used right out of the box

Specifications:
- 0-100mm
- LCD display
- Carbon fiber compostite
- Resolution :0.1mm
- Accuracy:±0.2mm
- 1.5vSR44 battery



6"Electronic Digital Caliper Carbon Fibre

H23H125

Features:
- PRECISE MEASUREMENT--- Perfect and accurate caliper measuring tool for household.
- INCH/MM CONVERSION--- One button quick switch between two units: inch and millimeter, definitely save your time.
- ZERO SETTING FUNCTION---The smart design allows you to set zero with an easy touch of a button and start a new measurement at any point of the scale, ideal for differential measuring.
- LARGE LCD SCREEN & AUTO OFF---The large and easy-to-read LCD display helps you get precise results quickly and easily, auto shutdown for saving battery after 5 minutes if without operation.
- 4 MEASURING MODES---This digital caliper can be used to Measure inside and outside diameter, depth and step with two sets of jaws and a probe.

Specifications:
- Range: 0-150mm (6")
- Resolution: 0.01mm (0.0005")
- Accuracy: 0.04mm (0.002")
- Carbon Fiber Composite
- External & Internal Measuring Jaw
- Depth Measuring Blade
- Zero Setting at any point
- Large LCD
- Stepped Measuring Faces
- mm/Inch Conversion
- Auto on/off



6" Digital Caliper with Metal Cover

H23H193

Features:
- Proster vernier caliper-with 32 Feeler gauge Set, precise resolution: 0.0005"/0.01mm, measurement range: 0 - 6" And 0 - 150mm; resolution: 0.0005"/ 1/128"/ 0.01mm; accuracy: 0.001"/ 0.02mm, our vernier meets your accuracy requirements anytime
- 32 blades Feeler gauge. 0015"/ 0.04 mm to 0.035"/ 0.88 mm, Each Feeler gauge is laser etched with inches and millimeters for easy identification; foldable for easy take and store
- Hardened stainless steel caliper-depth-measurement blade, precise internal and external measuring jaws, polished stainless jaws for smooth sliding; smart design to prevent burrs and sharp edges
- Easy measure & easy read-automatic on/off, measure inside, outside, depth and step with jaws and probe; extra large LCD screen, fraction/inch/metric conversion, for easy and accurate reading
- Good pack value-durable battery and extra LR44 battery included; high-grade plastic storage case; 32 blades steel Feeler gauge for better value

Specifications:
- Accuracy： 0.03mm / 0.0015in
- Mini scores show: 0.0005in & 0.01MM
- body material: stainless steel body
- Battery： LR44
- plastic case
- Accessory: 2PCS Battery,1pcs Neutral manual , 1pcs screwdriver



8" Electronic Digital Caliper

H23H197

Features:
- VERSATILITY: measure inside, outside, depth and step with two sets of jaws and the probe
- EASY READ VISIBILITY: extra large LCD screen for easy and clear reading

Specifications:
- PRECISION | ACCURACY: Measurement Range: 0 - 8" and 0 - 200mm;
- Resolution: 0.0005" / 1/128" / 0.01mm;
- Accuracy: 0.001" / 0.02mm
- STAINLESS STEEL: finely polished stainless steel frame with knurled thumb roller and locking screw ensure smooth sliding and accurate positioning in use

12" Electronic Digital Caliper

H23H385

Features:
- VERSATILITY: measure inside, outside, depth and step with two sets of jaws and the probe
- EASY READ VISIBILITY: extra large LCD screen for easy and clear reading

Specifications:
- PRECISION | ACCURACY: Measurement Range: 0 - 12" and 0 - 300mm;
- Resolution: 0.0005" / 1/128" / 0.01mm;
- Accuracy: 0.001" / 0.02mm
- STAINLESS STEEL: finely polished stainless steel frame with knurled thumb roller and locking screw ensure smooth sliding and accurate positioning in use



Digital Tread Depth Gaugewith Plastic

H23I235

Features:
- Digital LCD display
- Manual power on/off
- Zero setting at any position
- Metric/Inch system interchange
- Brake shoe and pad wear
- Mini size, handheld and portable
- Suitable for tread depth measurement
- Designed with electroplated iron probe

Specifications:
- Range: 0-25.4 mm / 0 - 1 inch
- Resolution:0.01mm / 0.0005 inch
- Working temperature:0°C - 40°C



Heavy Duty Aluminum AlloyAngle Template Tool

H23S075

Features:
- INDUSTRIAL GRADE - Our Angle Tool is made from premium Aluminum which won't rust, break and will LAST LONGER
- VERSATILE – Easily adjust with the 4 screw bolts, create custom stencils for brick, wood, tiles, flooring, metal and much more
- Simply loosen the metal knobs and adjust the ruler to your desired angle or shap
- This handy tool can be used at home or at work and will help you to create perfect angles on brick, slate, wood, tiles, laminate, and more! Use to create plumb joints, arches, joists and bull's eyes

Specifications:
- Material: Premium Aluminum Alloy
- Color: Black
- Product Weight:0.32 lbs
- Open size:12"6.9"0.7 inches
- Fold size:12"2"0.7 inches



Tread Depth Gaugewith Stainless Steel

H23I253

Features:
- Expert Quality, metric and imperial calibration with conversion between the two.
- Zero setting control allows for comparative measurement.
- Clear LCD for easy reading.

Specifications:
- Resolution: 0.01mm (0.0005")
- Accuracy: 0.03mm (0.001")
- Stainless Steel
- Large LCD Display
- Steel Depth Rod
- Zero Setting at any point
- Metric/Inch Conversion



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Hand Tools

28pcs impact bits set

H15X185

Features:
- Material： Chromium Vanadium Steel (S2)
- Include:14Pcs 25mm Length 2Pc PH1, 3pc PH2, 2pc SL6, 2pc S1,
- 1Pc S2、T15、T20、T25、T30;
- 12Pcs 50mm Length:SL5,SL6,S1,S2, T15,T20,T25,T30,PH1,PH1,PH2;
- 1pc 60mm stainless steel quick release chunk;
- 1pc Hardware plastic box.
- Highly Compatible with Tool: Universal 1/4"hex shank with
- unique power groove fits most powered corded or cordless drill.



COLLAPSIBLE MEASURING WHEEL

H23AD095

Features:
- Designed for heavy-duty professional use
- Sturdy oval tube frame; Wide stance folding kickstand
- Pistol grip with imbedded counter reset and trigger brake
- Sealed roller bearings
- Measure over longer distances (to 9,999 ft) and over rough surfaces

Specifications:
- Measuring range:0-9999.9 ft
- Wheel diameter:12.5"（318MM）
- Telescopic length:43.3"(1100 MM)
- Folding length:19.7"(500MM)
- Material:PA+PC Yellow/Black
- Aluminum tube :1.7"(43.6MM)
- 1PC Cloth bag



COLLAPSIBLE MEASURING WHEEL

H23AD139

Features:
- Mechanical analog gear type counter logs up to 9,999.9 feet of distance with forward roller movement while decreasing when rolling backwards; an accessible lever by counter box resets the count back to zero
- The dial window with expanded function, easy to read display counter.
- Thick rubber tire wheel with kickstand attached is suitable for indoor and outdoor terrain including dirt, grass, concrete and construction sites
- Ergonomic handle and aluminum body extends to a maximum of 40-inches and folds at 21-inches on the fast fold joint for easy carry after the work is done
- Arrow attached to center of wheel assists in indicating starting and ending points for accurate measuring
- Folding measuring wheel comes with a cloth bag for easy compact storage

Specifications:
- Measuring range:0-9999.9 ft
- Wheel diameter:315MM
- Telescopic length:1200 MM
- Folding length:540MM
- Material:ABS Yellow/Black
- Aluminum tube :22MM
- 1PC Cloth bag



Multipurpose Laser Levellaser measure Line 8FT

H23AH125

Features:
- 3-PRONGED APPROACH - combines a fine-tuned tape measure, a triple-positioned leveling bubble and a NEW laser level to provide maximum results faster than ever.
- WORKS ANYWHERE - designed for any situation where a straight line or accurate measurements are needed. Regardless of the situation, it's completely plug & play.
- 8-FOOT Measuring Tape - comes loaded with an 8-foot measurement tape, inclusive of metric and imperial measures with precision graduations for topline accuracy.

Specifications:
- Size : 18.5 (L) x 6.2(W) x 2.8 (H) cm
- Packaging size: 210*80*40mm
- Color : Black Net weight: 185g
- Package weight: 232g
- Original box: YES
- Laser light has an on/off power switch.
- Laser max output: less than 0.5mW
- Note:Laser Ranging Error,that is given as " +/-2mm at 10m and 25m"
- Powered by 3*AG13 button cell battery (included)



6" Vernier Caliper

H23F053

Features:
- Made of real stainless steel hardened Chromeplated, fine ground and polished, each product has a serial number to control the quality
- Professional precision measuring tool for industrial use (particularly on metal workpieces), totally different from DIY hand measuring one (like any carbon steel caliper, which is not good to measure metal workpieces bacause of the low hardness)
- Accuracy +/-0.001"/0.02mm. Though digital calipers are easy to read because of the screen, machinic ones (vernier calipers) are more reliable!
- This is why vernier calipers and dial ones still exist after digital ones appeared.
- 4 ways to use: inside/outside/step/depth measurement, which almost meets all basic precision measuring needs

Specifications:
- Stainless Steel Hardened Chromeplated
- Inch/Metric 0-6"/150mmx0.001"/ 0.02mm for Precision
- Measurements
- Outside/Inside/Depth/Step Accuracy +/-0.001"/0.02mm



6" Digital Caliper IP54 Water Resistant

H23H025

Features:
- You get a large, easy-to-read LCD screen
- Precise measurements (see Tech Details below)
- Automatic shut-off
- One button switch between inches or millimeters or fractions
- Smooth, brushed all stainless steel, no plastic, glides easily without sticking
- Position lock for duplicate measurements
- Capable of measuring inside and outside dimensions, step and depth measurements
- Can be set to Zero at any position, for differential measurement

Specifications:
- IP54 Water Resistant
- Get Precision Fractional Measurements in SAE/Metric/fraction
- 6 inch/150mm with these Large LCD Vernier Calipers
- ACCURACY within .0005 inch, .01 millimeter,1/64"
- AUTOMATIC ON/OFF
- Measures inside + outside dimensions, diameters, steps and depth gauge



6"Carbon Fiber caliper with Super Clear Display （ super large screen ）

H23H035

Features:
- THREE MODES - Three modes switch between Inch /Fractions/mm can satisfy all your needs

Specifications:
- VISIBLE READING - 1.97 inch X 0.88 inch LCD provides clear display in Inch/Fractions/mm ;
- Resolution;0.0005" / 1/128" / 0.01mm,
- Accuracy: ±0.2mm/0.01"



6"Carbon Fiber caliper with Super Clear Display （ super large screen ）

H23H055

Features:
- THREE MODES - Three modes switch between Inch /Fractions/mm can satisfy all your needs

Specifications:
- VISIBLE READING - 1.97 inch X 0.71 inch LCD provides clear display in Inch/Fractions/mm ;
- Resolution;0.0005" / 1/128" / 0.01mm,
- Accuracy: ±0.2mm/0.01"



6" Electronic Digital Caliper

H23H059

Features:
- VERSATILITY: measure inside, outside, depth and step with two sets of jaws and the probe
- EASY READ VISIBILITY: extra large LCD screen for easy and clear reading

Specifications:
- PRECISION | ACCURACY: Measurement Range: 0 - 6" and 0 - 150mm;
- Resolution: 0.0005" / 1/128" / 0.01mm;
- Accuracy: 0.001" / 0.02mm
- STAINLESS STEEL: finely polished stainless steel frame with knurled thumb roller and locking screw ensure smooth sliding and accurate positioning in use



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

36-pc 5/32"Letter and Number Stamp Set

H37H533

Features:
- Permanently imprint metal, wood, plastic, leather, and many other items using this Letter and Number Stamp Set. Featuring twenty-six letters, the & character, and nine numbers (6/9 are reversible), this set is ideal for jewelry and fashion projec hobbies and crafts, organization, and marking tools, bic and equipment to help prevent loss or theft. The include indexed wood box neatly organizes stamps for fast identification and selection.



Specifications:
- Hardened 40 chromium Steel Punches
- Corrosion-Resistant Black Oxide Finish
- Includes A - Z and 0 - 9 Characters
- Imprints Metal, Wood, Plastic and Leather
- Length: 2-3/8"
- Width: 1/4"
- Character Height: 5/32"
- 36-pc. Punches: A - Z and 0 - 9
- Wood Index Box

9-pc. Hollow Punch Set

H37I635

Features:
- ideal for leather working and for making clean holes in tough materials such as gaskets, leather, plastic, rubber, and vinyl.
- This set features precision ground flutes, precision cutting edges, and a pouch for easy storage and organization.



Specifications:
- Heat Treated Carbon Steel Construction
- Precision Ground Flute and Cutting Edge
- Non-Slip Knurled Handle Grip
- Cuts Clean Holes in Gaskets, Leather, Rubber, Cardboard,and Other Soft Materials
- 9-pc. Hollow Punches:1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2

13pc Super Sharp Hollow Punch Set

H37I765

Features:
- Carbon steel with drop forged & heat treated process
- provide powerful strength.
- Plastic handle offers comfortable grip.
- Easy to punch accurate holes in gasket material,leather,
- light gauge sheet metal,vinyl,and more.



Specifications:
- Size:3/16"(5mm),1/4"(6mm),5/16"(8mm),3/8"(10mm), 7/16"(11mm),1/2"(13mm),5/8"(16mm),3/4"(19mm), 7/8"(22mm),1"(25mm),1-1/8"(28mm), 1-1/4"(32mm),1-3/8"(35mm)

9pc Roll Pin Punch Set with Cleaning Mat and Hammer

H37X083

Features:
- Hardened steel construction: This roll pin punch set is made of highly quality hardened steel, drop forged, heat treated & knurled steel for extreme durability, workability.
- Great Handle:The knurled handles are deeply cut and let you get a good handle on it while striking with a hammer.
- Safe hemispherical recessed roll pins: Hemispherical recessed tips to cradle the roll pin, so it won't cause scratches or damage to your firearm
- Fitted nylon storage pouch:This 9pcs roll pin punch set toolkit come with red pouch, easy to use, carry,storageor hang this tool set.
- This roll pin punch set kit is perfect tool for gunsmith, jewelers, watchmakers, engineers,carpenters - useon Machinery, Vehicles, Woodwork and Crafts.



Specifications:
- Full set roll pin punch:9pcs different size including 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16"punch size
- It comes with a Hammer and a mat, Hammer size:35mm, Mat size:300*400mm

16-pc. Punch and Chisel Set

H37X203

Features:
- With 16 different shapes and designs, the 1600 is popular for a multitude of uses including: bolt hole alignment, ball joint separation, spreading steering knuckles, center punching, and driving out bolts and pins.
- Heat treated Chrome Vanadium provides a high hardness rating that discourages mushrooming of heads and dulling of chisels and punches.



Specifications:
- Machined from Heat Treated Hex Stock Alloy Steel
- Precision Ground and Polished
- Tapered Striking Head Reduces Spalling
- 3-pc. Cold Chisels: 3/8"x5-1/2",1/2"x6", 5/8"x6-1/2"
- 2-pc. Center Punches: 1/8" x 5", 3/16" x 6"
- 5-pc. Taper Punches: 3/32"x 5-1/4",1/8"x 4-3/4",5/32"x5"
- 3/16" x 5-1/4", 1/4" x 5-3/4"
- 5-pc. Pin Punches: 3/32"x 4-1/4", 1/8"x 4-3/4",5/32"x5"
- 3/16" x 5-1/4", 1/4" x 5-3/4"
- 1-pc. Chisel Punch Gauge

6 PC SMALL HOLLOW PUNCH SET

H37I531

Features:
- ideal for leather working and for making clean holes in tough materials such as gaskets, leather, plastic, rubber, and vinyl.
- This set features precision ground flutes, precision cutting edges, and a pouch for easy storage and organization.



Specifications:
- Sizes: 1/8",5/32", 3/16", 7/32", 1/4", 5/16"
- Texture of material： carbon steel
- surface treatment： polished
- Product heat treatment

12 pcs Hollow Punch Set

H37I725

Features:
- Hollow punch set easy to use by placing gasket hole punch over area that needs a hole and hit back end with a hammer or mallet, making distinctive artistic and aesthetics effects on leather with different patterns punchers
- Metal round leather hole puncher is suitable for falconry, hobbies, crafts, modeling, home repair etc. when making purses, file packages, vinyl or any custom leather work.



Specifications:
- Heat Treated Carbon Steel Construction
- Material： 45# Carbon steel,heat treated
- Cutting edge， HRC45-48
- Surface finish: polished
- Size:3, 4, 5, 6, 7, 8, 10, 11, 12, 14, 16 & 19Mm

9pc Roll Pin Punch Set+Cleaning Mat

H37X081

Features:
- Durable Pin Punch Set
- Whether you are looking to repair or change out pins, fix your wife's jewelry, or make some minor repairs on your car, our Roll Pin Punch Set will be the tools that help you get the job done right. The first time.
- The reverse taper tips prevent slipping, scratching, and causing damage to your machinery.
- With the cleaning mat. It grips to the surface to avoid sliding.
- This roll pin punch set kit is perfect tool for gunsmith, jewelers, watchmakers, engineers,carpenters - useon Machinery, Vehicles, Woodwork and Crafts.
- Keep Your Surface Clean: the mat surface is oil resistant dye-sublimation printing, water proof and easy to clean.
- Perfect Gift: a must have for any gun lover. Top rated gift in the ar15 tools and ar accessories category. Storage case included (see images)



Specifications:
- Punch Material: Drop forged, heat treated steel(40Cr)
- Punch Sizes - 1/16" x 2 3/4", 5/64" x 3 1/4", 3/32" x 3 1/2", 1/8" x 4", 5/32" x 4 1/2", 3/16" x 4 3/4", 7/32" x 5", 1/4" x 5 1/2", 5/16" x 6 1/4"
- Roll-up storage pouch.
- Gun cleaning mat measures 300 x 400mm and thickness 2mm.
- Cleaning mat: thermoplastic fiber surface +neoprene rubber

Engineering Hammer and Punch Set

H37X085

Features:
- Chrome plated steel hammer has Polymer and brass heads to ensure strong, but non-marring contact while in use
- Features brass, steel and nylon solid punches making it the ideal kit for your workbench
- Comes with a convenient plastic molded storage case



Specifications:
- Engineering Hammer and Punch Set with Brass, Steel, Plastic Punches, Brass/Polymer Hammer and Storage Case for Gunsmithing Maintenance
- DIMENSIONS: 9.75" L x 5.25" W x 2" D
- INCLUDES: 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 9/32" and 5/16" brass punches, (2) 1/16", (2) 3/32" steel punches, 15/64", 3/8" plastic punches

AR-15 roll pin tool kit

H37X157

Features:
- Use to efficiently install every AR roll pin without damage to the firearm.



Specifications:
- Includes:
- 1pc dual head mallet,1pc bolt catch pin starter.
  1pc bolt catch pin punch
  1pc trigger guard roll pin pusher
  3pc starter punches
  3pc driver punches (1/16,5/16,3/32)
  1pc Blow mold case

Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Hand Tools

6" Aluminium Alloy Square

H23T225

Features:
- Heavy duty aluminium square with high contrast markings for clearer reading. Large base for better grip on materials. Ideal for roofing and framing.
- The easy-to-read angle scale allows you to find any angle from 0 degrees to 180 degrees for many of your special designs such as carvings, picture framing, furniture, room dividers, shadow boxes, "cut-outs", routings and more.
- The rafter scales are laid out mathematically to take the time-consuming calculations out of your layout work. This gives you the accuracy you need with the convenience of using one number to work with.
- The Rafter Angle Square also makes an excellent right angle guide for an electric saw to run against.



Specifications:
- Measurement accuracy: 0.1
- Applications: Woodworking measurement
- Material: aluminum alloy
- Surface treatment: powder coating.
- Weight:140g

5pc Pin Punch Set

H37E503

Features:
- Punch section center less ground
- Handles black oxide for rust prevention
- Knurled body for better grip
- Both ends hardened to HRC 45 to 52
- For toolmakers, machinists, and mechanics
- Fitted pouch with size markings



Specifications:
- Length: 8"
- Sizes: 1/8, 3/16, 1/4, 5/16, 3/8"
- Pin Section length: 3-1/2

4pc hollow end starter punch set

H37E529

Features:
- Hollow end roll Pin Punch Set helps to prevent damage caused by an accidental slip off while getting the pin started,knurled Steel handles for sure grip in every application,align and start the pin,finish driving it with an impact punch.
- These Pin Punches are heat treated, drop forged, hardened and knurled steel for greater durability, workability, and overall performance.
- Red Iron Tactical Starter Punch Set is a great set of tools designed to remove and re-use roll pins without causing major damage to the pins.



Specifications:
- Sizes: 1/8 5/32 3/16 7/32 only for gun!!!!!
- Will cover all of the AR refile platform including trigger guard,gas block, and forward assist.
- Hollow end roll pin punch set helps to prevent damage caused by an accidental slip off while getting the pin started
- Use to align and start the pin and finish driving it home with an impact punch.
- Works with roll pins up to1/8",punch size approximately 2.5"

6-pc. Pin Punch Set

H37E565

Features:
- Machined from Heat Treated Hex Stock Alloy Steel
- Precision Ground and Polished
- Tapered Striking Head Reduces Spalling



Specifications:
- 6-pc. Pin Punches: 3/32"x 4-1/4",1/8"x 4 -3/4", 5/32"x5"
- 3/16" x 5-1/4", 1/4" x 5-3/4", 5/16" x 6-1/4"

28 PC Transfer Punch Set

H37F515

Features:
- Takes the guesswork out of transferring threaded, drilled or reamed machining, drilling operations
- Each punch is made high quality heat-treated alloy steel with black oxide finish for durability and rust resistance
- Precision point transfer punches, suitable for toolmakers and machinists
- Wide set of transfer punches from 3/32" to 1/2" by 1/64"; includes 17/32" transfer punch
- Drilling punch set includes easy-to-see index stand to keep tools stacked and ready to pull
- For toolmaker and machinists.
- Eliminates the guesswork when transfering threaded, drilled or reamed holes.



Specifications:
- Heat Treated Alloy Steel,Black oxide finished
- 4-7/8" long:3/32"---1/2" by 64ths, handy 17/32" Punch and Stand
- Size: 3/32", 7/64",1/8",9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64, 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/2", 17/32"

12" Aluminium Square

H23T345

Features:
- Heavy gauge aluminum with matte finish to prevent glare
- 1/4 in. and 1/2 in. spaced notches to facilitate scribing lines
- Plain gradations
- Great for deck framing and stairway building!



Specifications:
- Measurement accuracy: 0.1
- Applications: Woodworking measurement
- Material: aluminum alloy
- Surface treatment: powder coating.
- Net weight: 530g.

4pc Pin Punches set

H37E125

Features:
- 4 different diameter pin sizes for various pin punch needs.
- The pin punches are secure in the pouch that folds and snaps shut for easy storage.
- The handle is easy to grip. The dimensions of the pouch with the drive pin punches set is 3-1/2" x 7-1/2".



Specifications:
- Sizes: 1/16", 3/32", 1/8", 5/32"
- All 4 pin punches are 4" long
- Pouch to store your punch set
- Steel material

9pc Roll Pin Punch Set

H37E505

Features:
- Make sure the punch is absolutely straight and in line with the pin you are removing.
- Work piece 'Must' be properly supported with a proper bench block that prevents the piece from shifting as well as having a hole to allow the pin to exit through.
- Punches can withstand the utmost impacts without breaking.
- Due to the brilliant Ball Pin Head design, the punches won't even move or slide off the desired hitting point.



Specifications:
- Drop forged, heat treated steel(40Cr)
- Sizes - 1/16" x 2 3/4", 5/64" x 3 1/4", 3/32" x 3 1/2", 1/8" x 4", 5/32" x 4 1/2", 3/16" x 4 3/4", 7/32" x 5", 1/4" x 5 1/2", 5/16" x 6 1/4"
- roll-up storage pouch.
- Item Weight 12.8 ounces
- Product Dimensions 8.3 x 4.4 x 0.8 inches

8 Pieces Pin Punch Set Tool

H37E547

Features:
- High quality: 8 pieces pin punch set are made of highly quality hardened 40# steel, drop forged, heat treated & knurled steel for extreme durability, workability
- Full set pin punch: 8 pieces pin punch set including 1/16", 3/32", 1/8", 5/32",3/16", 7/32", 1/4", 5/16"and 3.94inch long
- Great grip: The knurled handles are deeply cut and let you get a good grip on it while striking with a hammer
- Excellent package: 8 pieces pin punch set come with red carrying bag, easy to use, carry, storage or hang this tool set



Specifications:
- 8 pieces pin punch set are made of highly quality hardened
- 40# steel;drop forged, heat treated & knurled steel for extreme durability, workability
- Size: 1/16", 3/32", 1/8", 5/32",3/16", 7/32", 1/4", 5/16" 3.94 inch long

36 PC 1/4" NUMBER & LETTER PUNCH

H37H525

Features:
- Emboss numbers on your parts and tools to organize your sets, and engrave your name or your company's name on both hard and soft-wood, aluminum, and most metal or plastic surfaces with this Letter & Number Stamp Set.
- You will never again have to worry about organization or protection – the Steel Letter & Number Stamp Set has got you covered for all of your stamping needs.



Specifications:
- Size: 1/4" (6mmx6cm)
- A-Z, 0-9, plus Ampersand (&)
- Note: 6 & 9 are Interchangeable
- Texture of material： 45# steel, surface blackening,
- hardness: 45-50 degrees
- surface treatment： Black
- Product heat treatment

Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Hand Tools

4pcs Pry Bar Set

H39D575

Features:
- Pry Bar Set has a wide range of sizes to pry, lift, position and align machinery and parts.
- Square shaft mechanic-style pry bars have an angled tip that offers an extra leverage point for working in narrow areas.
- Sharpened chisel tips easily slide into tight spaces to separate parts.
- Large contoured poly handles keep your hand comfortable even under high stress.

Specifications:
- Material: 45 # carbon steel plastic handle:
- Product Size: 8inch/12inch/18inch/24inch



3pc Go Through Pry Bar Set

H39D577

Features:
- rubber molded handles provide ergonomic grip for comfortable prolonged use and improved control
- SHARP BLADE – precision-ground edge with angled design delivers maximum leverage while prying

Specifications:
- Size:8"(5.8X5.8mm)12"(7.8X7.8mm)17 3/4"(9.8X9.8mm)
- Hand shank: PP+TPR
- Material: .45#carbon steel
- Surface treatment:Black
- Heat treatment



4PCS Go Through Pry Bar Set

H39D583

Features:
- SOFT & LONG HANDLE—Ergonomic rubbery handles make them easy to hold onto for extended projects and helps you keep control even better. Never worry about it will slipping from your hand.
- STRIKE CAP—The metal strike cap on the end allows striking hard without breaking the handles.

Specifications:
- 4 piece pry bar set - 8" 12" 18" and 24".
- Hardened and tempered for strength and durability.
- Material: 45 # carbon steel ; plastic handle: TPR+PP



4pcs Go Through Pry Bar Set

H39D585

Features:
- Curved blade design provides extra leverage
- Capped ends allow user to strike with a hammer without damaging the head
- Blade protection for added safety
- Ribbed cushion handles for added grip strength

Specifications:
- Material:45 # carbon steel
- Handle: black TPR, blue PP
- Product Size:
  1 x pry bar 8" (200mm)
  1 x pry bar 12" (300mm)
  1 x pry bar 18" (450mm)
  1 x pry bar 24" (600mm)



5PC PRY BAR SET

H39X635

Features:
- Features large, easy-to-grip handles.
- Angled tip creates a high-leverage fulcrum for prying or lifting
- Sharpened chisel end wedges into tight spaces
- Roll bar for aligning mating holes, Rolling head makes a great deal of leverage possible

Specifications:
- Material: .45#Carbon steel
- Manufactured with tough High Carbon steel shafts that have been heat treated for maximum strength.
- They come in 8", 12", 18" and 24" lengths and the set also includes a 15.5" rolling bar so will cover a wide variety uses.



LED magnetic claw retriever

H43A135

Features:
- The Flexible and Obedient Black Electroplated Steel Shaft Can Bend and Hold Any Shape For Maximum -Maneuverability In Difficult Places
- Must-have tool for mechanics, great for grabbing under furniture, in crevices & down drains
- This Claw and Magnetic Pickup Tool Features a Powerful -White LED Light For Retrieving Ferrous and Non-Ferrous Items From Dark or Hard-To-Reach Areas
- The tool's body is wrapped in black tape, it will protect your hands when you adjust its length.
- Press plunger and jaws opens wide / release plunger and jaws clamp shut

Specifications:
- LED: 1pcs LED
- Size: 610mm
- Powerful magnet lifts up to 2 lbs
- Requires (3) AG13 button cell batteries(included)
- Weight: 118g
- Material: Aluminum
- Surface oxidation treatment
- Lighted retractable 4 claw pickup and magnetic tool



3/8" Dr.Stud Extractor

H45B075

Features:
- EFFORTLESSLY REMOVE ANY STUD, 3/8" Inch Drive – 1/4" to 1/2" (6mm to 12mm) Studs Metric & SAE Removal Tool will effectively work on threaded, broken, rusted, stripped, and smooth studs for ultimate versatility
- FITS YOUR APPLICATION,Adjustable to fit studs that are 1/4-inch to 1/2-inch (6mm to 12mm)
- BUILT TO LAST,Jaws are perfectly shaped to easily grab a bolt or stud even with no head; Solid metal construction for strength and longevity
- EASY TO USE,Simple instruction and diagrams included; No heating required; Place stud extractor over stud to be removed and tighten jaws by turning rear hex drive nut in a counter-clockwise motion; Engage air impact wrench into the hex drive; Rotate impact wrench counter-clockwise to extract stud (self-tightening action of tool will grip and extract stud); Stud can be released by turning hex drive nut clockwise while holding larger hex drive nut

Specifications:
- Fits all studs 1/4in. to 1/2in.(6 to 12mm)
- Use on a low stting with your 3/8in. impact gun.
- Hex shaft can be a used with a wrench,ratchet, or impact tool and socket.



10pc Screw Extractor & Left-Hand Drill Bit Set

H45B625

Features:
- Extraction bits easily remove broken screws, studs, bolts and other fittings
- Left-handed drill bits are made from cobalt fortified high speed steel for increased durability and service life
- Spiral flutes on screw extractors dig into the screw, increasing grip as torque is applied
- Comes in a durable metal index carry case for organization and storage; Sizes are clearly labeled

Specifications:
- 5pc multi- uted, machined alloy steel screw extrator size: #1、#2、#3、#4、#5
- 5pc left Hand Titanium coated HSS Drill Bits: 5/64", 7/64", 5/32", 1/4", 19/64"



18 Pcs Extractor Drill With Tap Master Set

H45X275

Features:
- Taps Industrial grade GCr15 bearing steel construction ensures durability and tool longevity. 1pc tap holder included
- Drils : Classic HSS construction for capability and durability. Great drill bits set for metal/wood/plastic countersink. Suitable for Home DIY, and General Building/Engineering Use.
- Screw Extractors: Used to remove or extract the damaged screws and broken bolts, alloy steel material can be stable and durable

Specifications:
- 7PC Taps: M3x0.5mm, M4x0.7mm, M5x0.8mm, M6x1.0mm, M8x1.25mm, M10x1.5mm, M12x1.75mm;
- Material:Alloy steel,Gcr15.
- 5Pc Drills:2,3,4,6.5,7.5mm;
- Material:HSS 4341
- 5Pc Spiral Flute Screw Extractors: 4.0,4.5,6.5,7.5,11mm.
- 4.0mm:Suitable for 4-6mm range;
- 4.5mm:Suitable for 6-8mm range;
- 6.5mm:Suitable for 8-11mm range;
- 7.5mm:Suitable for 11-14mm range;
- 11mm:Suitable for 14-18mm range;
- Material:Alloy steel,Gcr15
- 1Pc Tap holder - suitable for M3 - M12 (1/16" - 1/2") total length - 200mm.



39Pcs tools set

H95A016

Features:
- Contains the tools needed for most small repairs around the house
- Heat treated and chrome plated to resist corrosion
- Securely housed in a handy blow molded case
- All tools meet or exceed ANSI critical standards
- Contains the tools needed for most small repairs around the house

Specifications:
- Material: Carbon Steel
- Include:
- 1pc 6" SLIP JOINT PLIER;
- 1pc KNIFE 18mm;
- 1pc SCISSORS 8"
- 4pc PRECISION SCREWDRIVER
- 1pc CLAW HAMMER 8 OZ.
- 1pc MEASURING TAPE 3m
- 20pc BITS x25mm / L
- 1pc BIT HOLDER 60MM
- 8pc HEX KEY WRENCH 1.5-6MM
- 1pc DRIVER HANDLE




Cleaning Mat-43x16"Red Parts Tray

H99Z135

Features:
- GUN CLEANING MAT FOR ORGANIZED GUN CLEANING:this mat helps to make cleaning and maintaining any of your firearms more organized.
- PARTS TRAY FOR ORGANIZATION:connected to the cleaning pad is a parts tray with a small magnetic section for keeping track of pins,springs, and other parts.
- PROTECTS YOUR WORK SURFACE:when oil, solvents, or any liquids are spilled on the lightly padded mat they will bead up and not soak through allowing for easy and quick cleanup.
- GRIPS ONTO WORK YOUR SURFACE:the non-slip surface on the back of the mat grips onto mostsurfaces preventing the cleaning mat from moving around.

Specifications:
- CLEANING MAT:the 43 by 16 inch cleaning mat will roll up for compact and easy storage and will roll out flat when you need it.



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Hand Tools

28pc Chisels Set

H37X225

Features:
- Kit includes all the common size punches & chisels you'll need to start, align, punch & mark holes into wood or metal to get the job done fast & accurate.

Specifications:
- 16PC. chrome vanadium punch and chisel set
  5-pc. pin punches
  5-pc. taper punch
  2-pc. center punch and chisel punch gauge
  3-pc. cold chisel
  12PC. high carbon steel set
  6-pc. cold chisel set
  4-pc. pin punch set
  2-pc. center punch
  Complete with roll-up vinyl storage pouch



Engineering Hammer and Punch Set

H37X087

Features:
- Reversible hammer with nylon and steel heads
- The brass and steel punch set comes in a small compact and convenient blow molded case.

Specifications:
- The kit includes:
- 1 double faced hammer with steel and nylon heads,
- 8 brass head punches (1/6", 9/64", 3/16", 7/32", 1/4", 9/32", 5/16")
- 4 steel head punches (2 x 1/16" , 2 x 3/32"),
- 2 nylon punches (1 x 15/64" and 1 x 3/8").
- Size: 248*134*51mm
- Weight: 820g



12-Inch Wrecking Bar

H39A043

Features:
- Forged from hex bar stock for ultimate strength
- Sharp, precisely-machined chisel ends slide into cracks and crevices
- High-leverage hook end with deep V nail slot
- Durable enamel finish resists rust and corrosion

Specifications:
- Materials: 45# carbon steel;Power coating; heat treatment
- Hexagonal cross section
- Hesigned with a polished, beveled chisel end and polished slotted claw
- Length:12"; Diameter:14mm



18-Inch Wrecking Bar

H39A049

Features:
- Forged from hex bar stock for ultimate strength
- Sharp, precisely-machined chisel ends slide into cracks and crevices
- High-leverage hook end with deep V nail slot
- Durable enamel finish resists rust and corrosion

Specifications:
- Materials: 45# carbon steel;Power coating; heat treatment
- Hexagonal cross section
- Hesigned with a polished, beveled chisel end and polished slotted claw
- Length:18"; Diameter:16mm



24-Inch Wrecking Bar

H39A057

Features:
- Forged from hex bar stock for ultimate strength
- Sharp, precisely-machined chisel ends slide into cracks and crevices
- High-leverage hook end with deep V nail slot
- Durable enamel finish resists rust and corrosion

Specifications:
- Materials: 45# carbon steel;Power coating;
- Head heat treatment
- Hexagonal cross section
- Hesigned with a polished, beveled chisel end and polished slotted claw
- Length:24"; Diameter:3/4"



30-Inch Wrecking Bar

H39A061

Features:
- Forged from hex bar stock for ultimate strength
- Sharp, precisely-machined chisel ends slide into cracks and crevices
- High-leverage hook end with deep V nail slot
- Durable enamel finish resists rust and corrosion

Specifications:
- Materials: 45# carbon steel;Power coating;
- Head heat treatment
- Hexagonal cross section
- Hesigned with a polished, beveled chisel end and polished slotted claw
- Length:30"; Diameter:3/4"



36-Inch Wrecking Bar

H39A075

Features:
- Forged from hex bar stock for ultimate strength
- Sharp, precisely-machined chisel ends slide into cracks and crevices
- High-leverage hook end with deep V nail slot
- Durable enamel finish resists rust and corrosion

Specifications:
- Materials: 45# carbon steel;Power coating; heat treatment
- Hexagonal cross section
- Hesigned with a polished, beveled chisel end and polished slotted claw
- Length:36"; Diameter:3/4"



4PC HEEL PRY BAR SET

H39B701

Features:
- 4Pc Heel Pry Bar Set 6", 13", 16", 20"
- Point head tapered design
- Drop Forged Heat Treated Steel Shafts For Maximum Strength
- Use the right size for the job, or combine for extra leverage
- Perfect for aligning, lifting or prying

Specifications:
- Materials: 45#Carbon Steel, heat treatment
- Sizes: 6"(150mm), 13"(300mm), 16"(400mm),20"(500mm)



18-Inch flat Pry Bar,450mm

H39C095

Features:
- Precision ground ends for nail pulling with less material damage
- Durable high visibility Red finish is corrosion-resistant
- Radius end design adds strength and provides better prying leverage

Specifications:
- Solid-forged, hardened and tempered pry bar
- Bevelled nail slots for removing nails
- Contoured head for easy leverage
- Corrosion-resistant spray paint finish with polished chisel
- 450 mm overall length



Stainless Steel Prybar andScraper Set

H39C513

Features:
- Rigid stainless steel construction
- Razor sharp scraper edges
- Ideal for nail and tack pulling, prying and scraping
- Attractive clam shell package

Specifications:
- Material:stainless steel
- Sizes includes: 7-1/4 x 9/16" and 9-1/4 x 9/16"
- Item Weight:9.6 ounces
- Product Dimensions :1.2 x 4.6 x 12.1 inches



15-Inch flat Pry Bar

H39C125

Features:
- Versatile, all-purpose contoured bar with broad flat end and high-leverage rocker end
- Thin, sharpened chisel tips slide easily into the tightest cracks and crevices
- Three nail slots (one at each end, one in the middle) lets you get at nails from any angle
- High-strength forged and heat treated steel construction
- Durable enamel finish resists rust and corrosion

Specifications:
- With nail puller and chisel ends
- Item Dimensions:15 x 2.9 x 1.75 inch
- Item Weight:1.35 pounds



4pc Stainless Steel Pry bar and Scraper Set

H39C577

Features:
- Rigid stainless steel construction
- Razor sharp scraper edges
- Ideal for nail and tack pulling, prying and scraping
- Attractive clam shell package

Specifications:
- Rigid stainless steel construction
- Razor sharp scraper edges
- Ideal for nail and tack pulling, prying and scraping
- Contains 4 sizes: 5-1/2", 7-1/4", 9-1/4" and 12"



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com


Auto Accessories

2pcs 10 SMD LED Light Bulbs Set

K13Z245

Features:
- (Set of 2 Bulbs) 10SMD 3030 high brightness chips per bulb
- Lower power consumption,faster light response, environment-friendly and safe to use.
- Easy Installation.
- Energy Efficient: Good heat dissipation, High Temperature Resistance, Low Power Consumption, Energy saving, Protect the eye-sight.
- Fits: T10
- Apply for Clearance lamp of the car

Specifications:
- Hardened 40 chromium Steel Punches
- Corrosion-Resistant Black Oxide Finish
- Includes A - Z and 0 - 9 Characters
- Imprints Metal, Wood, Plastic and Leather
- Length: 2-3/8"
- Width: 1/4"
- Character Height: 5/32"
- 36-pc. Punches: A - Z and 0 - 9
- Wood Index Box




2pcs 27 SMD LED Light Bulbs Set

K13Z451

Features:
- (Set of 2 Bulbs) 27SMD 2835 high brightness chips per bulb
- Powerful and bright:Light no delay, high light purity, strong color rendering and penetrating power
- Faster on/off response time.
- Fits: 1156(BA15S, BA15US)， 1157(BA15D, BAY15D) 3156, 3157, 7440, 7443 H4,H7,H8,H9,H10,H11,H13,5202,9004, 9005,9006,9007,P13W,PY24W,PSX24W,PSX26W， etc
- Apply for brake light,turn light,fog light of car

Specifications:
- 27PC LED, constant current, infinite
- Applicable voltage:DC10-30V
- Lumen: 357 lm
- Current: 0.258 A
- Wattage: 3.1 W
- Weight:12.9 g
- Size: 47*22 mm



2pcs 57 SMD LED Light Bulbs Set

K13Z481

Features:
- (Set of 2 Bulbs)54SMD 3014 & 3SMD 3030 high brightness chips per bulb,Working .Voltage:9v-30v (fit 12V, 24V vehicles), Size: 1.82"x 0.88" x 0.67"
- Fits:3056 3057 3057K 3057LL 3155 3157 3157K 3157NA 3157NAK 3157LL 3156NA 3156A 3156 3156K 3356 3357 3357K 3357KNA 3357LL 3457 3457-NA 3457K 3457NAK 3757AK 3757ALL 4057 4057LL 4057K 4114 4114LL 4114K 4157 4157LL 4157K 4157NA 4157NAK 5702A 5702AK 5702AK etc.Easy installation, plug and play.
- Application:Back Up Reverse Lights,Brake Lights,Tail Lights,Parking Lights,Side Marker Lights,Daytime Running Lights, Lighting Accessories etc. Load resistor or flash relay might be needed to prevent the hyper flash when replacement for Turn Signal Blinker Lights.
- Advantage: Non-polarity design,Compatible for both CK/SRCK and Standard socket. More than 300% brighter than original halogen bulb, full Aluminum Housing with Projection lens for Maximum Light output and better heat distribution,built in Constant Current IC for Longer life span & Low Power Consumption.

Specifications:
- 57 SMD Chipsets LED
- constant current, infinite
- Applicable voltage: DC9-30V
- Lumen: 419 lm
- Current: 0.319 A
- Wattage: 3.8 W
- Weight: 8.41 g
- Size: 47*22 mm
- with CE and ROHS certification



Magnetic Car Mount Phone Holder

K17J425

Features:
- Simple design slips right into the air vent and magnetically attaches your cell phone with the pre-installed metal plate on the back, or the any protective case.
- The reinforced dual-sized claw allow a perfect fit with almost any air vent. The rubberized exterior increase grip and keep your car's air vent scratch-free. Easy to remove, the iPhone car mount can easily be stored in a glove box during times of non-use.
- Compatible with all smartphones, iPhone, Galaxy, HTC, Xperia, Nokia, LG, Nexus, Pixel.

Specifications:
- Product size: 45*35mm
- Magnet : 4pcs N35
- Weight: 45G
- Material: ABS+Magnet
- With 2pcs iron Rounded and square
- square size : 45*65mm
- Rounded size : 40*40mm




2pcs 29 SMD LED Light Bulbs Set

K13Z271

Features:
- (Set of 2 Bulbs) 28 SMD 3014 $ 1 SMD 3030 high brightness chips per bulb
- Energy Efficient: Good heat dissipation, High Temperature Resistance, Low Power Consumption, Energy saving, Protect the eye-sight.
- Easy installation: very easy to install.
- Fits: T10
- Apply for Clearance lamp of the car.

Specifications:
- 29PC LED constant current, infinite, decoding
- with lens
- Applicable voltage: DC10-30V
- Lumen: 254 lm
- Current:0.205 A
- Wattage: 2.5 W
- Weight: 4.56 g
- Size:37.5*12.5 mm




2pcs 36 SMD LED Light Bulbs Set

K13Z459

Features:
- (Set of 2 Bulbs)36SMD 3030 high brightness chips per bulb, Working Voltage:9v-30v.
- Fits:3056 3057 3057K 3057LL 3155 3157 3157A 3157K 3157NA 3157NAK 3157LL 3156NA 3156A 3156 3156K 3356 3357 3357K 3357KNA 3357LL 3457 3457-NA 3457K 3457NAK 3757AK 3757ALL 4157 4157LL 4157K 4157NA 4157NAK etc.Easy installation, plug and play.
- Application: Turn Signal Lights,Side Marker Lights,Corner Lights,Blinker Lights etc. Load resistor or flash relay might be needed to prevent the hyper flash or system error.
- Advantage: Non-polarity design, more than 500% brighter than original halogen bulb, full Aluminum Housing with Projection lens for Maximum Light output and better heat distribution,built in Constant Current IC for Longer life span & Low Power Consumption.

Specifications:
- 36SMD Chip sets LED
- Constant current, infinite
- Applicable voltage: DC9-30v
- Lumen: 404 lm
- Current: 0.354 A
- Wattage: 4.8 W
- Weight: 15g
- Size： 61*22.6 mm
- With CE and ROHS certification



Mobile Phone Holder With Car Cigaretter Lighter and USB charger

K17J085

Features:
- The Car mount charger Lengthen the Gooseneck and improve the Electric current protection. One 1.5A Charging; It combined Smartphone car mount and Dual USB charger in one. At the same time It charges your phone while you use it. Ensures that you can drive safely without fearing accidents or fines.
- Equipped with the technology to protect against short circuiting as well as over current and over voltage. It provides maximum reliability without compromising charging ability or taking up unnecessary space.
- Holding length from 125 mm to 150 mm and width from 53-80 mm adjustable to almost any size Smartphone without thicker case. The high-quality, soft, non-slip surface keeps your phone tightly locked in. Without leaving a scratch on it.
- The goose neck is highly customizable and flexible to turn 360 degrees, simply turn it any way you want.

Specifications:
- Material: PC+ ABS
- Can be fixed 53-80mm wide / 125-150mm long phone
- Power: DC 12-24V
- Output: DC5V-1.5A
- USB cable length (for Android phone): 45cm
- Weight : 185g



Digital Tire Pressure Gauge - 100PSI

K25C016

Features:
- Lighted nozzle and display screen for ultimate visibility in low light or at night
- Digital display instantly and clearly shows exact reading, eliminating the guesswork of analog gauges
- Nozzle seals to valve stem for quick and accurate measurements
- Simple push button control turns unit on, selects the desired range, and automatically shuts off after 30 seconds to save the batteries
- Ergonomic design comfortably fits hand and features a soft, non-slip surface for sure grip

Specifications:
- Pressure range:0-100psi,0-6.85bar,0-690kpa,0-7.00kgf/cm2
- Pressure unit: psi,bar,kpa,kgf/cm2(optional)
- Resolution:0.1psi/0.01bar/1kpa/0.01kgf/cm2
- Back-Lit LCD and light on gauge's head for easy use in dark condition
- Power:CR2032 3V lithium coin cell,3xAG13 battery included
- On/off key
- Auto shut off
- Accuracy: ≅ ±1 psi F.S.
- Product size: 13.8 x 5.6 x 3.1cm
- Net weight: 56g



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Hand Tools

Gun Cleaning Mat 12" x 36"

H99Z125

Features:
- Prevents chemicals and oils from damaging work surface AR-15 or AK-47 optional
- Protect Your Gun And Your Work Area: The soft thermoplastic fiber surface ensures your gun doesn't get scratched while the thick 3mm neoprene rubber back will protect your work surface and prevent the mat from sliding
- AR-15 / AK-47 Exploded View: Black mat imprinted with AR-15/AK-47 exploded view,Parts are labeled for easy identification
- Designed for Gun Cleaning: large enough to dissemble your rifle, pistol and shotgun. The gun mat is 36 inch long. It grips to the surface to avoid sliding
- Keep Your Surface Clean: the mat surface is oil resistant dye-sublimation printing, water proof and easy to clean.
- Perfect Gift: a must have for any gun lover. Top rated gift in the ar15 tools and ar accessories category. Storage case included (see images)

Specifications:
- Includes exploded parts diagram, cartridge & lower dimensions
- Measures: 12 x 36 Inches
- Thickness: 3mm thick.



Auto Accessories

Foam Cannon Pressure Washer Gun

K09Z031

Features:
- BLANKET YOUR VEHICLE IN FOAM-The foam cannon sprayer creates thick foam suds for spraying every inch of your car or truck.
- HEAVY-DUTY BRASS COMPONENTS-Professional grade quality. Designed to last.
- ADJUSTABLE NOZZLE AND FOAM THICKNESS-Foamer nozzle turns to adjust vertical height of foam spray. Knob on top adjusts the thickness of the foam spray.

Specifications:
- 1 liter HDPE bottle
- Sud Magic Foam Cannon with 1/4" Quick Connector Benefits
- 1.1mm and 1.25mm orifice included for peak performance for both electric and gas pressure washers.
- With measurement marking (MAX 1000ML)



Foam Cannon Pressure Washer Gun

K09Z035

Features:
- just fill up the reservoir bottle with soap, click in to your existing pressure washer lance or trigger, adjust the knob for your desired foam level, and spray! Hose water from compressor comes quick for a cleaner advanced automotive dirt removal.
- This canon works for car washing but can also help to clean off the side of your home, your sidewalk, or anything else that needs a deep cleaning. Works with any psi sprayer, the perfect foaming tool for any detergent.
- Great for car washing - Soak your ride in a mountain of suds to ensure that all the grime, bugs, dirt, sap, dust, and other contaminants from the road are loose before you try to wipe them off. Professional attachments and accessories for guys who love cars.

Specifications:
- Washer Gun Car Foamer Wash Quick Adapter Jet
- With 1/4" quick disconnection fitting.
- 1500ML HDPE bottle



2pcs 18 SMD LED Light Bulbs Set

K13B027

Features:
- (Set of 2 Bulbs)16SMD 2835 & 2SMD 3030 high brightness chips per bulb
- 100% Brand new and High quality.
- LED lights is energy saving, low power consumption, high luminous efficiency, and lights without delay.
- Simple and convenient to fix.
- Fits: 880/881/H1/H3
- Apply for fog light of car.

Specifications:
- 18SMD Chipsets LED, constant current
- Applicable voltage:DC10-30V
- Lumen: 303 lm
- Current: 0.222 A
- Wattage:2.5 W
- Weight: 7 g
- Size: 15*52.84 mm




2pcs 6 SMD LED Light Bulbs Set

K13Z211

Features:
- (Set of 2 Bulbs) 6SMD 3030 high brightness chips per bulb
- Energy-saving, Low temperature, very faster on or off response time and vibration resistant. Low power consumption, long-lasting Life
- The performance is stable and the manufacture is strictly tested.
- Superior heat dissipation technology.
- Fits: T10
- Apply for Clearance lamp of the car.

Specifications:
- 6PC LED, constant current, infinite, decoding
- Applicable voltage: DC12V
- Lumen: 180 lm
- Current: 0.29 A
- Wattage:3.4 W
- Weight: 2.43 g
- Size:30.24*9.09 mm



Foam Cannon Pressure Washer Gun with 5 Spray Nozzle Tips

K09Z033

Features:
- Adjustable Foam Lance, foam cannon with 1/4" quick disconnection fitting, included 1 liter container bottle.
- 5 pressure washer nozzle tips, 1/4 Inch, 2.5 GMP, with different spray angels to clean the foam.
- Disperses thick foam up to 20 FT; Please add 6 oz soap with some warm water to get the thick foam. The powerful Foam Cannon's adjustable nozzle can adjust the spray pattern from a jet stream to a wide fan pattern.
- All the connectors are made of quality brass. New Heavy Duty Design, ideal for enthusiast or professional use.
- Requires Pressure Washer to Have 2.5GPM & Over 1000 PSI Pressure for use. ONLY SUITABLE FOR PRESSURE WASHER GUN, PRESSURE WASHER HOSE, PRESSURE WASHER.

Specifications:
- foam cannon with 1/4"quick disconnection fitting.
- 1 liter HDPE bottle
- 5 pressure washer nozzle tips, 1/4 Inch, 2.5 GMP,
- with different spray angels to clean the foam.
- With measurement marking (MAX 1000ML)



Foam Cannon Pressure Washer Gun

K09Z037

Features:
- The pipe joint is made of premium brass, fitting any standard garden hose, ensuring the water-tightness of wash gun. The perfect-fit rubber seal ensures a leak-free connection to the hose. Easily wash away the dust and dirt on the car with no more wet clothes. And the heavy duty ABS plastic parts provide the foam sprayer with superior durability.
- Refined internal components allow better interaction of water and air, mixing more air with the detergent in the bottle. Less detergent more foam. You can also fill in soap and water based on bottle filling lines without guessing.
- This foam sprayer has many functions which meets your different needs. On the one hand, it can be used as a watering can to water your flowers and grass. On the other hand, it can be used as a wash gun to wash your car, bicycle, motorbike, yard ground, swimming pool, beach chair, glass, wall, etc.

Specifications:
- 800ML HDPE bottle
- With measurement marking (MAX 800ML)



2pcs 4 SMD LED Light Bulbs Set

K13Z203

Features:
- High quality ultra bright lights
- Durable in use Really Long Lifetime.
- Common use for Interior (Map, Dome, Cargo, Courtesy) Light, License Plate Light, Parking Light, Turn Signal Light, Corner Light, Side Marker Light, Tail Light, and Backup Lights, Common use for Car, Truck, Motorcycle, Scooter, Trailer, RV, Boat, Marine, ect
- Easy to install, just plug and play. No Wiring Required. If the LED does not light up, simply Rotating it 180 degrees (reverse the polarity).
- Fits for 158 161 168 168A 168NA 175 194 194NA 2821 2825 2827 2886X 3652 558 658 PC168 PC175 PC194 PC195 W5W W5WB W5WLL 124 160 161B 192 193 194A 194B 194G 194NAK 194R 195 2825L PC160 PC161 PC168B PC194G PC195NA W10W Led Light Bulbs.

Specifications:
- 4 SMD Chipsets LED
- Applicable voltage: DC12V
- Lumen:44 lm
- Current: 0.2 A
- Wattage: 0.8 W
- length： 29mm



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Double Tube Foot Pump

K25D237

Features:
- Made of high quality aluminum. It is durable and can withstand high pressure.
- Foot pump design, instead of your hands. More time -saving and labor-saving.
- Equipped with a high precision pressure gauge, you can easily judge the pressure of the tire.
- Foot pad in the bottom can effectively prevent slipping, to ensure your safety when you are using.
- Give you a multi-purpose nozzle, you can choose the right one according to your own stoma.

Specifications:
- Size：30*27*12cm
- Weight：1.9KG
- Air pressure measuring range：0~130 lbs/in2（0~900 kPa）
- long rubber hose with multifunctional nozzle
- Piston rod material：aluminum alloy
- Maximum pressure 130PSI
- 80cm long rubber hose
- 2.5" oversized gauge is precise and easy to read
- Non-slip foot pedal



12V Portable Compressor

K25E091

Features:
- Always have the convenience of an air supply when you need it with this high quality powerful automobile air pump delivering 30 litres of air per minute, it will inflate an average car tyre in less than 6 minutes and comes with a free 3.5m hose extension.
- Noise eliminating technology-reducing unwanted noise and vibration with rubber feet to make sure the air pump stays where it is placed, either upright or lying down and does not move around during operation. Whilst a bright LED safety light allows easy operation in the dark.
- Simple to operate -thanks to an automatic shut off facility wher a pre-set pressure in PSI, BAR,KPA or KG/cm has been reached. A quick connect air hose with a screw on tire valve adapter makes tire inflation a breeze.

Specifications:
- Air volume 30 (L/min)
- Power cord length 3 (M)
- Tire pressure units:PSI,BAR,KPA,Kg/cm2
- Tire pressure accuracy ±1 PSI
- Max Pressure:150 PSI
- 0.75m air hose with 2.5 metre PU hose extension
- Voltage 12 volts ; Power:100watt
- Accessories: 3 adapters



Cordless Portable Air Compressor

K25E621

Features:
- CORDLESS TIRE INFLATOR -The electric air compressor do not need to connect the power adapter when you use it, with 1500 mAh lithium battery can be used anywhere
- AUTO SHUTOFF - The portable air compressor pump uses inflate right technonology to automatically shut off when the proper tire pressure is reached,you will accurately control the pressure of the tires and keep safe driving
- FITS ANY AIR VALVE - The air Ccompressor comes with LCD digital display, Can preset tire pressure to what your tires need (3 kinds of unit values: PSI, BAR and KPA）
- COMPACT&LED DESIGN - Compact and can easily be stored in a cabinet, a car, or even a drawer. with bright and long-lasting LED lights for easy night
- MULTI-PURPOSE - The tire pump comes with 3 different tips, which makes it perfect for cars, bikes, motorcycles, RV, SUV, ATV and truck

Specifications:
- Material:ABS+PA
- Size:16*8.2*24cm
- Weight:About 810g
- Air Pump:19mm Air Cylinder+DC 12V 540# Motor
- Air Volume:20 L/MIN
- Impact Current:<10A
- Working Current:4-6A
- Impact Pressure:120-300PSI
- Working Pressure:5-35PSI
- Battery:18650 5C 11.1V Li-ion 1500mAh
- Continuous Working Time:<12 mins
- Pump 1 Tyre/Time:5-6 mins
- Power Adapter:DC 12V 500mA
- Contains a charger
- Certificate:CE-EMC/RoHS



4'x6' Super Duty Bungee Cargo Net With 4pc D Carabiners and 16pc Nylon Hooks

K33A371

Features:
- HEAVY DUTY SUPERIOR DURABILITY – Crafted with extra thick 5mm bungee webbing, the Grit Performance cargo netting is the thickest on the market. As a result it doubles in size to 8' x 12' (96"x144") and holds strong under the harshest conditions.
- IDEAL FOR SMALL & LARGE CARGO ITEMS – Designed with tight 4" x 4" mesh squares, the bungee netting keeps small items from falling out and provides more strength and protection when stretched over larger cargo items such as ice chests, luggage, tarps and more.
- NO TANGLE FRUSTRATION-FREE TIE DOWN – 4 adjustable metal "D" clip carabiners provide convenient, TANGLE-FREE tie-down and storage & gives users the ability to quickly strap down large truck & trailer loads by simply moving clips from 1 mesh square to another. Perfect solution for LARGE TRUCK BED LOADS for camping, moving or dump runs in your pickup or trailer.
- STORAGE BAG FOR EASY STOWING – Each net with carabiners comes with a convenient zipper storage bag so users can store the netting under the seat, in the trunk or garage. The net folds up and sets into the bag, frustration-free. There is nothing more irritating than a tangled net and hooks strewn all over the floor boards or trunk.

Specifications:
- Inner core material:rubber
- From 4FT x 6FT to 8FT x 12FT.
- Designed with tight 4" x 4" mesh squares
- 4 adjustable metal "D" clip carabiners and 16pc adjustable-placement Nylon hooks included



4'x6' Super Duty Bungee Cargo Net With 12pc D Carabiners

K33A373

Features:
- HEAVY DUTY SUPERIOR DURABILITY – Crafted with extra thick 5mm bungee webbing, the Grit Performance cargo netting is the thickest on the market. As a result it doubles in size to 8' x 12' (96"x144") and holds strong under the harshest conditions.
- IDEAL FOR SMALL & LARGE CARGO ITEMS – Designed with tight 4" x 4" mesh squares, the bungee netting keeps small items from falling out and provides more strength and protection when stretched over larger cargo items such as ice chests, luggage, tarps and more.
- NO TANGLE FRUSTRATION-FREE TIE DOWN – 12 adjustable metal "D" clip carabiners provide convenient, TANGLE-FREE tie-down and storage & gives users the ability to quickly strap down large truck & trailer loads by simply moving clips from 1 mesh square to another. Perfect solution for LARGE TRUCK BED LOADS for camping, moving or dump runs in your pickup or trailer.
- STORAGE BAG FOR EASY STOWING – Each net with carabiners comes with a convenient zipper storage bag so users can store the netting under the seat, in the trunk or garage. The net folds up and sets into the bag, frustration-free. There is nothing more irritating than a tangled net and hooks strewn all over the floor boards or trunk.

Specifications:
- Inner core material:rubber
- From 4FT x 6FT to 8FT x 12FT.
- Designed with tight 4" x 4" mesh squares
- 12 adjustable metal "D" clip carabiners included



Trailer Hitch Ball Mount with 2-Inch Trailer Ball & Hitch Pin 4-Inch Drop

K37C423

Features:
- Hitching up your trailer is easy with this ready-to-use trailer hitch ball mount.
- It comes with a pre-attached tow ball for ready coupling and a trailer hitch pin to securely mount onto your hitch receiver.
- For long-lasting use, this ball hitch is protected with a durable black powder coat finish, and the trailer ball has a polished chrome plating. These finishes resist damage from rain, dirt, snow, road salt and other corrosive threats.
- This ball hitch offers dependability for your towing setup.
- It is constructed from welded steel and has a hollow shank.

Specifications:
- Rated to tow 7,500 pounds gross trailer weight and 750 pounds tongue weight.
- This trailer hitch ball mount comes with a 2-inch x 2-inch shank to fit virtually any industry-standard 2-inch receiver.
- The ball mount has a 4-inch drop, 2-inch diameter trailer hitch ball, 5/8-inch hitch pin hole and 8-1 /4-inch overall length.



Trailer Hitch Ball Mount with 2-Inch Trailer Ball & Hitch Pin 2-Inch Drop

K37C425

Features:
- It is constructed from welded steel and has a hollow shank.
- Hitching up your trailer is easy with this ready-to-use trailer hitch ball mount.
- For long-lasting use, this ball hitch is protected with adurable black powder coat finish, and the trailer ball has a polished chrome plating.
- It comes with a pre-attached tow ball for ready coupling and a trailer hitch pin to securely mount onto your hitch receiver

Specifications:
- Rated to tow 7,500 pounds gross trailer weight and 750
- pounds tongue weight, this ball hitch offers dependability for your towing setup.
- This trailer hitch ball mount comes with a 2-inch x 2-inch shank to fit virtually any industry-standard 2-inch receiver
- The ball mount has a 2-inch drop, 2-inch diameter trailer hitch ball, 5/8-inch hitch pin hole and 8-1/4 -inch overall length.



7 Way Round RV Blade Trailer Connector

K37L153

Features:
- Blade trailer connectors for towing solutions
- Made from durable plastic for lightweight and durability
- Rear grommet for weatherproof
- Excellent construction stronger and rugged, perfect for RVs, trailers, campers, caravans, food vans and other towed vehicles.

Specifications:
- Built in strain relief keep wire secured to terminals
- Designed for 12 V systems
- Designed for RV trailers
- Compatible with plastic or metal 7 way blade connectors



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

Auto Accessories

1.5" Tire Pressure Gauge - 60PSI/100PSI

K25C151

Features:
- Performance tested and calibrated to ANSI B40.1 accuracy standards (2%), ensuring quick and precise tire pressure readings up to 100 PSI without dealing with batteries or digital components
- Rugged & unique 'Dual-Layer Protective Guard' shields the solid steel body from accidental drops and toolbox storage, so you can rest assured your new tire gauge will stay reliable for many years
- Robust design comes equipped with a '360-Degree Swivel Chuck' for easy valve access, pressure reset button to reset readings, and built-in air bleeder valve to reduce pressure in overinflated tires
- Compact size features an easy-to-read 1.5" dial (psi) and stores nicely in the glove box, center console, or tool kit; suitable for most cars, trucks, SUVs, motorcycles, bikes, spare tires, or RVs

Specifications:
- 1.5" gauge with angle chuck and rubber casing
- Accuracy:±2 psi F.S.
- Pressure range: 0-60PSI or 0-60PSI
- Pressure unit: psi,bar,kpa,kgf/cm2(optional)
- 360-Degree Swivel Chuck
- Built-in Air Bleeder Valve
- Metal Construction
- Steel rod



2" Tire Pressure Gauge - 60PSI/100PSI

K25C155

Features:
- Mechanic Recommended: Performance tested, certified accurate, & calibrated to ANSI B40.1 International Accuracy Standards (±2-3%), ensuring precise tire pressure readings without relying on batteries
- Feels solid in the hand & built from premium heavy duty components shielded by a rugged gear-style protective guard; features a thick 2.25" brass stem making checking tire pressure easier than ever
- Robust design is equipped with a built-in air bleeder valve to reduce pressure in overinflated tires, and the handy 360-degree swivel chuck allows for easy access to the tire valve from any angle
- Larger, 2" glow dial features easy-to-read 60 PSI single increment scale that glows in the dark, providing accurate readings that "lock" in place until the pressure reset button on the neck is pushed

Specifications:
- 2" Glow-in-the-Dark Dial
- Accuracy:±2 psi F.S.
- Pressure range: 0-60PSI or 0-60PSI
- Pressure unit: psi,bar,kpa,kgf/cm2(optional)
- 360-Degree Swivel Chuck
- Built-in Air Bleeder Valve
- Metal Construction
- Copper rod



24-Inch Wrecking Bar

K25C159

Features:
- Mechanic Recommended & Rated "Best of the Best" by Amazon Verified Experts: Performance tested, certified accurate, & calibrated to ANSI B40.1 International Accuracy Standards (±2-3%), ensuring precise tire pressure readings without relying on batteries
- Feels solid in the hand & built from premium heavy duty components shielded by a rugged gear-style protective guard; features a flexible no-leak air hose making checking tire pressure easier than ever
- Robust design is equipped with a built-in air bleeder valve to reduce pressure in overinflated tires, and the handy 360-degree swivel chuck allows for easy access to the tire valve from any angle
- Larger, 2" glow dial features easy-to-read 60 PSI single increment scale that glows in the dark, providing accurate readings that "lock" in place until the pressure reset button on the neck is pushed

Specifications:
- 2"Dial gauge with Rugged Gear-Style Protective Guard
- Accuracy:±2 psi F.S.
- Pressure range:0-60psi or 0-100psi
- Pressure unit: psi,bar,kpa,kgf/cm2(optional)
- Flexible "No Leak" hose
- 360-Degree Swivel Chuck
- Built-in Air Bleeder Valve
- Metal Construction
- Copper rod



Digital Tire Pressure Gauge with Inflator - 150PSI

K25C251

Features:
- wide range and accurate: The Digital tire Pressure gauges allows a wide range of measurement between 0 to 150 PSI (also measures in terms of bar: 0 - 10 bar, kg/cm2: 0 to 10kg/cm2 and KPA: 0 to 1000KPA) and an accuracy of about 99% at a temperature of 25 degrees centigrade.
- digital backlit readout: The air pressure gauge's digital backlit display allows for ease in reading even by night will allowing for a precise reading and the design of the gauge coupled with its metal build makes for a rugged and durable structure for extended use.
- plug-type air nozzle: the design of the digital tire gauge Air nozzle is in the form of a plug which allows for an easy connection to an inflatable pump while also making for an ergonomic design that is very convenient to use.
- viable for all vehicles: the design of the tire pressure gauge coupled with its wide range of measurement allows for use in a wide variety of tire sizes for different types of vehicles; from construction vehicles, Large trucks, SUVs and cars to motorcycles and bicycles.

Specifications:
- Technical parameters: 3V(1.5*2)
- Operating Temp: - 18 ℃ ~ + 40 ℃
- range: 0-150PSI
- Resolution: 0.05 kg/cm
- Accuracy: +/-1%+0.5psi(relative humidity Temperature 25 ℃)
- Display: LCD digital display
- Air inlet:1/4"
- Accessories:
- 1pc 1/4"NPT/BSP male plug
- 2pc 1.5 V x 2 LR03 batteries
- 1pc hook up




Tire Pressure Gauge 10-150PSI

K25C321

Features:
- Straight head with a reverse curved head. This give a greater flexibility to the user and provides more accurate readings overall.
- Performance tested guaranteed accuracy to ±2%, ensuring quick and precise tire pressure readings
- Ideal for dual wheels and other difficult-to-reach valves, Intuitively read

Specifications:
- Accuracy:±2 psi F.S.
- Pressure range:10-150psi
- Pressure unit: psi,bar,kpa, kgf/cm2(optional)
- Zinc-plated head, metal tube
- Needle holds reading until released by pressing button



Digital Tire Pressure Gauge 230 PSI

K25C533

Features:
- Green Backlit LCD display and flashlight for visibility in dimly light areas, easy-to-read digits help you easily measure your vehicle's tire pressure
- Heavy Duty Stainless Steel Made And RV/Truck Special Designed to maintain correct tire pressure, reduce tire wear and extend tire life; Digital display reading instantly and clearly being shown, no longer do the guesswork of analog gauges
- Bi-directional push-pull (Dual) head design; Nozzle easily forms a seal with the valve stem giving quick and accurate readings in 0.1 increments; 4 settings with longer range: 0-230 PSI / 0-16 Bar / 0-16 Kg/cm 2 / 0-1585 Kpa
- Simply press "ON/UNIT/OFF" button to turn on the tool, select the range, and automatically shut off in 30-40 seconds to save the power; Non-slip texture makes it easy to hold onto and the ergonomic design is both suitable for men and women's hands

Specifications:
- pressure range:0-230 PSI / 0-16 Bar / 0-16 Kg/cm2 / 0-1585 Kpa
- pressure unit:psi,bar,kpa,kgf/cm2(optional)
- resolution:0.5psi/0.1bar/5kpa/0.1kgf/cm2
- on/off key
- auto shut off
- accuracy≤+-2 psi F.S
- 2*AAA batteries included
- product size:31*2.5*4.5cm
- Net weight:180g



Single Tube Foot Pump

K25D011

Features:
- Made of high quality aluminum. It is durable and can withstand high pressure.
- Foot pump design, instead of your hands. More time -saving and labor-saving.
- Equipped with a high precision pressure gauge, you can easily judge the pressure of the tire.
- Foot pad in the bottom can effectively prevent s lipping, to ensure your safety when you are using.
- Give you a multi-purpose nozzle, you can choose the right one according to your own stoma.

Specifications:
- Size：30*26*9cm
- Weight：1.5KG
- Air pressure measuring range：0~130 lbs/in2（0~900 kPa）
- long rubber hose with multifunctional nozzle
- Piston rod material：aluminum alloy
- Maximum pressure 130PSI
- 80cm long rubber hose
- 2.5" oversized gauge is precise and easy to read
- Non-slip foot pedal



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

Garden Tools & Farm Tools

Pressure Pump Sprayer Chemical Resistant Seals 1L

M09F045

- Made from high-quality polyethylene
- For various chemicals such as brake cleaner, detergents, releasing and cleaning fluids etc.
- Adjustable and closable brass spray head
- Suitable for overhead work,360-degree system

Specifications:
- Material: PE Tank; PP Handle.
- Adjustable Brass Nozzle.
- Viton seal.
- Capacity: 1 Liter



Pressure Pump Sprayer Chemical Resistant Seals 2L

M09F047

Features:
- Made from high-quality polyethylene
- For various chemicals such as brake cleaner, detergents, releasing and cleaning fluids etc.
- Adjustable and closable brass spray head
- Suitable for overhead work,360-degree system

Specifications:
- Material: PE Tank; PP Handle.
- Adjustable Brass Nozzle.
- Viton seal.
- Capacity: 2 Liter



Household Indoor & Outdoor

Adjustable Laptop Table-Desktop size: 520*300mm

N07B861

Features:
- Portable and lightweight, foldable table leg, easy to carry
- Adjustable height and angle, provide you a most comfortable viewing， angles and ergonomic eye-level height.
- Humanized soft silicone wrist rest design to protect yourwrist. Strong and sturdy, can bear max 30kg weight."U" desktop edge design with rubber covered, protect it from bump.

Specifications:
- Desktop size: 520*300mm
- Color: beech.
- Product net weight: 1.42KG(A6
- Material: aluminum alloy, MDF, ABS.
- Adjustable height: 24-32cm (9.4-12.6 inch).
- Adjustable angle: 0-36 degree.
- Compatible: below 17 inch device
- Max weight support: 30KG



Adjustable Laptop Table-Desktop size: 600*330mm

N07B863

Features:
- Portable and lightweight, foldable table leg, easy to carry
- Adjustable height and angle, provide you a most comfortable viewing， angles and ergonomic eye-level height.
- Humanized soft silicone wrist rest design to protectyour wrist. Strong and sturdy, can bear max 30kg weight."U"desktop edge design with rubber covered,protect it from bump.

Specifications:
- Desktop size: 600*330mm
- Product net weight: 1.75KG
- Color: beech
- Material: aluminum alloy, MDF, ABS
- Adjustable height: 24-32cm (9.4-12.6 inch).
- Adjustable angle: 0-36 degree.
- Compatible: below 17 inch device.
- Max weight support: 30KG.



U-Shaped seat cushion

N07G627

Features:
- ASSISTS IN BACK PAIN & SCIATICA RELIEF: Ergonomically designed, provides support and comfort while reducing pressure on the tailbone with the U-shaped cut out and promotes healthy posture. Supports recovery from lower back problems, helps with most sitting pain due to sciatica, herniated discs, tailbone injuries, pregnancy, hip pain and hemorrhoids. Our seat cushion is designed to help relieve pain while sitting however it may not work for all conditions or completely eliminate all pain symptoms
- ALL-IN-ONE PREMIUM HIGH-DENSITY MEMORY FOAM CUSHION: ComfiLife's all-in-one features are unrivaled: NON-SLIP rubber bottom, BUILT-IN HANDLE for easy transport and machine-washable zippered velour cover for EASY CLEANING. Made with premium quality 100% memory foam. Product Dimensions: 17.5 x 13.7 x 2.8 inches
- GREAT FOR OFFICE CHAIR, DRIVING AND TRAVELING: Provides comfort on most hard surfaces; office chair, desk chair, kitchen, car seat, airplane, rocking chairs and wheelchairs. Great for office use, truck drivers, frequent travelers, sporting events and pregnancy. ComfiLife Seat Cushion may not fit perfectly some contoured car seats and large chairs. ComfiLife Coccyx Cushion will provide less support with increasing weight. For optimal support recommended weight is up to 225 lbs

Specifications:
- SIZE: 455*360*60/70mm
- Outer cover material: Crystal super-soft hair-cutting cloth
- Outer cocer color: 9# dark gray
- Finished weight: 615g
- Pillow weight: 500g
- Material: Moulded Memory Foam
- Density: 40D
- Logo（embroid）(single color)





U-Shaped gel seat cushion

N07G629

Features:
- BEST GEL MEMORY FOAM CUSHION ON THE MARKET: ComfiLife's ALL-IN-ONE features are unrivaled: NON-SLIP rubber bottom, BUILT-IN HANDLE for easy transport and machine-washable zippered velour cover for EASY CLEANING. The ComfiLife Coccyx Cushion is the BEST gel memory foam seat cushion on the market made of premium quality durable memory foam with cool off gel layer on top for superior comfort
- SUPPORTS TAILBONE AND RELIEVES PRESSURE: Ergonomically designed seat cushion provides maximum support and comfort while reducing pressure on the coccyx / tailbone and promotes healthy posture
- PROVIDES LOWER BACK PAIN & SCIATICA RELIEF. GREAT FOR OFFICE USE, DRIVING & TRAVELING: Supports recovery from lower back problems, herniated discs, tailbone injuries, sciatica and other spinal issues. Great for office, home, travel, car seat or wheelchair use. Machine-washable zippered velour cover for easy cleaning and built-in handle for easy transport

Specifications:
- SIZE: 455*360*60/70mm
- Outer cover material: Crystal super-soft hair-cutting cloth
- Outer cocer color: 9# dark gray
- Finished weight: 960g
- Pillow weight: 890g
- Material: Moulded Memory Foam
- Density: 40D
- Logo（embroid）(single color)
- Bottom surface of product: Skid proof bottom



H-Shape knee pillow

N07Z215

Features:
- SCIATICA, BACK & HIP PAIN RELIEF AT NIGHT: Ergonomically designed knee pillow fits comfortably between your knees and provides maximum support and comfort at night that helps relieve sciatica pain and pressure on the lower back
- PREMIUM HIGH-DENSITY MEMORY FOAM: Made with 100% premium quality durable cut memory foam to provide long lasting comfort for hours, superior to other pillows it won't go flat over time
- ERGONOMIC DESIGN: Ergonomic contoured design keeps your legs, hip and spine in ideal alignment while sleeping and improves circulation
- BREATHABLE EASY CLEAN COVER: Breathable zippered cover ensures the pillow does not get warm and is machine washable for easy cleaning

Specifications:
- SIZE:290*200*180MM
- Outer cover material: White polyester knitted fabric
- Finished weight: 600g
- Pillow weight: 500g
- Material: Moulded Memory Foam
- Density: 40D
- Logo(embroid) (single color)
- Packing mode: Do not fold into PE bag



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

Auto Accessories

7 Way Round to 4 Pin Flat Trailer Connector

K37L211

Features:
- 100% Brand New: Great aftermarket for trailer adapter socket with premium quality.
- High Quality Materials: Made of premium plastic and copper, waterproof and adjustable.
- Plug and Play Design: Practical design, insert into socket, twist and lock, no need to change any cable.
- Efficient Function: Connect the major vehicle and the additional trailer.Transfer the electronic signature from the vehicle to trailer.
- Application: This item is for 1 new trailer adapter plug, 7 way round plug to fit your truck and a 4 way adapter end to your trailer plug.

Specifications:
- Color: Black
- Designed for 12 V systems
- Shell material： ABS



7 Way to 5 Way Flat 5 Pin Trailer Connector

K37L245

Features:
- Made from heavy plastic for lightweight and durability.
- This 7 way to 5 way Trailer Adapter Plug fits the factory 7 way plug on most trucks with the tow package, suitable for Boat, RV, ATV, Chevrolet, Ford, Dodge, RAM, Toyota or GMC.

Specifications:
- Turns your 7 way round connector into a 5 way flat connector.
- Connects ground, tail lights, stop lights, left turn signal, right turn signal and auxiliary.



7 Way Blade & 4 Pin Trailer Wiring Tester

K37L393

Features:
- The 7 Blade & 4 Pin Tester is an extremely useful product when there is an urgent need of checking the configuration of the tow circuit of the vehicle. The product comes handy at the time when the need of checking the circuit's configuration arises.
- QUALITY: Our 4 way trailer plug tester is of the premium quality. In an addition to this, the trailer plug tester is extremely easy and convenient to use which is immensely beneficial for the customers. Moreover, the tester is extremely durable in nature and hence are not easily damaged when they are used.
- DESIGN: The design so given to the trailer plug tester with seven blades by the manufacturers is just ideal so that the users do not face any kinds of troubles at the time of using the product.
- USES: The 4 pin tester is just the perfect product to be used in the garages, workshops and a lot of other similar places where there is a need to check the configuration of circuit.

Specifications:
- Type: 7-Way RV Socket LED
- Our 4 pin tester as indicated by the name of the product comes with seven blades and 4 pins which makes the product perfectly usable.



2pc 6" Oval 10 LED Trailer Stop/Turn/ Tail Light Set

K37M037

Features:
- Brand new & high quality, durable Stop, Tail, and Turn functions, modern product.
- Long lasting, low power consumption.
- Superior illumination & bright, easy viewing at night.

Specifications:
- 2 pc sealed 6" oval red high visibility 10 LED stop/ turn/tail lights with grommets and plugs
- Material: Acrylic lens, ABS housing, PVC grommet
- Light is 2-1/4" x 6-3/8" oval, 1" thick
- Polycarbonate housing/lens with rubber grommet and
- 3-pin water tight plug with wires
- Marine application, waterproof.



12V Multi-function Jump Starter 12000mah

K43D563

Features:
- A multifunctional unit that provides exceptional service in all working modes.
- Its 12000mAh Clore Proformer battery delivers over 400 peak amps and 280 start assist amps of jump starting power to start most 4 and 6 cylinder vehicles.
- As a work light, it offers multiple working options, including 480 lumen work light, red safety flare mode with flashing option, and focus beam light with SOS pattern.
- As a power supply, it provides USB output through its two USB outlets as well as 12V 10A output to power accessories and for use as a memory Saver.
- It features IP54 ingress protection against dust and water. Utilizes a magnet in its base for easy mounting as well as a convenient hang hook.

Specifications:
- Battery capacity: 12000mah
- Flashlight:3W LED 60Lumens & SOS Signal Light
- Working Light:6W, 12pcs LED, 480Lumens
- Emergency Warning Light:18pcs RED LED Blinking & RED LED
- Solid Lighting
- Input:5V/2A
- Output: Car boot port 12V
- Output: DC 12V/20A MAX, USB*2 5V/2.1A and 5V/1A
- Charging time:5hrs@5V/2A
- Starting current: 300 A
- Peak current: 500 A
- With battery indicatorWith 5pcs Magnets and Hang . HookAccessory :1pc Smart clamp, 1pc UL AC adapterShort . Circuit ProtectionReverse Polarity ProtectionOver Voltage . ProtectionLow Voltage ProtectionLow Voltage Override . FunctionOver Loading ProtectionBackfeed . ProtectionOverheat Protection



12V Multi-fonction JumpStarter 8000mah

K43D564

Features:
- A multifunctional unit that provides exceptional service in all working modes.
- Its 8000mah Clore Proformer battery delivers over 400 peak amps and 280 start assist amps of jump starting power to start most 4 and 6 cylinder vehicles.
- As a work light, it offers multiple working options, including 480 lumen work light, red safety flare mode with flashing option, and focus beam light with SOS pattern.
- As a power supply, it provides USB output through its two USB outlets as well as 12V 10A output to power accessories and for use as a memory Saver.
- It features IP54 ingress protection against dust and water. Utilizes a magnet in its base for easy mounting as well as a convenient hang hook.

Specifications:
- Battery capacity: 8000mah
- Flashlight:3W LED 60Lumens & SOS Signal Light
- Working Light:6W, 12pcs LED, 480Lumens
- Emergency Warning Light:18pcs RED LED Blinking & RED LED
- Solid Lighting
- Input:5V/2A
- Output: Car boot port 12V
- Output: DC 12V/20A MAX, USB*2 5V/2.1A and 5V/1A
- Charging time:4hrs@5V/2A
- Starting current: 300 A
- Peak current: 400 A
- With battery indicatorWith 5pcs Magnets and Hang
- HookAccessory :1pc Smart clamp, 1pc UL AC adapterShort Circuit .ProtectionReverse Polarity ProtectionOver Voltage ProtectionLow .Voltage ProtectionLow Voltage Override FunctionOver Loading .ProtectionBackfeed Protection Overheat Protection



Dry Battery Warning Light

K43Z035

Features:
- lighting covers 360 degree direction, visible for up to 1 miles away
- Shatterproof, and water- resistanceBack with strong magnetsthere are 10 patterns for this flare: Rotate, Quad-flash,Single-blink, Alternate, SOS, Solid-on high, Solid-on low,2 led illuminate, 4 led illuminate, Torch2 buttons,one button control the side led,the other control the top led

Specifications:
- LED： 12+4 PCS super bright LED bulbs
- Size： 116*108*42mm
- Weight： 170g without battery
- Battery： 3*AAA dry battery （not include）
- Temps： -10～40℃
- Flash Pattern： 9 patterns+1 flash light
- Material： PC+TPR
- IP67
- CE/ROHS/REACH



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

Power Tools

6"Heavy Duty Dual Action Variable Speed Polisher 850W

P01B1409

Features:
- Easily remove scratches, swirls and defects from any vehicle's paint job. The perfect polisher for DIYers and Professionals Alike!
- Adjustable 2000-6400 RPM setting with a super efficient 850 watt motor. Perfectly balanced for an effortless glide over paint.

Specifications:
- Rated Voltage:230V/120V
- Frequency:50/60HZ
- Rated Input Power:850W
- Dual-action random orbit
- No load rotate speed:2000-6400rpm
- Pad diameter:6"（150mm）
- 1*Hex wrench,1*Wool wheel, 1*polish pad,1*spanner
- Six variable speed settings
- GS/CE/EMC/ROHS/ETL
- Unit size：32*18*16cm Unit weight:2.5KG



115mm 18V 2000mAh Li-ion Brushless Cordless Angle Grinder

P03A2281

Features:
- Brushless motor delivers more power, more efficiency and longer motor life than brushed.
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Soft start feature.
- Anti-erstart function.
- Tool-free adjustment of the protective hood switch lockable.
- Detachable dust-proof wire.
- Electric brake.
- Electronic current limiter for overload protection.
- Ergonomic soft grip.

Specifications:
- Rated voltage:18V
- Battery:Li-ion 2000mAh
- No load speed: 0-9500 rpm
- Max. Wheel Diameter: 115 mm
- Max. Wheel Thickness: 6 mm
- Bore Diameter: 22.23 mm
- Electric brake / Battery capacity indicator
- Ergonomic soft grip / Anti-restart function
- Brushless motor
- CE/GS



20V Brushless 2000mAh Li-ion Die Grinder

P03C2325

Features:
- Easy-to-handle
- Solid aluminum housing with stepped neck for added durability
- Vent slots designed to direct exhaust air away from the user

Specifications:
- Rated voltage:20V
- Battery:Li-ion 2000mAh
- No-load speed: 20000 rpm
- Max. Wheel Diameter: 55 mm
- Max. Flap Disk Dia.: 76 mm
- Charging time: 1 hour
- Brushless motor / Soft start feature
- Switch lockable / Battery capacity indicator
- Ergonomic soft grip
- CE/GS/ETL Charge



3" Mini Bench Grinder With Flexible Shaft

P03E215

Features:
- A powerful and portable mini bench grinder and buffer tool with variable speed control for precision buffing and grinding
- A flexible 31-inch long-arm shaft allows excellent maneuverability on small wood or metal objects
- Includes a powerful 120W high-speed motor and sensitive speed control from 0 to 10,000 RPM
- Excellent for deburring and fine carving, switch from grinding to buffing or use it as a rotary tool
- Includes 10 assorted 1/8" shaft grinding stones.



20V Brushless 2000mAh Li-ion Circular Saw

P07J2217

Features:
- Powered by Li-ion battery;delivers more power, speed and run time without the hassles of a cord
- Electronically controlled Blushless Motor delivers 5,000 RPM for maximum performance and 50% longer run time per charge
- The Brushless Motor eliminates carbon brushes, enabling the BL Motor to run cooler and more efficiently for longer life
- Automatic Speed Change technology adjusts cutting speed and torque during cut for optimum performance
- GS,CE&RoHS cetification

Specifications:
- voltage:20V
- Battery :2.0Ah Li-ion
- No-load Speed:5000rpm
- Max.Cut @0°:57mm
- Max.Cut @45°:41mm
- Max.Cut @50°:37mm
- Bore Diameter:20mm
- Charging time: 1 hour
- Net Weight:3.3kgs



12V 2000mAh Li-ion Cordless Reciprocating Saw

P07F2123

Features:
- Reciprocating Saw is compact and lightweight making it ideal for working in tight spaces.
- Reciprocating saw is tough enough to cut different types of materials including hard materials like copper and conduit.
- With a durable design and a front rubber wrap, the reciprocating saw provides protection for internal parts from dust, debris, and water. Its bumper design minimizes vibration.

Specifications:
- Rated Voltage:12V
- Battery:Li-ion 2000mAh
- Rated speed: 0-3000rpm
- Stroke Length: 5/8"
- Charging time: 1 hour
- With one Wood Saw Blades
- UL Charger



3/8" 12V 1500mAh Lithium Cordless Impact Wrench

P09A2125

Features:
- CE/GS approved
- Compact and lightweight allow access into tighter are as and reduces user fatigue.
- Ergonomic soft grip.

Specifications:
- Rated voltage: 12V
- Battery: Li-ion 1500mAh
- No Load Speed: 2400rpm
- Rated impact rate: 0-3000bpm
- 3/8" Square Drive
- Max.tightening: 90N.M
- 1 hours charger



3/8" 12V 1500mAh Lithium Cordless Impact Wrench

P09A2127

Features:
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Ergonomic soft grip.

Specifications:
- Rated voltage:12V
- Battery:Li-ion 1500mAh
- No Load Speed: 2400rpm
- Rated impact rate: 0-3200bpm
- 3/8" Square Drive
- Max.tightening: 90N.M
- CE/GS approved



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com


Household Indoor & Outdoor

Classic back cushion

N07G635

Features:
- RECOMMENDED LUMBAR PILLOW BY CHIROPRACTORS FOR LOWER BACK PAIN RELIEF: This lumbar support pillow is recommended by chiropractors for posture support and lower back pain relief
- ORTHOPEDIC LOWER BACK SUPPORT: Contoured memory foam cushion supports lumbar vertebrae discs and provides spinal relief. Helps maintain natural curve of lower spine as an office chair cushion, recliner or car seat cushion. This lumbar pillow is designed to help relieve pain while sitting and improve posture however it may not work for all conditions or completely eliminate all symptoms.
- DURABLE HIGHEST QUALITY MATERIALS: 100% high-density memory foam provides perfect comfort and firmness for years
- 3D VENTILATIVE MESH & ADJUSTABLE STRAP: Fits many chairs with elastic strap. Breathable and removable cover for easy cleaning. ComfiLife Lumbar Pillow comes with an adjustable strap however it may not fit some contoured seats, car seats and large office chairs.

Specifications:
- SIZE: 385*320*120mm
- Outer cover material: ultra-soft hair-cutting cloth+Mesh
- Outer cover color: 9#dark gray+gray
- Finished weight: 595g
- Pillow weight: 450g
- Material: Moulded Memory Foam
- Density: 40D
- Logo(embroid) (single color)
- Packing mode: Do not fold into PE bag



Mop and Broom Holder

N25Z081

Features:
- Mop and Broom Holder, 5 Position with 6 Hooks Garage Storage Holds up to 11 Tools, Storage Solutions for Broom Holders, Garage Storage Systems Broom Organizer for Garage Shelving Ideas
- Compact sizing and clean design garage organization systems
- Broom organizer wall mount broom organizer rack Rolling balls automatically adjust to each handle's thickness and grips it securely
- Each ball holds up to 7-1/2 pounds of weight

Specifications:
- Material：PP,PVC
- 5 Position with 6 Hooks Garage Storage Holds up to 11 Tools
- Color: light grey
- Product size：40.7*8.3*6.3cm
- Product weight：325g
- Accessories：6pc screws（4*25）, 6pc expansion tubes（6*27）



Mop Rack KIT

N25Z083

Features:
- Mop and Broom Holder, 5 Position with 6 Hooks Garage Storage Holds up to 11 Tools, Storage Solutions for Broom Holders, Garage Storage Systems Broom Organizer for Garage Shelving Ideas
- Compact sizing and clean design garage organization systems
- Broom organizer wall mount broom organizer rack Rolling balls automatically adjust to each handle's thickness and grips it securely
- Each ball holds up to 7-1/2 pounds of weight

Specifications:
- Material：PP,PVC
- 5 Position with 6 Hooks Garage Storage Holds up to 11 Tools
- Color: light grey
- Product size：40.7*8.3*6.3cm
- Product weight：335g
- Accessories：6pc screws（4*25）, 6pc expansion tubes（6*27）, 1pc screwdriver（12cm）



Power Tools

3"(75mm) 12V 1500mAh Li-ion Two Speed Cordless Polisher

P01B2109

Features:
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Ergonomic handle delivers comfort and control.
- LED light provides visibility in dark working environment.

Specifications:
- Rated Voltage:12V
- Battery:Li-ion 1500mAh
- No Load Speed: 0-2800rpm/0-8000rpm
- Optional accessories:
- Pad diameter:3"（75mm）
- 1pc 3 Inch Backing pad,3 x Sanding paper（80/100/120）
- 1pc 3 inch Wool Bonnet,1pc 3 Inch Foam Polishing
- 1pc 3 Inch Foam Compounding Pad,1pc Handle, 1pc wrench
- CE/GS



3"(75mm) 12V 1500mAh Li-ion Cordless Polisher

P01B2111

Features:
- Ergonomic handle delivers comfort and control.
- Compact and lightweight allow access into tighter areas and reduces user fatigue.

Specifications:
- Rated Voltage: 12V
- Battery: Li-ion 1500mAh
- No Load Speed: 2800rpm
- Pad diameter: 3"(75mm)
- Charging timer: 1 hours
- Including: 3 Inch Backing pad, 3 x Sanding paper
- 3 Inch Backing pad, Sponge Cone Polishing Pad,
- 3 inch Velcro Wool Bonnet, 3 Inch Velcro Foam Polishing Pad
- 3 Inch Velcro Foam Compounding Pad,
- Microfiber Polishing Bonnet,
- 1pc Handle, 1pc wrench, Heavy Duty Storage bag
- CE/GS approved



4"(100mm) 12V 1500mAh Li-ion Cordless Polisher

P01B2207

Features:
- Cordless Polishing for Polishing Anywhere
- Lightweight construction with vibration reduction technology

Specifications:
- Rated Voltage: 12V
- Battery: Li-ion 1500mAh
- No Load Speed: 3000rpm
- Pad diameter: 4"（100mm）
- Charging timer: 1 hours
- 2pcs bonnet
- CE/GS approved



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website：www.flavictools.com

Power Tools

1/4" 3.6V 1300mAh Li-Ion Cordless Driver

P09E2101

Features:
- CE,ROSH
- Not only for men, but also for teenagers and women, it is made for easy use by anyone (It is convenient to use when making DIY furniture)
- It is an ultra-small, light-weight product.
- Can be charged with direct or USB extension cable. (You can also charge in the car using USB cigar jack)

Specifications:
- Rated voltage:3.6V
- Battery:li-ion 900mAh
- No-load speed: 280rpm
- Max torque Manual: 10Nm
- 1/4" bit driver
- Charge time: 1 hour
- USB Charging,Quick Released Chuack,LED Working
- 5V DC power,such as laptop,computer,mobile power, portable battery,car charger,etc.
- Max torque up to 10N.M when used as a regular hand tool



1/4" 3.6V 1300mAh Li-Ion Cordless Driver

P09E2103

Features:
- Rubberized rotation handle, spindle lock allows manual screw driving and greater control,forward and reverse switch for easy screw driving and screw removal,offers comfortable feeling of grip in confined space.
- Compact, lightweight design fits into tight areas.
- Ergonomic soft grip.

Specifications:
- Rated voltage: 3.6V
- Battery: Li-ion 1300mAh
- No-load speed: 210rpm
- Max torque: 3NM
- 1/4" bit driver
- Switch: forward & reverse
- Certificate: GS/CE



1/4" 3.6V 1300mAh Li-Ion Cordless Driver

P09E2105

Features:
- BUILT-IN FLASHLIGHT-Instead of placing it near the magnetic chuck as most brands do, we've moved it to the bottom of the handle to illuminate a larger area as you work. Physics.
- MORE COMFORTABLE-Rubberized rotation handle, spindle lock allows manual screw driving and greater control,forward and reverse switch for easy screw driving and screw removal, offers comfortable feeling of grip in confined space.
- EASY CARRY-Compact, lightweight design fits into tight areas.

Specifications:
- Rated voltage: 3.6V
- Battery: Li-ion 1300mAh
- No-load speed: 210rpm
- Max torque: 5NM
- 1/4" bit driver
- Switch: forward & reverse
- 6bits 25MM:PZ1 PH1 H2 S4 S6 T10(CRV)
- Certificate: GS/CE



3.6V Li-Ion 1300mAh 1/4 Inch Cordless Screwdriver

P09E2106

Features:
- Stay ready with a large 1300mAh Li-Ion battery that will last as long as the job does, with Li-Ion Technology to ensure the tool doesn't lose charge over longer storage periods.
- Give yourself complete cordless freedom and enter into the future of home DIY with a tool capable of hours of power on a single charge, including LED charge indicator.
- Your helper around the house perfect for tasks including hanging and adjusting pictures, fixing cabinets and other furniture and furniture assembly

Specifications:
- Rated voltage: 3.6V
- Battery:Li-Ion 1300mAh
- No-load speed: 180rpm
- Max Torque: 5 Nm
- Charge time: 3-5 hours
- Switch: forward & reverse
- 12 pcs bits set
- Chuck size: 6.35mm



1/4" 3.6V 1300mAh Li-ion Cordless Screwdriver

P09E2111

Features:
- POWERFUL TORQUE: 3.6V MAX Li-Ion Cordless screwdriver with accessories & storage case
- 3 POSITION HANDLE: Adjustable handle, automatic spindle -lock & ¼" rotating quick-release chuck
- LED LIGHT: Features power LED working light and power display with LED Light
- 50 BITS SET: Comes with driver bits including Flat Head, Cross Head, Tri-Wing, Spanner Head, Torx, Security Torx, One Way, Robertson, Wing Nut, Imperial Hex, Metric Hex, Security Hex & Spline Drive
- RECHARGEABLE: Comes with a charger and 1300mAh Li-ion battery which will charge from flat in around 3 hours. The set also includes spare secure clips for the case.

Specifications:
- Rated Voltage:3.6V
- Battery:Li-ion 1300mAh
- No-load speed: 210 rpm
- 1/4" Quick Release Chuck
- Max torque: 5 N.m
- Charging time: 3-5 hours
- Clutch: 15+1 setting
- GS/CE/Rohs/ETL Charger
- Foldable body&Spindle-Lock
- Bits: 3/3/4/4.5/4.5/5/5.5/5.5/6/6/6.5/6.5 PZ3/PZ3/PZ2/PZ2/PZ1/PZ1/PZ0/PZ0 PH3/PH3/PH2/PH2/PH1/PH1/PH0/PH0 H1.5/H2/H2.5/H3/H4/H5/H5.5/H6 T8/T10/T15/T20/T25/T27/T30/T40
- Square S1-S2-S3
- 60mm extension bar



1/4" 12V 1500mAh Li-ion Impact Driver

P09E2433

Features:
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Ergonomic soft grip.

Specifications:
- Rated voltage:12V Li-ion 1500mAh
- No-load speed: 0-2400 rpm
- Rated Impact: 0-3200 ipm
- Max torque: 70Nm
- 1/4" bit driver
- Switch: forward & reverse
- CE/GS approved



1/4" 14.4V 1500mAh Li-ion Impact Driver

P09E2503

Features:
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Ergonomic soft grip.

Specifications:
- Rated voltage:14.4V Li-ion 1500mAh
- No-load speed: 0-2400 rpm
- Rated Impact: 0-3200 ipm
- Max torque: 100Nm
- 1/4" bit driver
- Switch: forward & reverse
- CE/GS approved
- With LED light



1/4" 18V 1500mAh Li-ion Impact Driver

P09E2603

Features:
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Ergonomic soft grip.

Specifications:
- Rated voltage:18V Li-ion 1500mAh
- No-load speed: 0-2400 rpm
- Rated Impact: 0-3200 ipm
- Max torque: 120Nm
- 1/4" bit driver
- Switch: forward & reverse
- CE/GS approved
- With LED light



1/4" 18V 2000mAh Li-ion Brushless Impact Driver

P09E2617

Features:
- This compact (yet powerful) handheld impact driver will tackle any home DIY or professional works with 320N.m of torque.
- 1/4 inch quick-change hex chuck that fits all your pre-owned bits to let you effortlessly screw & drill wood, plastic, drywall, brick, concrete, and metal.
- Made from durable, superior quality build material, this driver is designed to take a knock and still perform - just what you want on a construction site, in an automotive repair shop, or for heavy industrial equipment maintenance jobs.

Specifications:
- Rated voltage:18V
- Battery:Li-ion 2000mAh
- No load speed: 0~2600/0~2000/0~1600rpm
- Blows per minute(H): 0~3300 ipm
- Blows per minute(M): 0~2500 ipm
- Blows per minute(L): 0~1800 ipm
- Max torque :320 N.m
- Driver Size:1/4"
- 1 hours fast charger
- Brushless motor
- CE/GS approved

Bits not included



29Pc HSS Drill Bit Set

P09Y360

Features:
- Classic HSS construction with black oxide coating for capability and durability, also ensures a longer service life so that the drill bits last through multiple uses.
- Increases cutting speed with self-centering and prevents walking, clears chips and particles faster
- Great drill bits set for metal/wood/plastic countersink. Suitable for Home DIY, and General Building/Engineering Use.
- The drill bits set fits the majority of drill/ driver currently on the market.

Specifications:
- Material: HSS 4241
- Black oxide treatment
- Size:1/16",5/64",3/32",7/64",1/8",9/64",5/32",11/64",3/16", 13/64",7/32",15/64",1/4",17/64", 9/32",19/64",5/16",21/64" 11/32",23/64",3/8", 25/64",13/32",27/64",7/16",29/64" 15/32",31/64",1/2".



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Power Tools

1/2" 14.4V 1500mAh Lithium Cordless Impact Wrench

P09A2623

Features:
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Ergonomic soft grip.

Specifications:
- Rated voltage:14.4V
- Battery:Li-ion 1500mAh
- No Load Speed: 2400rpm
- Rated impact rate: 0-3200bpm
- 1/2" Square Drive
- Max.tightening: 150N.M
- CE/GS



1/2" 18V 1500mAh Lithium Cordless Impact Wrench

P09A2723

Features:
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Ergonomic soft grip.

Specifications:
- Rated voltage:18V
- Battery:Li-ion 1500mAh
- No Load Speed: 2400rpm
- Rated impact rate: 0-3200bpm
- 1/2" Square Drive
- Max.tightening: 180N.M
- CE/GS



1/2" 18V Li-ion 2000mAh Cordless Impact Wrench

P09A2725

Features:
- High-speed transmission with two speeding settings delvers up to 25% faster application speeds.
- Commpact and lightweight allow access into tighter areas and reduces user fatigue.
- Ergonomic soft grip.

Specifications:
- Rated Voltage: 18V
- Battery: Li-ion 2000mAh
- No Load Speed: 2600rpm
- Rated impact rate: 0-3000bpm
- 1/2" Square Drive
- Max.tightening: 180N.M
- 3-5 hours charger
- CE/GS approved



1/2" 18V 2000mAh Li-ion Brushless Cordless Impact Wrench

P09A2776

Features:
- Brshless motor delivers more power, more efficiency and longer motor life than brushed.
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Three speed transmission for optimal speed and torque control.
- Automatic stop motion on loosing fastener.
- Ergonomic soft grip.

Specifications:
- Rated voltage:18V
- Battery:Li-ion 2000mAh
- No load speed: 0~2600/0~2000 /0~1600rpm
- Blows per minute(H): 0~3300 ipm
- Blows per minute(M): 0~2500 ipm
- Blows per minute(L): 0~1800 ipm
- 1/2" Square Drive
- Max torque :330 N.m
- 1 hour charger
- Brushless motor
- CE/GS approved



1/2" 20V 4000mAh Li-ion Brushless Impact Wrench 1000N.m

P09A2793

Features:
- Brushless motor delivers more power, more efficiency and longer motor life than brushed.
- Compact and lightweight allow access into tighter areas and reduces user fatigue
- Three speed transmission for optimal speed and torque control.
- Ergonomic soft grip

Specifications:
- Rated voltage:20V Li-ion 4000mAh
- No Load RPM: 0-550/0-1400/0-1800 rpm
- Blows per minute(H): 0-1000ipm
- Blows per minute(H): 0-1800ipm
- Blows per minute(H): 0-2100ipm
- Fastening Torque:1000N.m
- Nut Busting Torque:1200N.m
- Shaft size:1/2"
- 2 hours fast charger
- Brushless motor
- CE/GS



3/8" 12V 1500mAh Li-ion Cordless Ratchet Wrench

P09C2313

Features:
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Ergonomic handle delivers comfort and control.
- 40N.m of torque and 200 RPM create a powerful, high performance and durable ratchet.

Specifications:
- Rated voltage:12V
- Battery:Li-ion 1500mAh
- No Load Speed: 230rpm
- Max torque: 40N.M
- 3/8" Square Drive
- CE/GS



3/8" 14.4V 2000mAh Li-ion Cordless Ratchet Wrench

P09C2413

Features:
- Compact and lightweight allow access into tighter areas and reduces user fatigue.
- Ergonomic handle delivers comfort and control.
- 45N.m of torque and 230 RPM create a powerful, high performance and durable ratchet.

Specifications:
- Rated voltage: 14.4V
- Battery: Li-ion 2000mAh
- No Load Speed: 230rpm
- Max torque: 45N.M
- 3-5hours charger
- CE/GS approved



7pcs 1/8" 3V AAA Cordless Precision Screwdriver

P09E2011

Features:
- An ergonomic handle and a strong battery-powered motor suit this electric screwdriver for many commercial and home applications
- This first-of-its-kind mini power screwdriver comes with six popular bits
- This cordless precision screwdriver is the perfect tool for on-the-go technicians; Great for computer, electronics, and industrial applications
- The Super-Torque drive applies more than 100 rpm through a single forward/reverse toggle switch; It's great for handling tiny screws in tight spaces
- A quick-change chuck makes changing bits easy on this power screwdriver

Specifications:
- Rated voltage:3V
- 2PC AAA 1.5V Battery included
- No Load Speed: 120rpm
- 1/8" bit driver
- With 6pcs screwdriver bits
- Built-in LED work light with independent on/off switch



18pcs 1/8" 3V AAA cordless Precision Screwdriver LED

P09E2015

Features:
- Ideal for your delicate repairs such as computers, small electronics, eyeglasses, hobbies and crafts. With a convenient, lightweight design, you can hold it for as long as you need to.
- This battery-powered screwdriver features a forward and reverse fingertip control so you can adjust your spin as you work. It also offers a quick-change chuck to help you get your repairs done more quickly.
- The built-in work light has an independent on/off switch so you can continue to illuminate your work area without engaging the screwdriver.

Specifications:
- Rated voltage:3V
- 2PC AAA 1.5V Battery
- No Load Speed: 120rpm
- 1/8" bit driver
- With 18pcs screwdriver bits
- Built-in LED work light with independent on/off switch



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Power Tools

1/2" 18V 2000mAh Li-ion Brushless Impact Drill

P09I2781

Features:
- Brushless motor delivers more power, more efficiency and longer motor life than brushed.
- High-speed transmission with two speeding settings delvers up to 25% faster application speeds.
- Commpact and lightweight allow access into tighter areas and reduces user fatigue.
- Varable speed control trigger switch.
- 3 LED light which is controlled by light sensor when the tool is working.
- Ergonomic soft grip.

Specifications:
- Rated voltage:18V
- Battery:Li-ion 2000mAh
- No load speed: 0~450/0~2000
- Impact rate: 0~6750/0~3000 ipm
- Max torque: 58 N.m
- Chuck: 13mm metal single sleeve with lock
- Clutch: 21 setting
- 3 function: screwdriver/drill/impact
- 2 speed impact gearbox with spindle lock
- Brushless motor
- CE/GS



1/4" Dr. Step Drill Bit,7/16" to 1-1/8"

P09Y129

Features:
- TITANIUM BIT: Includes a two-flute design for faster, smoother cutting
- CUTS AND DEBURRS: Cuts through steel, sheet metal and other surfaces with only a small amount of pressure and deburrs as you drill
- SUPER STRONG: This all-in-one step drill bit is made of super strong HSS steel and is titanium nitride coated for added durability

Specifications:
- Material： HSS 4241
- Classic high speed steel with titanium coating for proven capability and durability in drilling holes in plastic, aluminum, copper, stainless steel and many other types of sheet metal;
- 135° SPLIT POINT TIP: increases cutting speed with self-centering and prevents walking;
- TWO-FLUTE DESIGN: clears chips faster and allows particles to escape easily;
- TRI-FLATTED SHANK: fits into power tools chuck securely and eliminates slip;
- INCLUDES 10 STEP SIZES:7/16", 1/2", 9/16, 5/8", 11/16", 3/4"13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8".




3pc Step Drill Set

P09Y173

Features:
- Cobalt high speed steel along with the titanium coating ensures extreme durability, will stay new and shiny for years to come.
- TITANIUM & HIGH SPEED STEEL: Suitable for carbon steel, sheet iron, insulation boards, PVC boards, planks, and wood thickness below 3MM;
- Variety of Specifications Size of Aperture:The ladder of its unique structure, a bit can open a variety of specifications size of aperture

Specifications:
- Material:HSS4241,Titanium coated
- Included: 1/8"—1/2",13 steps: 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2"
- 1/4"—3/4", 9 steps: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 3/16"—1/2",6 steps: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
- Quick-change 1/4" hex shan



15pc HSS Drill Bit Set

P09Y256

Features:
- Classic HSS construction with titanium coating for capability and durability. The cutting edge is hardened and honed for sharpness, chatter-free design with staggered cutting teeth ensure the precise countersinking and hole smooth clean.
- Great drill bits set for metal/wood/plastic countersink. Suitable for Home DIY, and General Building/Engineering Use.
- A drill bits holder with size index is included in the set for easy storage and organizing. The drill bits set fits the majority of brands currently on the market.

Specifications:
- Sizes:
  2PC 1/16";1PC 5/64";2PC 3/32";
  1PC 7/64";2PC 1/8";
- 1PC 9/64";1PC 5/32";1PC 3/16";
  1PC 7/32";1PC 1/4";
  1PC 5/16";1PC 1/4".
- Material: HSS 4241 ;
  Titanium coated



253-pc Drill and Screwdriver Bit Set

P09Y520

Features:
- Get yourself a tool you can depend on, with the right accessories for maximum usage!
- Building a shed, drilling in masonry, adjusting screws and more!

Specifications:
- 14PCS TWIST DRILL BITS WITH TITANIUM COATED , HSS4241： 1.5X2, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 4.8, 5.0, 5.5, 6.0 6.5MM；
- 13PC MASONRY DRILL BITS： 3.0X3, 4.0X3, 4.5, 5.0, 5.5, 6.0,6.5, 7.0, 8.0MM；
- 15PC WOOD-BORING DRILL BITS:3.0X4, 4.0X4, 5.0X4, 6.0, 7.0 ,8.0MM；
- 3PCS FLAT WOOD BITS： 13, 19, 22MM；
- 154PCS 25MM SCREWDRIVER BIT,CRV6150： 22PC SLOTTED: 3MMX3 , 4MMX3 , 4.5MMX3 , 5MMX3 , 5.5MMX3 , 6MMX3 , 7MMX2 , 8MMX2 ;
- 54PC PHILLIPS: #0X6 , #1X12 , #2X24 , #3X12 ; 27PC POZI:#0X3 , #1X6 , #2X12 , #3X6； 16PC STAR: T10X2 , T15X2 , T20X2 , T25X2 , T27X2 , T30X2 T35X2 T40X2 ; 12PC INCH HEX : 5/64"X2 , 3/32"X2 , 1/8"X2 , 5/32"X2 , 3/16"X2 , 1/4"X2 , 12PCMETRIC HEX: H2X2 , H2.5X2 , H3X2 , H4X2 , H5X2 , H6X2; 11PCSQUARE : #0 #1X3 , #2X4 , #3X3 ; 48PC 50MM SCREWDRIVER BIT,CRV6150： 5PC SLOTTED: 3 4 5 6 7MM； 14PC PHILLIPS: #0X2 #1X3 #2X6 #3X3;13PC POZI: #0X2 #1X3 #2X5 #3X3;4PC STAR: T15 T20 T25 T30； 4PC HEX: H3 H4 H5 H6； 4PC INCH HEX： 1/8" 5/32" 3/16" 1/4"； 8PC SQUARE： #0 #1X2 , #2X3 , #3X2； 1PCS ALLEN KEY；
- 4PC DRILL STOPPERS： 3, 5, 6, 8MM；
- 1PC MAGNETIC HOLDER



1/4" Dr. Step Drill Bit,1/4 to 1-3/8

P09Y118

Features:
- constructed from traditional HSS combined with a titanium coating to make them even more durable.
- capability and durability of the drill to last through multiple drillings on surfaces such as: plastic, aluminum, copper, stainless steel, and so much more
- Two flute design also lets the material particles escape easily for a much more clean drilling operation.

Specifications:
- Material： HSS 4241
- Classic high speed steel with titanium coating for proven capability and durability in drilling holes in plastic, aluminum, copper, stainless steel and many other types of sheet metal;
- 135° SPLIT POINT TIP: increases cutting speed with self-centering and prevents walking;
- TWO-FLUTE DESIGN: clears chips faster and allows particles to escape easily;
- TRI-FLATTED SHANK: fits into power tools chuck securely and eliminates slip;
- INCLUDES 10 STEP SIZES: 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8".



3Pc Step Drill Bit Set

P09Y171

Features:
- Step drill bits are constructed from traditional HSS combined with a titanium coating to make them even more durable
- This also proves the capability and durability of the drill to last through multiple drillings on surfaces such as: plastic, aluminum, copper, stainless steel, and so much more.
- Unique 2 Flute Design
- Two flute design also lets the material particles escape easily for a much more clean drilling operation.

Specifications:
- Material： HSS 4241
- Classic high speed steel with titanium coating for proven capability and durability in drilling holes in plastic, aluminum, copper, stainless steel and many other types of sheet metal;
- 135° SPLIT POINT TIP: increases cutting speed with self-centering and prevents walking;
- TWO-FLUTE DESIGN: clears chips faster and allows particles to escape easily;
- TRI-FLATTED SHANK: fits into power tools chuck securely and eliminates slip;
- Bit #1 (6 steps): 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"; Bit #2 (13 steps): 1/8", 5/32", 3/16", 7/32", 1/4", 9/32",5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2"; Bit #3 (9 steps): 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"



3PC STEP DRILL SET

P09Y174

Features:
- Widely Used——Ideal for using to cut holes in a variety of materials including steel, brass, wood, plastic, etc.
- Material——HSS combined with a titanium coating. More capable and durable.
- Easy Drilling——Two-fluted design provides faster, smoother cutting;Provided with small pressure and the sets can cut through wood, sheet metal, steel and other surfaces.
- Works great in making a smooth, clean and perfectly round hole.
- 3 Sets Step Drill: With 3 sets 5 stage + 9 stage + 15 stage step drill, you can drill different sizes from small holes to big holes
- With Nylon Storage Bag

Specifications:
- Material:HSS 4241,Titanium coated
- Included:4-12mm(5 Step: 4mm, 6mm, 8mm, 10mm, 12mm)
- 4-20mm(9 Step: 4mm, 6mm, 8mm, 10mm, 12mm, 14mm, 16mm,18mm, 20mm)4-32mm(15 Step: 4mm, 6mm, 8mm, 10mm, 12mm, 14mm, 16mm, 18mm,20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm)
- Quick-change 1/4"hex shank



99PC Drill Bits Set

P09Y399

Features:
- 99 Piece HSS Metric Drill Bits Set 1.5 - 10mm
- 14 sizes ranging from 0.5mm to 10mm for every drilling application
- HSS 4241 for strength and durability, titanium alloy coated
- 135-degree split point drills
- Split point drills for accurate and precise work Split point drills for accurate and precise work

Specifications:
- Material:High Speed Steel(4241), titanium alloy coated
- Contains:
  1.5mm x 16pc 2.0mm x 16pc
  2.5mm x 15pc 3.0mm x 10pc
  3.2mm x 10pc 3.5mm x 8pc
  4.0mm x 8pc 4.5mm x 3pc
  5.0mm x 3pc 5.5mm x 2pc
  6.0mm x 2pc 6.5mm x 2pc
  8.0mm x 2pc 10.0mm x 2pc



13Pc Titanium Coated HSS DrillSet, 1/4-Inch

P09Y2103

Features:
- Manufactured from high speed steel for increased durability
- Titanium nitride coated
- Suitable for drilling in iron, wood, plastics, steel
- The drill bits have a 1/4" hex fitting which is suitable most power tools

Specifications:
- Size： 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5.0, 5.5,6 and 6.5mm
- Material:Aluminium and other non-ferrous metals



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Power Tools

3/8" 12V 1300mAh Li-ion Single Speed Drill

P09G2107

Features:
- COMPACT & ROBUST – cordless electric drill is designed to work for you in all situations. The ergonomic grip, LED precision light and lightweight allows you to work in the dark, tight areas and awkward positions with ease.
- FAST CHARGING – Never wait longer than necessary to finish off where you left at. Recharge the lithium battery within 3h-5h with the included battery power adapter.
- Certificate: GS/CE

Specifications:
- Capacity description: 3/8"
- Rated voltage: 12V
- Battery:Li-ion 1300mAh
- No-load speed: 650rpm
- Max torque: 15N.m
- Clutch: 18+1 setting
- Chuck: 10mm
- Color: black and blue
- Power source: battery-powered
- Type of bulb: LED
- Battery cell type: Lithium ion



3/8" 14.4V 1300mAh Li-ion Single Speed Drill

P09G2203

Features:
- Soft rubberized handle provides you with comfortable grip feeling and less fatigue for most everyday tasks. Installing without any effort with a sliding attachable battery.
- This professional-grade power and incredibly lightweight drill is great for hard-to-reach areas and overhead tasks.
- Perfect for a mechanical technician, plumber, DIY projects, HVAC and overall professional use.
- Certificate: GS/CE

Specifications:
- Rated voltage: 14.4V
- Battery: Li-ion 1300mAh
- No-load speed: 700rpm
- Max torque: 20N.m
- Clutch: 18+1 setting
- Chuck:10mm



3/8" 18V 1300mAh Li-ion Single Speed Drill

P09G2301

Features:
- Soft rubberized handle provides you with comfortable grip feeling and less fatigue for most everyday tasks. Installing without any effort with a sliding attachable battery.
- This professional-grade power and incredibly lightweight drill is great for hard-to-reach areas and overhead tasks.
- Perfect for a mechanical technician, plumber, DIY projects, HVAC and overall professional use.
- Certificate: GS/CE

Specifications:
- Rated voltage: 18V
- Battery: Li-ion 1300mAh
- No-load speed: 720rpm
- Max torque: 28N.m
- Clutch: 18+1 setting
- Chuck:10mm



3/8" 18V 1500mAh Li-ion Cordless Drill

P09G2321

Features:
- High-speed transmission with two speeding settings delvers up to 25% faster application speeds.
- Commpact and lightweight allow access into tighter areas and reduces user fatigue.
- Varable speed control trigger switch.
- Ergonomic soft grip.

Specifications:
- Rated voltage: 18V
- Battery: Li-ion 1500mAh
- No-load speed: 0-400/0-1400 rpm
- Max torque: 48N.m
- Chuck size: 10mm
- Torque Settings: 19+1
- Switch: forward & reverse
- Certificate: GS/CE



1/2" 18V 1500mAh Li-ion Brushless Cordless Drill

P09G2753

Features:
- Brushless motor delivers more power, more efficiency and longer motor life than brushed.
- High-speed transmission with two speeding settings delvers up to 25% faster application speeds.
- Commpact and lightweight allow access into tighter areas and reduces user fatigue.
- Varable speed control trigger switch.
- Ergonomic soft grip.

Specifications:
- Rated voltage: 18V
- Battery: Li-ion 1500mAh
- No-load speed: 0-450/0-1600 rpm
- Max torque: 50N.m
- Chuck size: 13mm
- Torque Settings: 15+1
- Switch: forward & reverse
- Brushless Motor
- Certificate: GS/CE



3/8" 12V 1300mAh Li-ion Two Speed Drill

P09G2115

Features:
- Variable speed trigger for drilling and driving.
- 3/8-inch chuck for various drilling/driving applications.
- LED light provides visibility in dark working environment.
- Compact and lightweight design that allows the tool to fit into smaller spaces with ease.
- Ergonomic handle delivers comfort and control.
- 3 level battery status indicator keeps the user update of the most current battery condition.

Specifications:
- Rated voltage:12V
- Battery:Li-ion 1300mAh
- No-load speed:0-400/0-1400rpm
- Max torque: 28N.m
- Clutch: 18+1 setting
- Chuck: 10mm
- Power display
- LED Light
- Certificate: GS/CE



3/8" 14.4V 1300mAh Li-ion Impact Cordless Drill

P09G2213

Features:
- Delivers 2 speeds (0-400 &1500 rpm ; 40Nm), with trigger that allows to control your own drilling speed which perfects for what you are setting up for
- Soft rubberized handle provides you with comfortable grip feeling and less fatigue for most everyday tasks. Installing without any effort with a sliding attachable battery.
- CE/GS approved

Specifications:
- Rated Voltage: 14.4V
- Battery: Li-ion 1300mAh
- No Load Speed: 0-400/0-1500rpm
- Max torque: 40n.m
- Chuck: 10mm
- Clutch: 21+1 setting
- 3-5 hours charger



3/8" 14.4V 1300mAh Li-ion Two Speed Cordless Drill

P09G2215

Features:
- Delivers 2 speeds (0-400 &1500 rpm ; 40Nm), with trigger that allows to control your own drilling speed which perfects for what you are setting up for
- This professional-grade power and incredibly lightweight drill is great for hard-to-reach areas and overhead tasks.
- Experience integrated LED lights for improved visibility in dark corners and low-light areas for many years. Perfect for a mechanical technician, plumber, DIY projects, HVAC and overall professional use.
- CE/GS approved

Specifications:
- Rated Voltage: 14.4V
- Battery: Li-ion 1300mAh
- No Load Speed: 0-400/0-1500rpm
- Max torque: 40n.m
- Chuck: 10mm
- Clutch: 20+1 setting
- 3-5 hours charger



3/8" 18V 1500mAh Li-ion Cordless Drill

P09G2319

Features:
- Two speed transmission for optimal speed and torque control.
- 3/8inch chck for various drilling/driving applications.
- Compact and lightweight design that allows the tool to fit into smaller spaces eith ease.
- LED light provides visibility in dark working environment.
- Ergonomic handle delivers comfort and control.
- 3 livel battery status indicator keeps the user update of the most current battery condition.

Specifications:
- Rated voltage: 18V
- Battery:Li-ion 1500mAh
- No Load Speed: 0-400/0-1400rpm
- Max Torque: 35Nm
- Chuck size: 10mm
- Torque Settings: 18+1
- Switch: forward & reverse
- High FFU Level
- CE/GS approved



3/8" 14.4V 1500mAh Li-ion Cordless Drill

P09G2320

Features:
- Delivers 2 speeds (0-400 &1500 rpm ; 40Nm), with trigger that allows to control your own drilling speed which perfects for what you are setting up for
- This professional-grade power and incredibly lightweight drill is great for hard-to-reach areas and overhead tasks.
- Perfect for a mechanical technician, plumber, DIY projects, HVAC and overall professional use.
- Certificate: GS/CE

Specifications:
- Rated voltage: 14.4V
- Battery: Li-ion 1500mAh
- No-load speed: 0-400/0-1400 rpm
- Max torque: 42N.m
- Chuck size: 10mm
- Torque Settings: 19+1
- Switch: forward & reverse



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Hardware Safety

1000pc Cotter Pin Assortment

S07A058

Features:
- Corrosion Resistant and Anti-rust, Moist Environments Can Also Be Used.
- Convenient resealable plastic case.
- Used to Automotive, Mechanics, Car Garage, Workshop, Power Equipment, Cars, Trucks, Lawn Mower, Small Engine Repair, & Fastening.

Specifications:
- Size and quantity
  1/16"x1"-380 pcs
  3/32"x1"-240 pcs
  3/32"x1-1/2"-140 pcs
  1/8"x1-1/4"-115 pcs
  1/8"x2"-75 pcs
  5/32"x2-1/2"-50 pcs
- Material:steel
- Galvanized surface



40pc Hose Clamp Assortment

S07A067

Features:
- High quality:The whole hose clamp (including the band, housing and screw) are all made of premium heavy duty stainless steel material. Salt resistant, anti rust, anti-corrosion, waterproof, oil-proof. Clamps are sturdy, s trong and reliable.
- Worm gear type
- 360°seal protection - without any steps or gaps in the crimp clamp, inner circumference assurance the hose uniform surface compression.
- Narrow ear - Lock forces concentrated. Specially formed strip edges reduce the risk of damage to the part being clamped.
- Comes in a resealable divided PVC storage case

Specifications:
- Size and quantity
  5pc - 1/2" CLAMPS
  7pc - 5/8" CLAMPS
  10pc - 3/4" CLAMPS
  4pc - 7/8" CLAMPS
  3pc - 1" CLAMPS
  3pc - 1-1/6" CLAMPS
  4pc - 1-3/8" CLAMPS
  4pc - 1-1/2" CLAMPS



200pc Spring Assortment

S07A069

Features:
- High quality extension and compression industry spring assortment kit
- Used for tools & equipment, hand tools, automotive, replacement parts
- Comes with a convenient re-sealable plastic case

Specifications:
- Material: Zinc plated steel
- Compression springs include:
  9/32" x 1/2" -10pcs
  1/4" x 13/32" - 10pcs
  7/32" x 1-1/16" -10pcs
  3/8" x 5/8" -6pcs
  3/8" x 3/4" - 12pcs
  9/32" x 3/4" -10pcs
  23/64" x 1-3/8" - 8pcs
  7/32" x 1-1/2" - 10pcs
- Extension springs include:
  13/64" x 13/16" - 10pcs
  7/32" x 1" - 10pcs
  1/4" x 7/8" - 10pcs
  5/16" x 1-1/8"- 8pcs
  5/16" x 1-1/4" - 10pcs
  5/16" x 1-3/4"- 12pcs
  11/32" x 1-27/32"-12pcs
  9/32" x 2-13/16" - 12pcs
  5/32" x 3-1/8" - 12pcs
  3/16" x 1-3/4" - 8pcs
  9/32" x 1-1/2" -10pcs
  11/32" x 1-7/16"-10pcs




500pc POP Aluminum Rivet Assortment

S07A295

Features:
- Repair many household products.Faster and stronger than screws or nails.
- Rivets with Steel Shanks and Rust-Proof Aluminum Heads
- Fits all air and hand riveters
- Re-useable, full-visibility packaging simplifies product selection and storage
- Constructed of high-quality materials for long-lasting durability.
- High quality: Stable and durable, corrosion resistant, galvanized surface, smooth and no stab, riveting smooth, high ductility, good fatigue strength.
- Widely uses: Widely applied in construction, automobiles, ships, aircraft, machinery, electrical appliances, furniture and other fields, for splicing and object fastening between sheet metal.

Specifications:
- Material: Aluminum
- Size:
  1/8" x 1/4"- 120pc
  1/8" x 5/16"-120pc
  1/8" x 3/8"-120pc
  3/16" x 5/16"-70pc
  3/16" x 3/8"-70pc



407pc SAE O-Ring Assortment

S07B011

Features:
- Practicallt cater to all your plumbing, automotive, and general repair needs
- Versatile: This set has multiple uses; Prevent leaks in plumbing, machinery, hydraulic, and pneumatic repairs; provide secure seals for any oil, air, gas, and water seal application
- Durable: Not your basic rubber; the Nitrile Butadiene Rubber (NBR) construction gives these O-rings oil and UV resistance; Super pliable construction and extra thick wall design provides long-term use
- Easy Storage: Comes in a heavy-duty plastic storage case that keeps each size separated and organized; Portable and can be brought along anywhere you go or stored in a toolbox or storage shelf
- Contents: This variety pack includes 32 common standard (SAE) sizes from 1/8" I.D. x 1/4" O.D. to 2" I.D. x 2-1/4" O.D

Specifications:
- Material:NBR
- Sizes:
  20pc-1/8" I.D. x 1/4" O.D.,20pc-3/16" I.D. x 5/16" O.D.
  20pc-1/4" I.D. x 3/8" O.D.,20pc-5/16" I.D. x 7/16" O.D.,
  20pc-3/8" I.D. x 1/2" O.D.,20pc-1/2"I.D. x 5/8" O.D.,
  13pc-3/8" I.D. x 9/16" O.D.,13pc-7/16" I.D. x 5/8" O.D.,
  13pc-1/2" I.D. x 11/16" O.D.,13pc-9/16" I.D. x 3/4" O.D.,
  13pc-5/8" I.D. x 13/16" O.D.,13pc-11/16" I.D. x 7/8" O.D.,
  13pc-3/4" I.D. x 15/16" O.D.,13pc-13/16" I.D. x 1" O.D.,
  13pc-7/8" I.D. x 1-1/16" O.D.,13pc-3/4" I.D. x 1" O.D.,
  13pc-3/4" I.D. x 1" O.D.,10pc-13/16" I.D. x 1-1/16" O.D.,
  10pc-7/8" I.D. x 1-1/8" O.D.,10pc-15/16" I.D. x 1-3/16" O.D.,
  10pc-1" I.D. x 1-1/4" O.D.,10pc-1-1/16" I.D. x 1-5/16" O.D.,
  10pc-1-1/8" I.D. x 1-3/8" O.D.,10pc-1-3/16" I.D. x 1-7/16" O.D.,
  10pc-1-1/4" I.D. x 1-1/2" O.D.,10pc-1-5/16" I.D. x 1-9/16" O.D.,
  10pc-1-3/8" I.D. x 1-5/8" O.D.,10pc-1-3/4" I.D. x 2" O.D.,
  10pc-1-7/8" I.D. x 2-1/8" O.D.,10pc-2" I.D. x 2-1/4" O.D.,



300pc External Snap Ring Assortment

S07A013

Features:
- Made of steel, providing the good resistance to corrosion and high temperature
- This set is organized by size / type in a transparent storage case for quick access and protection
- Made of durable heat-treated, hardened steel with improved tensile strength that holds strong and lasts
- Comes with a convenient re-sealable plastic case

Specifications:
- Sizes and quantity:
  - 3mm- 20pc
  - 4mm- 10pc
  - 5mm-15pc
  - 6mm-25pc
  - 8mm-15pc
  - 10mm-20pc
  - 11mm-15pc
  - 12mm-15pc
  - 13mm-25pc
  - 14mm-15pc
  - 16mm-20pc
  - 19mm-25pc
  - 20mm-15pc
  - 22mm-20pc
  - 25mm-15pc
  - 26mm-15pc
  - 28mm-10-pc
  - 32mm-5pc



150 Pc Hair Pin Assortment

S07A059

Features:
- High quality hair pin cotter pin hitch pin assortment kit
- Zinc plated steel, Corrosion-resistant to ensure long time use
- Include 6 widely used size total 150pcs in a clear box
- The hair pin style design gives fast and secure hold for bolts and pins that way your work never gets undone
- Widely used for automotive, mechanics, car garage, workshop, power equipment, cars, trucks, lawn mower and etc
- Comes with a convenient re-sealable plastic cas

Specifications:
- Material: Zinc Plated steel
- size and quantity:
  3/32"x 1-3/16" - 42pcs
  5/64"x 1-5/16" -30pcs
  5/64"x 1-9/16" -25pcs
  3/64"x 1-5/8" -25pcs
  9/64"x 1-3/4" -20pcs
  5/32"x 2-5/16" -8pcs



146PC Lock Nuts Assortment

S07A177

Features:
- Nylon collar replaces lock washers preventing bolts from coming out for a more secure and durable hold
- High quality polymer-insert lock nuts resist turning, preventing nut from loosening under vibration and torque
- Extra sturdy compartmentalized plastic carrying case allows neat organization and convenient storage for any garage, work bench, or on the go job sites
- Assortment of locknuts for various household and automotive applications. Perfect for professionals, DIYers, and more.

Specifications:
- Size and quantity:
  M4-35 pcs
  M5-35 pcs
  M6-25 pcs
  M8-25 pcs
  M10-16 pcs
  M12-10 pcs



1200pc Nut & Bolt Assortment

S07A415

Features:
- Includes 360 screws
- Includes 840 nuts, bolts, and washers
- Labeled for quick identification
- Mountable rack with handle
- Extra storage container included

Specifications:
- Size:6*5/8in-20pc,1/4*3/4in-20pc,8*5/8in-20pc,8*1in-20pc,10*3/4in-30pc,10*1in-20pc,#6washer-25pc,1/4in washer-25pc, #8washer-50pc,#10washer-50pc,#6Het nut-25pc,1/4in Hex unt-25pc,#8 Het nut -50pc,#10 Hex unt-50pc,3*16mm-20pc, 4*16mm-20pc,4*25mm-20pc,5*20mm-20pc,5*25mm-20pc,6*20mm-20pc,M3 Washer-25pc,M4washer-50pc, M5washer-50pc,M6washer-25pc M3 hex nut-25pc,M4 hex nut-50pc, M5 hex nut-50pc,M6 hex nut-25pc 6*3/4in-40pc,6*1/2in-40pc,8*1/2in-30pc, 8*5/8in-20pc,8*3/4in-30pc,10*1in-20pc, 4*1/2in-40pc,6*5/8in-30pc,6*3/4in-30pc, 8*5/8in-20pc,8*1in-20pc



440pc Car Retainer Clips &Plastic Fasteners Kit

S07A561

Features:
- Fasteners Clips For GM Ford Toyota Honda Chrysler. But NOT ONLY for these cars, if the sizes and shape meet your needs well, it's also a useful kit.
- Car push pins are made of high-quality heavy-duty material, which is strong, robust and vibration resistant, would not break or crack easily.
- Comes with a plastic box with 18 compartments for organized storage. Compact size, light weight, convenient to store or carry with in your car.
- Theses push clips are widely used for trim panel clips, door trim clips, door panel clips, bumper clips, Fender clips, engine cover and splash shield retainers replacement. It always covers some applications include telecom equipment, motor vehicles, domestic appliances, furniture and electrical equipment.

Specifications:
- 35PC Fender & bumper shield retainer
  15PC Fender & bumper shield retainer
  10PC Grille to metal stamping retainer
  30PC Hood insulation retainer
  20PC Push-type retainer
  10PC Trim panel retainer
  20PC Trim panel retainer
  30PC Fascia retainer
  20PC retainer
  40PC Weatherstrip retainer
  55PC Weatherstrip retainer
  40PC Screw nylon nut
  20PC Push-type retainer
  15PC Trim panel retainer
  40PC Retainer
  5PC Bumper retainer
  5PC Bumper retainer
  20PC Non-ship shock-proot EVA sponge-cushion
  5PC Push mount cable tie
  4PC Plastic pry bar
  1PC door panel remover



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

Power Tools

10Pcs Drill Bit Set

P09Y2203

Features:
- High-carbon steel, heat treated all over.
- Drill bit set for drilling in wood/metal/plastic countersink.Suitable for Home DIY, and General Building/Engineering Use.
- With positive cutting angle for faster drilling than with conventional bits
- The drill bits set fits the majority of drill/ driver currently on the market.

Specifications:
- 5PC Wood drill bits 4-5-6-8-10mm (dia) C45 carbon steel, HRC46-52 ;
- 4PC flat wood drill bits 14-16-18-20mm(dia), C45 carbon steel, HRC46-52 ;
- 1PC Saw Drill HSS4241 HRC60-62.



12Pcs Drill Bit Set

P09Y2201

Features:
- Made of high-carbon steel, heat treated all over.
- Drill bit set for drilling in wood / metal / plastic countersink.Suitable for Home DIY, and General Building/Engineering Use.
- With positive cutting angle for faster drilling than with conventional bits
- The drill bits set fits the majority of drill/ driver currently on the market.

Specifications:
- 5PC Wood drill bits 4-5-6-8-10mm(dia), C45 carbon steel, HRC46-52 ;
- 5PC Stone drill bits 4-5-6-8-10mm(dia), C45 carbon steel+YG8C tips HRA 88-90 ;
- 1PC Saw drill HSS4241, HRC60-62 ;
- 1PC centre punch C45 carbon steel, HRC46-52



7.2V 900mAh Li-ion 40pcs Cordless Rotary Tool Kit

P17X068

Features:
- PRECISE & COMFORT: Small Rotary tool of slim ergonomic and ultra compact design makes it lightweight and easy to handle, like a pen for ultimate control and precision as well as comfortable soft-grip so that without your hand getting tired
- Ideal for carving engraving polishing sanding cutting grinding sharpening
- BUILT-IN LED LIGHT: Handheld Rotary tool with cordless micro light allows user to illuminate what you are doing, great for small detailed projects and work in tight spaces

Specifications:
- Rated voltage:7.2V
- Battery: 900mAh Li-ion
- No-load speed:5000-25000 / min
- Chuck size:3.2MM
- With Led Light
- MABUCHI MOTOR
- Charger time:3-5Hours
- 40-Piece Accessory
- PSE/ETL Charger



3/8" 2 IN 1 12V Li-ion 1300mA Cordless Drill & Driver

P09Z227

Features:
- Variable speed trigger for drilling and driving.
- 3/8-inch chuck for various drilling/driving applications.
- LED light provides visibility in dark working environment.
- Compact and lightweight design that allows the tool to fit into smaller spaces with ease.
- Ergonomic handle delivers comfort and control.
- 3 level battery status indicator keeps the user update of the most current battery condition.
- Convertible head

Specifications:
- Rated voltage: 12V
- Battery: Li-ion 1300mAh
- 2 speed Switchable: 0-400/0-1400rpm
- Max torque setting: 28Nm
- Quick-changing chuck: 10mm
- Torque Grade: 18+1
- Charging Time: 1hour
- Switch: Forward/Reverse
- CE/GS approved



5 Piece Router Bit Set

P21Y801

Features:
- Industrial quality router bits, with Anti-Kickback design and CNC balanced with high quality guide bearings.
- Designed for a router table or desktop wood working engraving machine like CNC hand-held and table-mounted router.
- Suitable for solid wood, particleboard, MDF, plywood etc. Great for making a wood drawer, window, cupboard or other woodworking projects.

Specifications:
- Bit Material: C2 virgin Carbide
- Material Cut: Wood
- Shank Diameter: 1/4"
- Cutting Edge Diameter: 3/8"
- Number of Flutes: 2
- Cutting Edge Length: 3/4"
- Bearing Diameter: 3/8"



12V 2000mAh Li-ion Rotary Cordless Tool Kit With 53pcs Accessories

P17X069

Features:
- Compact and lightweight body makes it light and easy to handle for delicate tasks and finer work; Rubber-covered handle with anti-slip function provides comfortable grip for better control.
- This rotary tool comes with 53pcs accessories, which can be used to do all kinds of home projects or crafting jobs, such as grinding, cutting, sanding, carving, polishing, drilling and more.

Specifications:
- Rated voltage:12V
- Battery:2000mAh Li-ion
- No-load speed:5000-25000r/min
- Chuck Size:3mm
- Charger time:1hour Fast charger
- the product with CE/GS
- ETL/PSE Charger
- 53pcs Accessories including
  2 × Collets ;4 × Diamond Burr Bit ;
  3 × Felt Wheels ;4 × Mandrel;4 × Abrasive Stone;8× Sanding Drum;2 × Wire Brush;
  20 × Sanding Paper Disc;1 x spanner;
  5 x cut off wheels



18V 2000mAh Li-ion Brushless Rotary Hammer

P23D2263

Features:
- Brushless motor delivers more power, more efficiency and longer motor life than brushed.
- SDS-Quick drill bit holder.
- The soft grip handle with a two-finger reversible trigger positions the user's hand directly behind the chuck for maximum comfort and control.

Specifications:
- Rated voltage:18V
- Battery:Li-ion 2000mAh
- No load speed: 0-1400 rpm
- Impact Rate: 2.2 J
- SDS-Quick drill bit holder
- Battery capacity indicator
- CE/GS certification



Electric Engraver 120V 13W

P99H1110

Features:
- Sharp and Precise: Sharp and precise replaceable tungsten carbide writing tip allows for the cleanest, most detailed engraving results and remains sharp for multiple uses
- Works great on wide range: Works great on wide range of multi-surfaces ranging from wood, plastic, metal, glass, and many more material for all types of projects
- Easy Operation: Soft, lightweight body with a comfortable grip makes it hand-held giving a natural pencil light squeeze for easy operation
- Two Stencils: two stencils include numbers and shapes making it great for artistic customization or simple labeling

Specifications:
- Rated voltage/Frequency: 120V/60Hz 13W
- No load Speed: 7200SPM
- 4pcs Tungsten carbide tip
- 2pc Stencil
- Use on metal, glass,wood,plastic
- CE/GS Approved



18 Volt Cordless Worklight

P99Z2779

Features:
- DJUSTABLE: The head can swivel front and back up to 130 degrees. Lay it flat on the ground and you'll be able to point it nearly anywhere
- A single 300 lumen LED provides a bright, white light for this 18 volt cordless worklight.
- You'll need a powerful light if you're working at night. Even if you have house or garage lights, you could use a spot on your work so you can do your job with pinpoint accuracy.And this cordless worklight can be used as an emergency backup to keep in the trunk of your car

Specifications:
- Rated voltage:18V
- Brightness: 300LM
- Material:ABS,TPR
- Function:adjustable lighting&SOS
- Charger and battery are not included



Hardware Safety

300pc E-Clip Assortment

S07A009

Features:
- High Quality External Retaining Ring E-Clip Kit.
- Made of Alloy Steel, providing the good resistance to corrosion and high temperature.
- All of screws will be packed in a sturdy and transparent plastic box, can be use for a storage box.

Specifications:
- Material: Alloy Steel
- Size and quantity
  1.6mm-30 pcs
  3.2mm-30 pcs
  4.8mm-40 pcs
  6.4mm-50 pcs
  9.5mm-50 pcs
  12.7mm-40 pcs
  15.9mm-20 pcs
  19.1mm-20 pcs
  22.2mm-20 pcs



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website: www.flavictools.com

8pc Double Cut Carbide Burr Set With 1/4-Inch Shank

T21A325

Features:
- Perfect for opening holes, or porting heads on ferrous materials
- Sintered and machined from 100% new raw tungsten carbide
- Unique tooth angle prevents chipping for the longest lasting design possible
- Come in a blow molded storage case for easy storage and transport

Features:
- Material:YG8
- All burrs are 1/4 in diameter shank
- Set includes:
- SA-5: cylindrical shape 1/2 in x 1 in
  SA-3: cylindrical shape 3/8 in x 3/4 in
  SC-3: cylindrical radius end 3/8 in x 3/4 in
  SC-1: cylindrical radius end 1/4 in x 5/8 in
  SD-1: ball shape 1/4 in
  SD-3: ball shape 3/8 in
  SF-3: tree shaped radius end 3/8 in x 3/4 in
  SF-5: tree shaped radius end 1/2 in x 1 in
- Should not exceed maximum 30,000 RPM
- weight：301.8g



7pc Wire Brush Set

T93X007

Features:
- Offset finger-grips Allow Precise controlled use.
- Stainless steel for Paint & Rust removal.
- Brass for Dirt & Grime Removal.
- Nylon for Interior & Exterior Auto Detailing.
- These brushes are great for cleaning and polishing in those hard to reach areas.

Specifications:
- 3pcs 9" wire brushes:
  1-stainless steel
  1-copper coated
  1-nylon
  3pcs 7" mini wire brush:
  1-stainless steel
  1-copper coated
  1-nylon
  1pc 4*18 Row wire brush, carbon steel wire



20pc Wire Brush Set

T93X020

Features:
- Ideal for machine shops and auto repair.
- Use with soft grip handle or power tools.
- Industrial quality wire brushes mounted on a 1/4" hex shank, easy to fit on a power cordless drill. Perfect replacement for the traditional hand wire brush, saves you time and energy. Package includes 3 different material brushes - stainless steel, brass and nylon (12 pieces of each). Ideal for cleaning rust, corrosion, dust. For example, clogged EGR ports, corroded light sockets.
- Cleaning corroded battery terminal clamps, removing bead sealing area of oxidized aluminum rims

Specifications:
- 6 x brass brushes
- 6 x stainless steel brushes
- 6 x nylon brushes
- 1 x 150mm extension
- 1 x 150mm soft grip handle
- Sizes Approx: 9, 11, 13, 15, 17 & 19mm



3PC Drill Brush Power Scrubber Brush Set

T93X105

Features:
- 3 different power scrub brush sizes and shapes of power brushes for cleaning around your bathroom surfaces
- Each Drillbrush brand power scrubber drill brush is well built and durable construction for use both indoors and outdoors
- These nylon bristles will not scratch and can be used on tubs, sinks, baseboards, fiberglass shower enclosures, shower door tracks, and porcelain to save yourself time and effort cleaning all kinds of different surfaces.

Specifications:
- 3 different sizes and shapes of brushes for cleaning around your bathroom surfaces.
- Size:2in, 4in, 3.5in corner brush



12PC Polishing and Flap Disc Set

T95X012

Features:
- Each disc is bonded with fiberglass backing to absorb tool vibration and offer additional durability and reinforcement.
- Grinding & polishing discs set is specifically used for cleaning, finishing & polishing on metal, stainless steel, copper, iron, aluminum, glass, jewelry, medical instruments, plastic, ceramics, marble, wood crafts, etc.
- Widely used in aerospace, plant maintenance, foundry, automotive, metal fabrication and shipyards

Specifications:
- 4pc Aluminium Oxide Flap Disc 115*22.2mm
- (Grit40/1pc,Grit60/1pc,Grit80/1pc,Grit120/1pc).
- Resin fiber w/fiberglass backing platd 7/8"arbor
- Type 27(flat) 13300rpm.72*23.7mm*1.7mm.
- 4pc Zirconium Oxide Flap Disc 115*22.2mm
- (Grit40/1pc,Grit60/1pc,Grit80/1pc,Grit120/1pc).
- Resin fiber w/fiberglass backing platd 7/8"arbor
- Type 27(flat) 13300rpm.72*23.7mm*1.7mm.
- 1pc Felt Polishing Disc 115*22.2mm.
- Resin fiber w/fiberglass backing platd 7/8"arbor
- Type 27(flat) 15000rpm.
- 1pc Strapping Disc 115*22.2mm.
- Resin fiber w/fiberglass backing platd 7/8"arbor
- Type 27(flat) 15000rpm.
- 1pc Sponge Ponshing Disc 115*22.2mm.
- Resin fiber w/fiberglass backing platd 7/8"arbor
- Type 27(flat) 15000rpm.
- 1pc Scouring Pad Polishing Disc 115*22.2mm.
- Resin fiber w/fiberglass backing platd 7/8"arbor
- Type 27(flat) 13500rpm.





8 Pc Sanding Swabs

T21Z008

Features:
- Use for intricate sanding and polishing of wood, plastic, and metal in both wet or dry applications.
- Unique shape allows access to hard to reach areas.
- Marine grade epoxy secures grit to plastic stem.

Specifications:
- Black tip: 120 grit.
- Grey tip: 180 grit.
- Length: 6"



38pc Industrial Wire Brush Set

T93X011

Features:
- Ideal for machine shops and auto repair.
- Use with soft grip handle or power tools.
- Industrial quality wire brushes mounted on a 1/4" hex shank, easy to fit on a power cordless drill. Perfect replacement for the traditional hand wire brush, saves you time and energy. Package includes 3 different material brushes - stainless steel, brass and nylon (12 pieces of each). Ideal for cleaning rust, corrosion, dust. For example, clogged EGR ports, corroded light sockets. Cleaning corroded battery terminal clamps, removing bead sealing area of oxidized aluminum rims

Specifications:
- 12 x various sizes of nylon brush
- 12 x various sizes of stainless steel brush
- 12 x various sizes of brass brush
- 1/4" hex shank, 4" overall length
- Detail Brush Sizes:
  8mm - 5/16" , 9mm - 11/32" , 10mm - 13/32",
  11mm- 7/16",12mm - 15/32", 13mm - 1/2",
  14mm- 9/16", 15mm-19/32",16mm- 5/8",
  17mm - 11/16", 18mm - 23/32", 19mm - 3/4"6"
  quick release extension bar.
  5-3/4" quick release soft grip handle.



4PC Drill Brush Power Scrubber Brush Set

T93X104

Features:
- 4 different power scrub brush sizes and shapes of power brushes for cleaning around your bathroom surfaces
- Each Drillbrush brand power scrubber drill brush is well built and durable construction for use both indoors and outdoors
- These nylon bristles will not scratch and can be used on tubs, sinks, baseboards, fiberglass shower enclosures, shower door tracks, and porcelain to save yourself time and effort cleaning all kinds of different surfaces.

Specifications:
- Size :5in, 4in, 3.5in corner brush, 2in
- Material:Nylon bristles



6PC Drill Brush Power Scrubber Brush Set

T93X108

Features:
- 6 different power scrub brush sizes and shapes of power brushes for cleaning around your bathroom surfaces
- Each Drillbrush brand power scrubber drill brush is well built and durable construction for use both indoors and outdoors
- These nylon bristles will not scratch and can be used on tubs, sinks, baseboards, fiberglass shower enclosures, shower door tracks, and porcelain to save yourself time and effort cleaning all kinds of different surfaces.

Specifications:
- 6 different power scrub brush sizes and shapes of power brushes for cleaning around your bathroom surfaces.
- Size :5in, 4in, 3.5in corner brush, 2in
- size:2in,3in,material:scouring pad



6 Pieces Wire Brush Set

T93X106

Features:
- Easy to Hold and Hanging: these brushes come with comfortable plastic handle for holding and control; a hole on the end of each wire brush handle, special design is convenient for hanging and storing
- Wide application: welding wire brushes are suitable for cleaning steel parts, machinery, the unfinished metal parts, paint stains, special corrosion, etc.

Specifications:
- 6 pieces of wire brushes (3 pieces of mini wire brushes and 3 pieces of large brushes) in brass, stainless steel and nylon material, strong and durable, can clean rust and not easy to break off.
- 3 Pieces wire brushes:wire brush handle length is 12 cm / 4.7 inches,the brush head length is approx.9.5 cm/ 3.7 inches,and the brush head width is 2 cm/ 0.8 inch.
- 3 Pieces mini wire brushes:brush handle length is 13 cm / 5.1 inches,the brush head length is approx. 4 cm/ 1.6 inches, and the brush head width is 1 cm/ 0.4 inch.



36pcs Polishing & Grinding Accessories Tool set

T95X036

Features:
- CONVENIENT AND PRACTICAL - Small buffing wheel is an efficient polishing tool of metal and non-metallic materials in small area of rust deburring and surface polishing, high efficiency, low cost.
- VARIOUS ACCESSORIES - All purpose accessory for grinding, sanding, sharpening, polishing, engraving, drilling and cleaning on variety of materials, the best choice for DIY enthusiasts
- WIDE APPLICATION:Suitable for metal surface cleaning, grinding, dusting, deburring, polishing, stripping residue, removing oxide, Meanwhile these are great for polishing jewelry or other metal working uses. they can be used with a dremel tool, fit for rotay tools grinder etc.

Specifications:
- 6pcs Drill bit, 1pc Mandrel,
- 2pcs Sanding Drum,
- 5pcs Diamond point,
- 2pcs HSS Cutter,
- 6pcs Mounted point,
- 2pcs Diamond cutting disc with mandrel ,
- 3pcs Steel wire brush,
- 3pcs Nylon brush,
- 2pcs Felt wheel with mandrel,
- 1pc Artificial Leather buffing wheel,
- 1pc Sand Leather buffing wheel,



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

110 pc Grease Fitting Assortment

S07B009

Features:
- The Hydraulic Grease Fitting SAE Standard 110-Piece Kit – Straight, 90-Degree, 45-Degree Angled Zerk Assortment Set allows you to simply insert lubricant directly into the bearing without having to disassemble or replace the bearing; For restoration and replacing missing or broken grease zerks on your machinery
- Constructed from high-strength zinc-plated steel for extra strength and rust-resistance
- Plastic carrying case for easy transport, safe storage, and quick organization; Sizing chart is included for simple identification

Specifications:
- Corrosion-resistant zinc-plated steel construction
- Six common sizes.
- Includes straight, 45°, and 90° types.
- Contents:
  30pc-Straight 1/4"-28, 15pc-45° 1/4"-28,
  15pc-90° 1/4"-28, 20pc-straight 1/8" NPT,
  15pc-90° 1/8" NPT, 15pc-45° 1/8" NPT.




419pc Metric O-Ring Assortment

S07B013

Features:
- Practical:It cater to all your plumbing, automotive, and general repair needs
- Versatile: This set has multiple uses; Prevent leaks in plumbing, machinery, hydraulic, and pneumatic repairs; provide secure seals for any oil, air, gas, and water seal application
- Durable: Not your basic rubber; the Nitrile Butadiene Rubber (NBR) construction gives these O-rings oil and UV resistance; Super pliable construction and extra thick wall design provides long-term use
- Easy Storage: Comes in a heavy-duty plastic storage case that keeps each size separated and organized; Portable and can be brought along anywhere you go or stored in a toolbox or storage shelf
- Contents: This variety pack includes 32 common metric sizes from 3mm to 50mm

Specifications:
- Material:NBR
- Sizes:
  20pc-3x1.5mm,20pc-4.4x2.0mm,18pc-5x2.0mm,23pc-7x1.5mm23pc-10x1.5mm,23pc-13x1.5mm,14pc-10x2.5mm,
  13pc-11x2.5mm14pc-13x2.5mm,13pc-14x2.5mm,14pc-16x2.5mm,
  14pc-18x2.5mm13pc-19x2.5mm,14pc-21x2.5mm,13pc-22x2.5mm,
  10pc-18x3.5mm10pc-20x3.5mm,10pc-22x3.5mm,10pc-23.5x3.5mm,
  10pc-25x3.5mm10pc-26.5x3.5mm,10pc-28x3.5mm,10pc-30x3.5mm,
  10pc-31x3.5mm10pc-33x3.5mm,10pc-34.5x3.5mm,10pc-36x3.5mm,
  10pc-38x3.5mm10pc-41x3.5mm,10pc-44x3.5mm,10pc-47x3.5mm,
  10pc-50x3.5mm



225pc O-Ring Assortment

S07B017

Features:
- Made of superior rubber, heat resistant, wear-resistant and corrosion resistant
- Comes with a organized storage box, Easy to store, convenient to tidy up and choose the size what you want
- Suitable for garages, general plumbers, mechanics, workshop, car, door, window, electric appliance, bearing, pump, carrier roller
- Widely used as sealing rings and washer for the connectors in the hydraulic machinery, pipelines, momentary push button switch and more, perfect to prevent leaks air, oil, water

Specifications:
- Size and quantity:
  3x1mm-20pcs 10x2mm-5pcs
  4x1mm-20pcs 11x2mm-5pcs
  4.5x2mm-20pcs 13x3mm-5pcs
  5x2mm-20pcs 14x2.5mm-5pcs
  6x2mm-20pcs 17x2.5mm-5pcs
  6x2.5mm-20pcs 18x4mm-5pcs
  6x3mm-20pcs 20x2mm-5pcs
  7x2mm-20pcs 22x2mm-5pcs
  8x2mm-20pcs
  9x2mm-5pcs
- Rubber



180pc Rubber Grommet Assortment

S07B019

Features:
- Ideal for automotive, boat and RV wiring and repair jobs
- Durability due to the plastic case
- Protect wiring and cables in metal junction areas
- The perfect solution for running wires through frame,frewall, sheet metal and other electrical applications.
- Designed to keep wires or any other materials from rubbing against sheet metal,plastic, etc.

Specifications:
- Size and quantity
  7/8"-5 pcs
  5/8"-5 pcs
  5/16"-40 pcs
  7/16"-25 pcs
  3/8"-40 pcs
  1/4"-40 pcs
  1/2"-20 pcs
  1"-5 pcs
- Material: rubber



50PCS Hose Clamps Set With Socket Wrench

S07G327

Features:
- High quality spring band type clips, suits for hose air hose, water pipe, automotive fuel line, silicone hose.
- Wide usage: work with push mower, riding mower and snowmobiles, ideal for vacuum and low-pressure fuel lines.
- High quality materials and construction to ensure long service life.
- Organized within a convenient plastic storage case.

Specifications:
- For attaching hoses to pipes and hose nets.
- Made of galvanised steel, including:
- CV-8 mm socket wrench to attach and detach
- size:
  7-16mm, 12pc
  10-23mm,12pc
  19-27mm,10pc
  16-32mm,7pc
  21-38mm,5pc
  19-44mm,3pc
  1pc socket wrench, size 8x100mm



110pc Copper Washer Assortment

S07B001

Features:
- High quality, prime copper material is constructed to withstand up to 1083℃ melting point and upholds strength and ultimate durability during tough operations
- Specialized material provides fine workmanship, smooth surface and no burr for perfect results
- Complete set of 110 pieces with sizes ranging from small to large are great for multiple types of application
- Widely used in various environments pertaining to hydraulic fittings, water, fuel, and sump plugs
- Convenient re-sealable plastic case is equipped with organized compartments allowing easy storage and keep fasteners clean and neat

Specifications:
- Sizes and quantity:
  1/4"-30 pcs
  5/16"-25 pcs
  3/8"-20 pcs
  7/16"-15 pcs
  1/2"-10 pcs
  5/8"-10 pcs
- Material:copper



270pc HNBR O-Ring Assortment

S07B015

Features:
- 270pc NBR A / CO ring classification O ring seal HNBR ring seal O shape ring.
- 18 sizes, TC Rohs certified kit 270pc rubber flat O ring for classification,
- Used in different places.
- Packaged with a good plastic box for sale.
- The size can be found in the color card that comes with the box.
- This commodity is widely used in factories and homes.
- Shape: Ring gasket
- Comes with a convenient re-sealable plastic case

Specifications:
- Material: HNBR
- size and quantity:
  5.29*1.78mm-20pcs 6.07x1.78mm-20pcs
  6.8x1.9mm-20pcs 7.68x1.78mm-20pcs
  7.8x1.9mm-20pcs 8x2mm-20pcs
  8.8x1.9mm-20pcs 10.82x1.78mm-15pcs
  10.77x2.62mm-15pcs 11x2mm-15pcs
  12x2mm-15pcs 13.9x1.8mm-10pcs
  13.95x2.62mm-10pcs 14x2mm-10pcs
  15x2mm-10pcs 17x2mm-10pcs
  17.17x1.78mm-10pcs 17.04x3.53mm-10pcs



125pc Rubber Grommet Assortment

S07B018

Features:
- Rubber grommets are commonly used to protect or cover holes and to protect cables or wires from sharp corners or edges. Rubber grommets are also important parts in automotive applications. They are used to protect lines, wires and cables from chafing or grazing on rough surfaces. It can also effectively reduce vibration and are used to seal different important under-the-hood and body applications.
- The Vanitek Rubber construction Grommets are non-flammable, weather -resistant, also less affected by the negative effects of UV light and ozone, high heat resistance, more durable and tear-resistant, It does not dry up or crack and come lose easily, grommets are more resistant to oil, phosphoric, hydrochloric, sulfuric and Saltpeter acid, It can also handle bigger temperature spans than other types of grommets.
- Comes with a convenient re-sealable plastic case

Specifications:
- Material:rubber
- Sizes:
  15pc 1/8"x 1/4"
  10pc 3/16"x 5/16"
  7pc 1/4"x 1/2"
  3pc 5/16"x 17/32"
  6pc 3/8"x 1/2"
  5pc 3/8"x 9/16"
  3pc 3/8"x 3/4"
  3pc 7/16"x 3/4"
  4pc 1/2"x 21/32"
  3pc 5/8"x 1"
  2pc 3/4"x 5/16"
  20pc 5/16"
  20pc 3/8"
  10pc 1/2"
  5pc 5/8"
  4pc 3/4"
  3pc 7/8"
  2pc 1"



275pc Eyelet Press Stud Kit With Locking Plier

S07D247

Features:
- Have fun adjusting your favorite belts to fit you perfectly again.
- Super easy and fast to use.
- Ideal for tightening, clamping, twisting, and turning.
- Classic trigger release designed to provide maximum locking force

Specifications:
- 275 Piece Eyelets And Snap Fastener Assortment
- Including: 1 pc lock pliers,nickel-plated
  10 pc blue plastic jackets with number code(1-16)
  10 pc metal parts
  10pc rivet, length 5mm, diameter 4mm
  4pc tapping screw, length 15mm, diameter 3mm
  30pc rivet, length 6mm, diameter 4.4mm
  30pc spacer, inner bore 9mm, diameter15mm,thickness 0.5mm
  30pc spacer, inner bore 9mm, diameter14mm,thickness 0.5mm
  30pc eyelet button, inner bore 8mm,length 4mm
  30pc eyelet button, inner bore 8mm,length 5mm
  10pc eyelet button, inner bore 10mm,length 4mm
  10pc eyelet button, inner bore 3.5mm,length 6mm
  30pc rivet, length 6mm, diameter 3.2mm
  30pc rivet, length 5mm, diameter 3mm
  10pc button, inner bore 4mm, diameter 13mm



Cut Resistant Gloves

S67D125

Features:
- Durability with the highest level of cut resistant material available on the market - 4 times stronger than leather
- Superior grip with a snug fit for small and large hands - prepare food or work on jobs requiring precision with complete dexterity
- Lightweight and comfortable protection without the bulk - awarded with the highest, EN388 level 5 cut resistance
- Ideal for cutting, working with mandoline slicers, knives, cutters, graters and peelers in the kitchen, woodworking, carving, carpentry, oyster shucking, and so much more…
- 100% food safe and machine washable - keeping your gloves clean is easy
- With CE and FDA certification

Specifications:
- High Performance Level 5 Protection, Food Grade
- High strength and high modulus polyethylene + glass fiber
- Glove size:
  S:3.0-3.4in(palm width)
  M:3.1-3.5in(palm width)
  L:3.5-3.9in(palm width)
  XL:3.9-4.3in(palm width)



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Abrasive

295pcs Polishing and Grinding Accessories Set

T95X231

Features:
- Great set with multiple accessories, set in a nice wooden storage box with transparent viewing window
- Ideal for all types of cleaning, polishing, grinding, etc.
- This set of mini polishing tools are perfect for deburring, finishing, and polishing stainless steel, chrome, and precious metals.

Specifications:
- The set including:
- 14pcs 1/8"Mounted point
- 2pcs 1/8" Mandrel
- 1pcs Mandrel for felt wheel
- 7pcs 1/8" Diamond point
- 2pcs Drill bit
- 4pcs HSS cutter
- 1pcs 6.3mm Sanding drum
- 1pcs 9.5mm Sanding drum
- 1pcs 12.7mm Sanding drum
- 10pcs 6.3mm Sanding bands
- 10pcs 9.5mm Sanding bands
- 10pcs 12.7mm Sanding bands
- 3pcs Stainless steel wire brush
- 3pcs Nylon brush1pc Whetstone
- 1pc Polishing compound
- 5pcs 25mm Felt wheel
- 30pcs 13mm Felt wheel
- 2pcs Felt point
- 6pcs Pink Aluminium oxide grinding disc
- 6pcs Green Silicon Carbide grinding disc
- 12pcs Double-net resinoid cutting disc
- 3pcs Green Rubber grinding disc
- 40pcs Resinoid cutting disc
- 60pcs Brown Sand paper disc
- 60pcs Black Sand paper disc
- 1pc wooden case



276pcs Polishing and Grinding Accessories Set

T95X415

Features:
- Reusable storage case for easy storage and carrying .
- All purpose accessory for cutting, grinding,sanding, carving and polishing on variety of materials.
- Work on jade, ceramic, glass, wood, hardened steel, cast iron, stainless.
- This kit includes complete rotary tool accessories of cutting, grinding, sanding, sharpening, polishing, engraving, drilling, cleaning, meet your various DIY application requirements.

Specifications:
- 60pcs Sanding Bands, 10pcs Double-Net Resinoid Cutting Dis
- 4pcs Rubeer Grinding disc, 1pcs Whetstone,
- 3pcs Brass Collet, 5pcs Pink Aluminum oxide grinding Disc.
- 5pcs Green Silicon carbide grinding wheel.
- 5pcs White Aluminum oxide grinding wheel.
- 2pcs Diamond cut off discs, 1pcs Green Polishing Compound,
- 2pcs Aluminum oxide Flap wheel.
- 3pcs Stainless steel wire brush, 3pcs Nylon brush.
- 3pcs Brass wire brush, 2pcs Mandrel,
- 1pcs Mandrel for felt wheel , 1pcs Rubber Wheel,
- 9pcs Diamond point, 9pcs Drill bit,5pcs Mounted point, 3pcs Sanding Drum.6pcs Rubber Mounted point, 1pcs Felt point.4pcs Φ13mm Felt wheel , 5pcs Φ25mm Felt wheel.40pcs Black resinoid cutting disc.43pcs Brown Sandpaper Discs.
- 40pcs Black Sandpaper Discs.



Storage & Carrier

Car Creeper Tool Tray with Magnetic LED Rotating Work Light

U09A333

Features:
- The Tool Creeper is the perfect tool tray for working under your vehicle or on equipment when you need to keep tools and parts close, organized, and easily accessible.
- With the Tool Creeper rolling tray, gone are the hassles of dragging parts around or not being able to reach a wrench because you left it on the other side of the shop.
- For every mechanic or wrench-twisting weekend warrior who has smashed their head while working on a creeper, this is the perfect solution that you have needed all along..Mechanic Tool Roller Tray with magnetic
- Keep your hand tools and parts near you

Specifications:
- Material PP
- Magnetic fixed plate, with magnetic LED repair lights, can also be DIY
- Capacity：25kg
- Size:40.5*8*44cm,Weight:2.1KG
- 4pc 360 degree swivel wheels with 2 inch rubber wheels




51 Piece Peg Board Hook Kit in Zinc

U13Y051

Features:
- For use in garages, sheds, workshops and basements ;
- Ideal for storage of tools, paint brushes, extension cords and athletic equipment

Specifications:
- Material：carbon steel
- Made for 1/8 inch and 1/4 inch pegboard ;
- Include :
- 5Pc 2-1/2" angle pegboard hook;
- 12Pc 1" angle pegboard hook;
- 3Pc pegboard pliers holder;
- 1Pc multi-tool rack;
- 6Pc 1/2" curved pegboard hooks;
- 4Pc 2" straight pegboard hooks;
- 1Pc double straight pegboard hooks;
- 2Pc straight pegboard hooks;
- 1Pc double straight pegboard hooks;
- 5Pc pegboard tools holder;
- 2Pc 6" shelf brackets;
- 4Pc 1" curved pegboard hooks.



55 Piece Peg Board Hook Kit in Zinc

U13Y055

Features:
- For use in garages, sheds, workshops and basements ;
- Ideal for storage of tools, paint brushes, extension cords and athletic equipment

Specifications:
- Material：carbon steel
- Made for 1/8 inch and 1/4 inch pegboard ;
- Include :
- 5Pc 2-1/2" angle pegboard hook;
- 12Pc 1" angle pegboard hook;
- 3Pc pegboard pliers holder;
- 1Pc multi-tool rack;
- 6Pc 1/2" curved pegboard hooks;
- 4Pc 2" straight pegboard hooks;
- 6Pc 1-1/2" curved pegboard hooks;
- 2Pc straight pegboard hooks;
- 1Pc double straight pegboard hooks;
- 5Pc pegboard tools holder;
- 2Pc 6" shelf brackets;
- 4Pc 1" curved pegboard hooks.
- 4Pc 1" double straight pegboard hooks.



Others

Multifunctional Aluminium Tactical Pen

Z09A015

Features:
- Multifunctional Aluminium Tactical Pen
- Not just a great pen, this multi-tool has it all! Use the hardened tip as an emergency glass breaker or self-dense weapon, use the multi-tool to open bottles and cut as a knife, and use the light to find your way in the dark
- Aluminium material and surface fine making of anodic oxidation presents high strength and excellent handfeel
- 2pcs exchangeable ink refills and 2pcs batteries provided for longer use, 1pc battery is put in pen already, 1pc battery in box packing for backup
- Extremely practical tool for individuals to bring along daily, small but powerful
- Delicate box packing, great choice as gift

Specifications:
- Material: aluminium for main body, stainless steel for glass breaker head, anodic oxidation for pen surface
- Length: 155 mm
- Weight: 48g
- Contents:
- 1Pc x pen (with 1 pc battery installed in pen)
- With 2pcs ink refill and 1pc extra battery refill
- Black box packing



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com

Abrasive

38pcs Polishing & Grinding Accessories Tool set

T95X038

Features:
- CONVENIENT AND PRACTICAL - Small buffing wheel is an efficient polishing tool of metal and non-metallic materials in small area of rust deburring and surface polishing, high efficiency, low cost.
- VARIOUS ACCESSORIES - All purpose accessory for grinding, sanding, sharpening, polishing, engraving, drilling and cleaning on variety of materials, the best choice for DIY enthusiasts

Specifications:
- 6pcs Drill bit,
- 1pc Flap wheel,
- 2pcs Mandrel,
- 1pc Mandrel for felt wheel,
- 3pcs Sanding drum,
- 1pc Rubber wheel,
- 6pcs Mounted point,
- 3pcs Steel wire brush,
- 3pcs Brass wire brush,
- 3pcs Nylon brush,
- 9pcs Diamond point.



134pcs Polishing & Grinding Accessories Tool set

T95X134

Features:
- Includes 2 Mandrels to mount the grinding stones and sanding wheels on your rotary tool such as Dremel / -Foredom / Black & Decker / ROK and any other rotary tool with 3/32" collet [2.3mm]
- Perfect for grinding / sharpening / Cutting Polishing metals, Semi precious and precious metals
- Many different shapes for great versatility and precision applications
- Endless applications such as jewlery making, automotive, gunsmithing, hobbies, arts & crafts etc.
- Mounted Grinding points 3/32" [2.3mm] (Extra Fine, Fine, Meduim & Coarse)

Specifications:
- 6pc Brown Rubber Grinding Disc
- 6pc Green Rubber Grinding Disc
- 6pc Pink Aluminium Oxide gridning Disc
- 6pc Green Silicon Carbide grinding Disc
- 6pc Green Rubber mounted point with Φ2.35mm mandrel
- 6pc Khaki Rubber mounted point with Φ2.35mm mandrel
- 12pc Pink Aluminium Oxide mounted point with Φ3mm mandrel
- 12pc Green Silicon Carbide mounted point with Φ3mm mandrel
- 36pc Sand paper disc
- 36pc Resinoid cutting disc
- 2pc Mandrel



165pcs Polishing & Grinding Accessories Tool set

T95X165

Features:
- Includes grinding wheel disks, brushes, sanding drums, clip heads, grinding needles, etc.
- For model, arts and crafts, home decor, car care, woodworking, DIY and restoration.
- For use on stone, plastics, metals, alloys and wood.
- Suitable for most rotary tools, and ideal for the hobby enthusiasts.
- There are 216 piece of this rotary tool accessory kit, can meet your different needs for using.

Specifications:
- 12pcs Φ12.7mm Sanding band,
- 10pcs Φ9.5mm Sanding band,
- 10pcs Φ6.35 Sanding band,
- 1pc Whetstone,
- 1pc Felt point,
- 4pcs Φ13mm Felt wheel,
- 5pcs Φ25mm Felt wheel,
- 5pcs Pink Aluminium oxide cutting wheel,
- 5pcs Green Silicon carbide cutting wheel,
- 5pcs Whie Aluminium oxide cutting wheel,
- 5pcs Double-net resinoid cutting disc,
- 2pcs Rubber wheel,
- 1pc Diamond cutting disc,
- 1pc Brass collet, 1pc Wrench,
- 1pc Polishing compound,
- 36pcs Brown Sandpaper disc,
- 6pcs Black Sandpaper disc,
- 24pcs Resinoid cutting disc .



181pcs Polishing & Grinding Accessories Tool Set

T95X181

Features:
- Compatible with all most rotary tools, ideal formodel, arts and crafts, home decor, car care, woodworking, DIY and restoration, and ideal for the hobby enthusiasts.

Specifications:
- 1pc Diamond disc,
- 1pc Rubber grinding disc
- 2pcs Double-net resinoid cutting disc
- 4pcs Pink Aluminium Oxide gridning disc,
- 4pcs Green Silicon Carbide grinding disc
- 4pcs Brass collet,
- 3pcs Brushes,
- 1pc Wrench
- 4pcs Drill bit, 5pcs HSS cutter
- 4pcs Diamond point,
- 1pc Mandrel for felt wheel
- 2pcs Mandrel,
- 2pcs Φ25mm Felt wheel,
- 2pcs Φ13mm Felt wheel
- 2pcs Sanding Drum,
- 1pc Flap wheel,
- 1pc Whetstone
- 6pcs Mounted point,
- 1pc polishing compound,
- 5pcs Φ6.3mm Sanding Band,
- 5pcs Φ12.7mm Sanding Band
- 44pcs Sand paper disc,
- 46pcs Resinoid cutting disc
- 30pcs Resinoid cutting disc



190PCS ROTARY ACCESSORY SET

T95X198

Features:
- Great set with multiple accessories, set in a nice wooden storage box
- Ideal for all types of cleaning, polishing, grinding, etc.
- This set of mini polishing tools are perfect for deburring, finishing, and polishing stainless steel, chrome, and precious metals.

Specifications:
- 5PCS sanding band
- 5PCS sanding band
- 2PCS felt wheel
- 4PCS felt wheel
- 1PC felt wheel
- 1PC sanding drum
- 1PC sanding drum
- 5PCS diamond mounted point
- 3PCS collet
- 3PCS aluminium oxide mounted point
- 2PCS silicon carbide mounted point
- 3PCS nylon end brush
- 3PCS carbon steel wheel brush
- 6PCS aluminium oxide sanding disc
- 6PCS silicon carbide sanding disc
- 45PCS 3/4"sanding paper in bag bottle 220#
- 29PCS 3/4"sanding paper in bag bottle 180#
- 29PCS 3/4"sanding paper in bag bottle 240#
- 29PCS cut-off disc1PC dressing stone
- 2PCS mandrel for buffing
- 1PC mandrel for felt
- 1PC wrench
- 2PCS cutting disc
- 1PC flap wheel
- 1PC blue plastic box



198PCS ROTARY ACCESSORY SET

T95X190

Features:
- Can be used to drill,mill,grind,sand,engrave and polish
- Wood,Metal and Plastic.
- Ideal for hobbies and odd jobs.
- Full set of mini multi tool accessories in a handy storage case.
- This set of mini polishing tools are perfect for deburring, finishing, and polishing stainless steel, chrome, and precious metals.

Specifications:
- 5*80 grit sanding belts,12*12mm
- 5*120 grit sanding belts,6*12mm
- 2*sanding drums,12 and 6mm.
- 7*felt wheels 25,12 and 9mm
- 5*diamond milling cutters
- 3*tension sleeves 3,2 and 1.55mm
- 3*aluminium oxide grinding stones(brown)
- 2*silicon carbide grinding stones (blue grey)
- 3*nylon brushes
- 3*metal wire brushes
- 6*aluminium oxide grinding wheels 19mm
- 6*silicon carbide grinding wheels 19mm
- 105*sanding sheets 220,240 grit
- 29*cutting discs 24mm
- 4*disc holders
- 1*fork spanner
- 2*cutting discs 32mm
- 1*flap disk 80 grit
- 1*grinding stone
- 3*HSS mini drill 1.6,2.3,3.2mm
- 1*HSS milling cutter
- 1*polishing compound



228pc Rotary Tool Accessories Set

T95X228

Features:
- Great set with multiple accessories, set in a nice wooden storage box
- Ideal for all types of cleaning, polishing, grinding, etc.
- This set of mini polishing tools are perfect for deburring, finishing, and polishing stainless steel, chrome, and precious metals.

Specifications:
- The set including:
- 8pc 100GRIT mounted stones
- 7pc 120GTIT mounted stones
- 5pc Diamond coated burrs
- 6pc High speed steel burrs
- 2pc 1/8" diameter drills
- 10pc 1/2" sanding bands
- 10pc 1/4" sanding bands
- 1pc 1/2" rubber manderels
- 1pc 1/4" sanding bands
- 10pc 1-1/4" fiber glass cut-off wheels
- 12pc 1/8" thick aluminum oxide griding stone
- 36pc 15/16" silicon cut-off wheels
- 60pc 15/16" silicon sanding discs
- 2pc 5/64" arbor screw mandreic(for cut-off wheels,grinding stones&sanding discs)
- 1pc 180GRIT dressing stone
- 3pc 7/8" diameter rubber polishing wheels
- 45pc Woolen polishing mounts
- 1pc Mandrel for woolen polishing mounts
- 1pc 180GRIT polishing paste
- 3pc Stainless steel wire brush wheels
- 3pc Nylon wire brush wheels
- 1pc Wooden case



208-PIECE ROTARY TOOL ACCESSORIES KIT

T95X208

Features:
- Can be used to drill,mill,grind,sand,engrave and polish
- Wood,Metal and Plastic.
- Ideal for hobbies and odd jobs.
- This set of mini polishing tools are perfect for deburring, finishing, and polishing stainless steel, chrome, and precious metals.

Specifications:
- 10-1/2 in.sanding Bands:5-80-grit&5-120-grit, Max speed:20000RPM
- 10-1/4-in.Sanding Bands:5-80-grit&5-120-grit, Max speed:20000RPM
- 1-1-in.Buffing Disc,Max speed:20000RPM
- 6-Felt Wheels,Max speed:20000RPM
- 1-Soft Emery Wheel,Max speed:20000RPM
- 3-HSS Drill Bits:1/8-in.,3/32-in.&1/16-in. Max speed:35000RPM
- 2-Sanding Drums:1/2-in.&1/4-in. Max speed:20000RPM
- 4-Diamond Cutters:Cylinder,Big Ball, Taper&Small Ball, Max speed:25000RPM
- 3-HSS Router Bits:Cylinder,Ball&Taper, Max speed:35000RPM
- 6-Aluminium Oxide Grinding Stones with Shank:Big Cylinder, Bullet&Small Cylinder Max speed:20000RPM
- 4-Silicon Carbide Grinding Stones with Shank:Big Cylinder& Small Cylinder,Max Speed:20000RPM
- 6-Aluminium Oxide Grinding Wheels, Max speed:20000RPM
- 6-Silicon Carbide Grinding Wheels, Max speed:20000RPM
- 3-Plastic Brushes:Wheel,Cup&End , Max speed:15000RPM
- 3-Brass Brushes:Wheel,Cup&End , Max speed:15000RPM
- 1-Polish Compound
- 30-15/16-in.*0.75-mm Cut-off Wheels, Max speed:20000RPM
- 46-15/16-in.*0.45-mm Cut-off Wheels, Max speed:20000RPM
- 44-Sand Paper Discs,Max speed: 20000RPM
- 4-Collets:1/8-in.(2),3/32-in.&1/16-in. Max speed:35000RPM
- 2-1/16-in.Mandrels for Cut-off Wheel and Grinding Wheel,Max speed:32000RPM
- 1-3/32-in.Mandrel for Buffing Disc, Max speed:32000RPM
- 1-1/8-in.Mandrel for Felt Wheel, Max speed:32000RPM
- 5-Fiberglass Cut-Off wheels, Max speed:30000RPM
- 1-3/8-in.Wrench
- 1-Flap Wheel,80-grit,Max speed:32000RPM



276pc Rotary Tool Accessories Kit

T95X276

Features:
- This kit includes complete rotary tool accessories of cutting, grinding, sanding, sharpening, polishing, engraving, drilling, cleanin, meet your various DIY application requirements
- All purpose accessory for cutting, grinding,sanding, carving and polishing on variety of materials
- Suitable for most ferrous and non-ferrous metals, castings, welded joint. Accessories for fine detail work on jade, ceramic, glass, wood, hardened steel, cast iron, stainless
- Shank Diameter: 1/8-inch, universal fitment for use on all major brands
- Reusable storage case for easy storage and carrying

Specifications:
- 52pc Sanding bands:
- 18pc 1/2"x1/2",16pc 3/8"x1/2",18pc 1/4"x1/2".
- 40pc Sanding discs:
- 10pc 160Grit,15pc 220Grit,15pc 240Grit.
- 40pc Sanding discs with back adhesive:
- 10pc 160Grit, 15pc 320Grit,15pc 240Grit.
- 36pc Emery cut-off wheels,
- 4pc Silicon carbide grinding stones
- 1pc Polishing compound,
- 6pc Aluminum oxide grinding stones.
- 16pc Fiberglass cut-off wheels,
- 1pc Brass wheel brush
- 4pc Flap wheels 80 Grit,
- 3pc Stainless steel brushes
- 8pcFelt polishing wheels,
- 3pc Bristle brushes.1pc Felt tip .
- 1pc Rubber wheels.
- 6pc Silicon carbide grinding wheels.
- 6pc Aluminum oxide grinding wheels.
- 6pc White alundum grinding wheels.
- 2pc Diamond wheels,
- 1pc Dressing stone.3pc Collets(1/8"),
- 1pc Wrench.2pc Rubber emery wheels.
- 12pc Diamond point bits:
- 2pc 5/64", 2pc 3/32",2pc3/16", 2pc5/64"ball point. 2pc11/64"ball point, 2pc16/64"ball point.
- 9pc Hss twist drill bits:
- 3pc1/16"x2",3pc3/32"x2",3pc1/8"x2".
- 3pc Mandrels:
- 2pc with screw for discs or wheels,1pc with threadad end for polishing bits and accessories.
- 3pc Sanding drum mandrels:
- 1pc1/2"x1/2",1pc3/8"x1/2",1pc1/4"x1/2".
- 6pc Rubber grinding stones.



Address: 2F, No.1 Building, No.58 Xiangshan Road, Wenyan Town, Xiaoshan District, Hangzhou 311258 China.
P.C.: 310052 Tel: (86)571-85771352 Fax: (86)571-85771353 E-mail: Guoan@flavictools.com
Website： www.flavictools.com