

Air Tools



High Pressure Spray Gun with 600cc Plastic Cup

RA17B001

Specifications:

- High Pressure Spray Gun
- Alu Gun Body with 600cc Plastic Cup
- Optimal Working Pressure:3-5Bar
- Air Consumption:6-10cfm
- Nozzle Size:1.5
- Air Inlet:1/4(bsp/nps/npt)



High Pressure Spray Gun with 750cc Alu.Cup

RA17B003

Specifications:

- High Pressure Spray Gun
- Alu Gun Body with 750cc Alu.Cup
- Optimal Working Pressure:3-5Bar
- Air Consumption:4.5-8cfm
- Nozzle Size:1.5
- Air Inlet:1/4(bsp/nps/npt)



High Pressure Spray Gun with 400cc Alu.Cup

RA17B005

Specifications:

- High Pressure Spray Gun
- Alu Gun Body with 400cc Alu.Cup
- Optimal Working Pressure:4-8Bar
- Air Consumption:7-12cfm
- Nozzle Size:1.5
- Air Inlet:1/4(bsp/nps/npt)



Excellent Atomization Air Spray Gun 600ml

RA17B007

Specifications:

- Air consumption: 3-8CFM
- Plastic cup capacity: 600ml
- Nozzle size: 1.5MM
- Pattern Width:20cm
- Air pressure: 40-80psi
- Air inlet: 1/4"
- Aluminum gun body
- Flow is a flow cap is copper zinc alloy



High Pressure Spray Gun with 400cc Alu.Cup

RA17B009

Specifications:

- High Pressure Spray Gun
- Alu Gun Body with 400cc Alu.Cup
- Optimal Working Pressure:4-8Bar
- Air Consumption:7-12cfm
- Nozzle Size:0.5
- Air Inlet:1/4(bsp/nps/npt)



High Pressure Spray Gun with 400cc Alu.Cup

RA17B011

Specifications:

- High Pressure Spray Gun
- Alu Gun Body with 400cc Alu.Cup
- Optimal Working Pressure:4-8Bar
- Air Consumption:7-12cfm
- Nozzle Size:0.5
- Air Inlet:1/4(bsp/nps/npt)



H.V.L.P Air Spray Gun (6-10cfm)

RA17B013

Specifications:

- AIR CONSUMPTION: 6-10cfm
- CUP SIZE: 600ml
- FLUID(WATER) DELIVERY: 160-240ml/min
- AIR PRESSURE: 43psi/3kg/cm3
- AIR INLET: 1/4"
- NOZZLE SIZE: 0.8mm



L.V.M.P SPRAY GUN

RA17B015

Specifications:

- Painting Distance: 8cm-26cm
- Fluid(Water)Delivery: 160-240ml/min
- Air Consumption: 6-10scfm
- Cup Capacity: 600ml
- Nozzle Size: 1.4mm
- Recommend Working Pressure:30PSI-35PSI
- Air Inlet:1/4(bsp/nps/npt)



Air Hopper Gun

RA17B017

Specifications:

- Durable Alum. hopper cup with handle.
- Adjustable material control for perfect performance.
- Die-cast alum. gun body.
- Three nozzles(4,6,8mm) are included in each gun.
- Air Inlet:1/4(bsp/nps/npt)



High Performance Spray Gun

RA17B019

Specifications:

- DESCRIPTION: High Performance
- AIR CONSUMPTION: 4-8cfm
- CUP SIZE: 1000ml
- FLUID(WATER)DELIVERY: 160-240ml/min
- NOZZLE SIZE: 1.8mm
- Air Inlet:1/4(bsp/nps/npt)



L.V.M.P SPRAY GUN(H827)

RA17G013

Specifications:

- Capacity of cup:600cc.
- Optimal working pressure:1.5/22 bar/psi.
- Air consumption:4.5-6.0 cfm.
- Nozzle size:1.3/1.4/1.7mm.
- Air inlet:G1/4.



H.V.L.P Air Spray Gun/H828

RA17A005

Specifications:

- Capacity of cup:600cc.
- Optimal working pressure:3.5/50 bar/psi.
- Air consumption:3.5-4.5 cfm.
- Nozzle size:1.4/1.7/2.0mm.
- Air inlet:G1/4.



LOW PRESSURE AIR SPRAY GUN-1000CC

RA17B023

Specifications:

- DESCRIPTION: Low Pressure(Suction feed)
- AIR CONSUMPTION: 2-6cfm
- CUP SIZE: 1000ml
- FLUID(WATER) DELIVERY: 180-240ml/min
- AIR PRESSURE

- AIR PRESSURE: 36psi/2.5kg/cm3
- NOZZLE SIZE: 1.3mm
- Air Inlet:1/4(bsp/nps/npt)



Air Spray Gun (F-75S)

RA17B025

Specifications:

- Air consumption: 3-8CFM.
- Plastic cup capacity:750cc.
- Nozzle size: 1.3MM(or 1.5,1.8,2.0mm).
- Pattern Width:160-200mm.
- Air pressure: 40-80psi.
- Air inlet: 1/4".
- Aluminum gun body.
- Assortment: 1pc brush, 1pc wrench,1pc Tower type join.



AIR SPRAY GUN KIT

RA17X002

Specifications:

- Spray paint gun(aluminum cup:750cc,1000cc optional)
- Blowing air gun
- Washing gun
- Inflating gun
- Spring hose
- Mainly used for car maintaining.
- It can supply, spray painting, blowing off dust, pum-ping air to cars.



LOW PRESSURE AIR SPRAY GUN-750CC

RA17B021

Specifications:

- DESCRIPTION: Low Pressure(Suction feed)
- AIR CONSUMPTION: 2-6cfm
- CUP SIZE: 750ml
- FLUID(WATER) DELIVERY: 180-240ml/min
- AIR PRESSURE

- AIR PRESSURE: 36psi/2.5kg/cm3
- NOZZLE SIZE: 1.3mm
- Air Inlet:1/4(bsp/nps/npt)



SPCS Aluminium Air Blow gun

RA97A010

Specifications:

- Air demand per min.: 480 l/min.
- Recommended working pressure: 2-6.3 bar
- Connection: G1/4"-female thread
- Ergonomic aluminium blowout gun
- Air inlet NPT1/4
- 2PC blowpipe
- 2PC connect
- 1PC Air Blow gun



SPC AIR SPRAY GUN KIT

RA17X001

Specifications:

- beak diameter: 1,4mm
- Abrangency: 1,0 to 2,5mm
- Spray oil: 110-220mm
- Volume of mug: 600ml
- Painting capacity: 500cc
- 1/4" ARO air inlet
- Air consumption: 5CFM
- Labour pressure: 29-43 PSI (2-3 BAR)
- Air pistol: 25mm
- Calibrator: 0-220 PSI
- spiral hose: maximum pressure: 10 BAR





Auto Tools

3PCS Aluminium Air Blow gun

RA97A011


- Specifications:**
- Air demand per min.: 480 l/min.
 - Recommended working pressure: 2-6.3 bar
 - Connection: G1/4"-female thread
 - Ergonomic aluminium blowout gun
 - Air inlet NPT1/4
 - 2PC blowpipe
 - 1PC Air Blow gun



Aluminium Air Blow gun

RA97A001

- Specifications:**
- Air demand per min.: 480 l/min.
 - Recommended working pressure: 2-6.3 bar
 - Connection: G1/4"-female thread
 - Operating temperature: -10° C to 50° C
 - Ergonomic aluminium blowout gun
 - Air inlet NPT1/4
 - With 9 cm blowpipe



Air Blow Gun

RA97A002

- Specifications:**
- .Material: Zinc alloy+iron
 - .Pipe length: 120 (mm)
 - .Working pressure: 16 (Mpa)
 - .Air inlet NPT1/4



Turbo Nozzle Air Duster Gun

RA97A003

- Specifications:**
- Turbo nozzle (up to 3 times more powerful)
 - Fitted with 1/4" M-Type plug
 - Aluminum body by Nickel-plated
 - Working pressure: 90PSI.



Dial Tire Pressure Air Inflator

RA97C001

- Specifications:**
- Rubberized 2" gauge shows pressure from
 - 10 PSI to 220 PSI for accurate inflation.
 - Lever easily controls inflation and bleed-valve reduces excess pressure.
 - Scales: PSI, kg/c m², kPa and bar.
 - 1/4" NPT air inlet.



Digital Gauge Tire Pressure Air Inflator

RA97C002

- Specifications:**
- Digital display range 0-200 psi, 0-14bar,0-1400 kpa. 0-14kg
 - Air inlet:1/4" NPT
 - Air hose:Rubber
 - Digital display size:60mm
 - required
 - Battery: 2xAAA



PISTOL GRIP TIRE INFLATOR W/GAUGE

RA97C003

- Specifications:**
- Chuck gives easy access to inside dual wheels.
 - Lever inflation trigger at gauge with button valve to bleed
 - off excess tire pressure.
 - Rubber protected tire gauge.
 - 15" Air hose.
 - 1/4" NPT air inlet.



Digital Tire Inflator

RA97C005

- Specifications:**
- Gun body aluminum alloy
 - Air Hose:Rubber
 - Length:30cm
 - Pressure Gauge:60MM 0-200psi
 - Air inlet:1/4"NPT
 - required Battery: 2xAAA



350MM High pressure Air Cleaning Gun

RA17Z001

- Specifications:**
- Material: zinc alloy+aluminum+iron
 - Pipe length: 350 (mm)
 - Total size: 390mm
 - Inlet port: 1/4"NPT



SPRAY GUN

RA17Z002

- Specifications:**
- 950ML cans
 - Working pressure 2-6KG, iron - plated copper nozzle
 - air inlet: 1/4"NPT



Air Under Coating Gun

RA17Z003

- Specifications:**
- .Material: zinc alloy+aluminum
 - .Pipe length: 230 (mm)
 - .Total size: 400mm
 - .Inlet port: 1/4"NPT
 - .Working pressure: 5-13 (Mpa)



1/2" or 3/8"AIR RATCHET WRENCH

RA07A001

- Specifications:**
- Aluminium body (Polished)
 - Working pressure: 90 psi 6.3kg/cm2
 - Average air consumption cfm:5
 - Max Speed: 150 RPM
 - Max torque:81 NM
 - Exhaust: Front
 - Air Inlet: 1/4 "



Air Die Grinder

RA01A001

- Specifications:**
- Light weight aluminum housing
 - Built-in regulator
 - Used with a variety of accessories for weld breaking, smoothing sharp edges, deburring, polishing and grinding
 - Also available for 1/8"(3mm) collet (optional).
 - Free Speed: 25000 RPM
 - Capacity: 1/4"
 - Air inlet: 1/4" NPT.
 - AVG.air consumption: 55CFM.
 - Working Pressure: 90PSI.



3/8" IN LINE NON-REVERSIBLE AIR DRILL

RA09A001

- Specifications:**
- Rear Exhaust
 - Durable and lightweight die cast aluminium body
 - Convenient one hand operation with safety trigger for easy start
 - One more choice:keyless chuck for fast and easy bit changes
 - Maximum speed (rpm)20000
 - Chuck size: 3/64 in. - 3/8 in.
 - Working pressure: 0-90 PSI
 - Air inlet size: 1/4NPT-18



I6PC.AIR DIE GRINDER KIT

RA01X101

- Specifications:**
- 1pc-nipple
 - 1pc-1/4" air die grinder
 - 2pcs-hand Wrenches
 - 5pcs-3mm(1/8")Mounted Grinding Stones
 - 5pcs-6mm(1/4")Mounted Grinding Stones
 - 1pc-3mm(1/8")collet
 - 1pc-blow mold case



I6PC AIR DIE GRINDER KIT

RA01X103

- Specifications:**
- 1pc-nipple
 - 1pc-1/4" 90 °air die grinder
 - 2pcs-hand Wrenches
 - 5pcs-3mm(1/8")Mounted Grinding Stones
 - 5pcs-6mm(1/4")Mounted Grinding Stones
 - 1pc-3mm(1/8")collet
 - 1pc-blow mold case



Auto Tools



8pc Tire repair kit

RB03V008

Specifications:

- .1pc glue Capacity 6G
- .1pc File , Size 30*25MM
- .1pc Valve tube , length 25MM
- .1pc square tyre patch film ,size 48*30MM
- .4pc round tyre patch film,diameter 26MM



14pc Tire repair kit-Plastic parts box

RB03V014

Specifications:

- .1pc glue Capacity 6G
- .1pc File , Size 30*25MM
- .1pc square tyre patch film ,size 48*30MM and 2pc small square tyre patch film ,size 35*24mm
- .2pc round tyre patch film,diameter 26MM
- .1pc Ten-hole wrench,size 6-15mm
- .2pc Pry Bar,length 10CM,metrail PP
- .2pc Valve tube , length 25MM
- .2pc Valve Cap
- .1pc Plastic parts box




7pc Tire repair kit

RB03V007

Specifications:

- .1pc glue Capacity 6G
- .1pc File , Size 30*25MM
- .2pc Valve tube , length 25MM
- .2pc square tyre patch film ,size 48*30MM
- .2pc round tyre patch film,diameter 26MM



10pc Tire repair kit-Plastic parts box

RB03V010

Specifications:

- .1pc glue Capacity 6G
- .1pc File , Size 30*25MM
- .2pc square tyre patch film ,size 48*30MM and 4pc small square tyre patch film ,size 35*24mm
- .2pc round tyre patch film,diameter 26MM
- .1pc Plastic parts box



7pc Tire repair kit-Includeseal repair strips

RB03V007B

Specifications:

- .5pcs seal repair strips,length 100MM
- .2pcs different Seal nail remover,length 135MM
- .Black handle,Metrial:PP



13pc Tire repair kit

RB03V013

Specifications:

- .1pc glue Capacity 6G
- .1pc File , Size 30*25MM
- .1pc square tyre patch film ,size 48*30MM and 2pc small square tyre patch film ,size 35*24mm
- .4pc round tyre patch film,diameter 26MM
- .1pc Ten-hole wrench,size 6-15mm
- .2pc Pry Bar,length 10.5CM
- .1pc plastic box for placing these tools



6pc Tire repair kit

RB03V006

Specifications:

- .3pcs seal repair strips,length 100MM
- .2pcs different Seal nail remover,length 135MM
- .Black handle,Metrial:PP
- .1pc glue Capacity 6G



12pc Tire repair kit

RB03V012

Specifications:

- .1pc glue Capacity 6G
- .1pc File , Size 30*25MM
- .1pc square tyre patch film ,size 48*30MM and 2pc small square tyre patch film ,size 35*24mm
- .2pc round tyre patch film,diameter 26MM
- .1pc Ten-hole wrench,size 6-15mm
- .2pc Pry Bar,length 10CM,metrail PP
- .2pc Valve tube , length 25MM



16pc Tire repair kit-Plastic parts box

RB03V016B

Specifications:

- .1pc glue Capacity 6G
- .1pc File , Size 30*25MM
- .2pc small square tyre patch film ,size 35*24mm
- .6pc round tyre patch film,diameter 26MM and 3pc round tyre patch film,diameter 30MM
- .3pc Pry Bar,length 10CM,metrail PP
- .1pc Plastic parts box



14 Piece Tire Valve Stem Repair Kit-Plastic parts box

RB03V012

Specifications:

- .Can be used on cars, trucks, motorcycles, bicycles, and more.
- .Kit include:
- .4-Way tool for removing valve core, reaming, and re-taping outside and inside cores
- .4 replacement valve cores
- .4 replacement valve caps Black Classic
- .4 replacement valve caps Silver Hex
- .Tire Pressure Gauge Keychain 10-50 PSI



Oil Filter Strap Wrench

RB07R063

Specifications:

- Oil Filter Strap Wrench
- Material: Seamless Square Tube+Nylon belt.
- Surface Treatment: in chrome.
- Will remove spin-on type lter up to 6" in diameter.
- Strong wide nylon belt for good grip.
- Filter wrench is operated with a 1/2" .
- Not for power tool use.



Adjustable Oil Filter Wrench3-1/4 " to 3-3/4 "

RB07R093

Specifications:

- Large Economy Oil Filter Wrench
- Removes and install oil filters from
- Stainless steel and heat treated band
- Fits Filters 3-1/4 " to 3-3/4 "



3 Jaw Oil Filter Wrench

RB07R205

Specifications:

- Oil Filter Strap Wrench
- Material: Seamless Square Tube+Nylon belt.
- Surface Treatment: electrophoresis.
- Will remove spin-on type lter up to 6" in diameter.
- Strong wide nylon belt for good grip.
- Filter wrench is operated with a 1/2" .
- Size : 2-1/2"-3-7/8"



Adjustable Oil Fileter Wrench2-1/4" to 3-1/4"

RB07R084

Specifications:

- Material: stainless steel.
- Specification:2-1/2" to 3-1/4"
- 1" wide stainless steel band for strong grip.
- Dimples in band bite into lter for non-slip removal.



3/8"Dr.Oil Filter Wrench Cup 64MM, 14FLUTES

RB07R263

Specifications:

- 3/8"Dr.Oil Filter Wrench Cup 64MM,14FLUTES
- Material: Iron.
- Surface Treatment: Electrophoresis.
- Size:64MM,14FLUTES
- Drive square: 3/8".
- Thickness : 1.0mm



3/8"Dr. Oil Filter Wrench Cup76MM, 14FLUTES

RB07R275

Specifications:

- 3/8"Dr. Oil Filter Wrench Cup 76mm-12F 1step
- Material: A3
- Surface Treatment: Electrophoresis.
- Size:12F 76mm.
- Drive square: 3/8".
- Thickness : 1.0mm



5PC Oil Filter Swivel Wrench Set

RB07R953

Specifications:

- Material:Carbon Steel,Stainless Steel
- Mini size: 2-3/4" - 3-1/4" (68.85-82.55mm)
- Small size:3-1/2" - 3-3/4" (88.9-95.25mm)
- Medium size:4" - 4-1/2" (101.6-114.3mm)
- Large size:4-3/4" - 5-1/4" (120.65-133.35mm).
- 12" Adjustable Oil Filter Pliers Fits filters from 2-3/4 to 4-1/2-inches,heat treatment



15pc Oil Filter Cap Wrench Set

RB07R419

Specifications:

- 15pc Oil Filter Cap Wrench Set
- Cap type filter wrenches, made from 7 and 16 gauge steel
- Designed to grip like sockets, thereby minimising the possib
- Electro-black oxide nish for rust protection
- Use with 3/8" or 1/2" square drive wrenches



100AMP 6/12V Battery Test

RB11C012

Specifications:

- Test Battery: 6/12V.
- Fixed load current: 100Amps.
- Material: Stainless iron
- Test range: 200-1000 cold cranking Amps
- Voltage accuracy: ±0.2V;
- No automatic cut-o function
- Easy-To-Read Ammeter
- Clamp: Dip the handle
- Lead length (with clamps): 19-1/2" (x2)




Universal Heavy Duty Lead Battery Terminal

RB11P285

Specifications:

- Heavy-duty terminal that fits over the positive or negative posts on top terminal batteries.
- For commercial application
- Material:Lead
- Weight:93g/PC





Auto Tools

Top Post Epoxy Coated Terminal End,Lead RB11P214

Specifications:

- Fits over the positive or negative posts on top terminal batteries.
- Material: lead
- Epoxy Coated
- Weight:220g



Marine Epoxy Coated Wing-Nut Terminal End,Lead

RB11P114

Specifications:

- Coverts top terminal battery posts to accept tubular copper legs
- Material: lead
- Epoxy Coated
- Weight:266g/SET



Battery Post Cap Shims,Lead

RB11P923

Specifications:

- Converts small Japanese battery posts to suit large post terminal.
- Material: Lead.
- Weight:24g/SET



Battery Post Shims,Lead

RB11P933

Specifications:

- Converts small Japanese battery posts to suit large post terminal.
- Material: Lead.



Universal Heavy Duty Lead Battery Terminal RB11P287

Specifications:

- Heavy-duty terminal that fits over the positive or negative posts on top terminal batteries.
- For commercial application
- Material:Lead



Top Post Terminal End,Brass

RB11P217

Specifications:

- Fits over the positive or negative posts on top terminal batteries
- Material:brass
- Weight: 83g



Top Post Terminal End,Brass

RB11P230

Specifications:

- Fits over the positive or negative posts on top terminal batteries
- Material:brass
- Weight:89g



Marine Wing-Nut Terminal End,brass

RB11P235

Specifications:

- Coverts top terminal battery posts to accept tubular copper legs
- Material: brass
- Weight: 155g/SET



Top Post Epoxy Coated Terminal End,brass RB11P240

Specifications:

- Fits over the positive or negative posts on top terminal batteries.
- Material: brass
- Epoxy Coated
- Weight:154g



Car Angle Type brass Battery Terminal Clamps Clips 2 Pcs

RB11P245

Specifications:

- Material:brass
- Weight: 155g/SET



Battery terminal with protective cover

RB11P250

Specifications:

- Fits over the positive or negative posts on top terminal batteries.
- Material: copper
- With plastic protective cover



Top Post Epoxy Coated Terminal End, aluminium

RB11P215

Specifications:

- Fits over the positive or negative posts on top terminal batteries.
- Material: aluminium
- Epoxy Coated
- Weight:124g



Swan type battery Disconnect,D Terminal

RB11I011

Specifications:

- Adaptive terminal::Large diameter of D terminal
- Use is directly attached to the battery terminal
- Only by turning a knob, a battery current from the battery terminal D cut terminal
- When not in use for a long time, such as a car from a battery, it is possible to suppress the discharge
- Material:Main body zinc alloy copper plating
- Green knob



Battery Brush

RB11L011

Specifications:

- Durable Metal Brush to Remove Corrosion and Dirt from Battery Terminals and Cable Clamps.
- Manually remove and polish corroded battery posts.
- 80mm
- Zinc-plated.



Top Post Battery Cable-24inch

RB11R012

Specifications:

- Heat-shrunk ends for added barrier against gas, oil and other contaminants.
- High conductivity performance.
- 3/8" Stud hole.
- 61cm



Top Post Battery Cable-30inch

RB11R112

Specifications:

- Heat-shrunk ends for added barrier against gas, oil and other contaminants.
- High conductivity performance.
- 3/8" Stud hole.
- 76cm



Top Post Battery Cable-40inch

RB11R212

Specifications:

- Heat-shrunk ends for added barrier against gas, oil and other contaminants.
- High conductivity performance.
- 3/8" Stud hole.
- 101.6cm



Top Post Battery Cable-50inch

RB11R312

Specifications:

- Heat-shrunk ends for added barrier against gas, oil and other contaminants.
- High conductivity performance.
- 3/8" Stud hole.
- 127cm



Hand Tools



5Pcs Elitexion Screw Extractor Remover Set RH45B085

Specifications:

- Material:Alloy Steel(Gcr13).
- Includes:1#, 2#, 3#, 4#, 5#, 6#;
- Quick and easy way to remove broken screws, pipes, bolts and studs;
- Tool is ideal for handyman, automotive, workshop, construction worker and carpenter.
- Packing size:18x15.5x3.2cm,225g/set



5pcs He lix Type Screw Extractor Set RH45B087

Specifications:

- texture 40CR
- Manufactured from heat treated;
- Supplied in storage case contents: M3 - M6, M6 - M8, M8 - M11 ,M11 - M14,M14 - M18.



6PC Broken Bolt Screw Extractor Set RH45B095

Specifications:

- Material:Alloy Steel(Gcr13).
- 6Pcs/set (with post extractor) Post Extractor: Size: Approx. 18mm / 0.7in, 14mm / 0.6inTotal Length: Approx.60mm / Screw:#1: Approx. 3 ~ 4mm / 0.1 ~ 0.2in #2: Approx. 3 ~ 5mm 0.1 ~ 0.2in #3: Approx. 4 ~ 6mm / 0.2 ~ 0.2in #4: Approx. 5 ~ 7mm / 0.2 ~ 0.3in #5: Approx. 7 ~ 10mm / 0.3 ~ 0.4in



8pcs He lix Type Screw Extractor Set RH45B155

Specifications:

- texture 40CR twice for extra hardness and durability.;
- 8-piece heavy duty steel extractor , different sizes of screw extractor to meet different needs;
- Screw extractor size includes #1 for 3-6 mm 4.5 mm 6-8 mm 6.5 mm 8-11 mm 7.5 mm 11-14 mm 11.0 mm 14-18 mm 12.0 mm 18-20 mm 15.0 mm 25-35 mm 19.4 mm 35-50 mm
- These extractors will remove most kinds of damaged, stripped rusted, broken, or stuck screws from any wood or metal surface with relative ease;
- Reverse thread bits easily remove screws, bolts, studs,and threaded pipe fittings.
- Packing size:22x13x5.5cm,760g/set



8Pcs Elitexion Screw Extractor Remover Set RH45B157

Specifications:

- 8Pcs Elitexion Screw Extractor
- Includes:1#, 2#, 3#, 4#, 5#, 6#; 7#, 8#; 1/4" Drive; Quick and easy way to remove broken screws, pipes, bolts and studs; Tool is ideal for handyman, automotive workshop, construction worker and carpenter.



20PC METRIC TAP AND DIE SET RH33A101

Specifications:

- Material:Carber Steel With Hardness;
- 9Pc Taps: 3x0.5, 4x0.7, 5x0.8, 6x1.0, 7x1.0, 8x1.25 9x1.25, 10x1.5, 12x1.75;
- 9Pc Dies: 3x0.5, 4x0.7, 5x0.8, 6x1.0, 7x1.0, 8x1.25 9x1.25, 10x1.5, 12x1.75;
- 1Pc Tap Wrench:M3-M12,
- 1Pc Die Wrench :25mmO/D.



12pc Tap & Die Set RH33A085

Specifications:

- Material : carbon steel carbon steel
- M6x1.0,M8x1.25 ,M10x1.5,M12x1.75It is suitable for thread repair. The thread is clear and sharp, the size is standard, the cutting is sharp, and thread cutting is labour-saving.
- Multiple chip holes for smooth chip removal
- 5pcs taps: M6 x 1.0, M7 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75 Made of high speed steel, the cutting edge is sharp and smooth, and there are no burrs, and the chip removal is smooth.
- 1 x Tap Wrench (M3-M12) + 1 x Die Holder Wrench (25mm)
- * 1 Piece They are strong, durable, strongly twisted and comfortable to hold.



40PCS Tap And Die Set RH33A163

Specifications:

- Material carbon steel
- M3x0.5,M3x0.6,M4x0.7 ,M4x0.75,M5x.8,M5x0.9
- M6x1.0,M6x0.75,M7x1.0, M7x0.75,M8x1.25 ,M8x1.0
- M10x1.5,M10x1.25 ,M12x1.75 ,M12x1.5 ,1/8-27



40PC TAP AND DIE SET RH33A161

Specifications:

- Material:Carber Steel With Hardness;
- 17Pc Dies Size:M3x0.5,M3x0.6,M4x0.7 ,M4x0.75,M5x.8,M5x0.9, M6x1.0,M6x0.75,M7x1.0, M7x0.75,M8x1.25 ,M8x1.0,M10x1.5, M10x1.25 ,M12x1.75 ,M12x1.5mm,1/8-27
- 17Pc Taps Size:M3x0.5,M3x0.6,M4x0.7 ,M4x0.75,M5x.8,M5x0.9, M6x1.0,M6x0.75,M7x1.0, M7x0.75,M8x1.25 ,M8x1.0,M10x1.5, M10x1.25 ,M12x1.75 ,M12x1.5mm,1/8-27
- 1Pc Tap wrench:M1-M12;
- 2Pc T-type Tap Wrench :M1-M6;
- 1Pc Die Wrench :25mmO/D;
- 1Pc Screwdriver;
- 1Pc Screwpitch gauge;



8" Combination Plier RH01A053

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size:8"



8" Combination Plier RH01A071

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip Handle Grip;
- Size:8"



8" Diagonal Cutting Pliers RH01B053

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size:8"



8" Diagonal Cutting Pliers RH01B071

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip Handle Grip;
- Size:8"



6" Long Nose Pliers RH01C051

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size:6"



6" Diagonal Cutting Pliers RH01B069

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip Handle Grip;
- Size:6"



6" Combination Plier RH01A051

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size:6"



6" Combination Plier RH01A069

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip Handle Grip;
- Size:6"



6" Diagonal Cutting Pliers RH01B051

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size:6"





Hand Tools

8" Long Nose Pliers

RH01C053

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size:8"

6" Long Nose Pliers

RH01C069

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip Handle Grip;
- Size:6"

8" Long Nose Pliers

RH01C071

Specifications:

- Material:Carbon steel casting;
- Surface treatment: pliers polishing;
- Comfortable Cushioned Non-Slip Handle Grip;
- Size:8"

6" Adjustable wrench

RH05A036

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Size: 6".

8" Adjustable wrench

RH05A038

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Size: 8".

10" Adjustable wrench

RH05A040

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Size: 10".

12" Adjustable wrench

RH05A042

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Size: 12".

15" Adjustable wrench

RH05A045

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Size: 15".

18" Adjustable wrench

RH05A048

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Size: 18".

24" Adjustable wrench

RH05A054

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Size: 24".

6" Adjustable wrench withliquid palstic Handle Grip

RH05A066

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size: 6".

8" Adjustable wrench withliquid palstic Handle Grip

RH05A068

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size: 8".

10" Adjustable wrench withliquid palstic Handle Grip

RH05A070

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size: 10".

12" Adjustable wrench withliquid palstic Handle Grip

RH05A072

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size: 12".

15" Adjustable wrench withliquid palstic Handle Grip

RH05A075

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size: 15".

18" Adjustable wrench withliquid palstic Handle Grip

RH05A078

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Comfortable Cushioned Non-Slip soak liquid palstic Handle Grip;
- Size: 18".

6" Adjustable wrench withDual color handle

RH05A096

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Comfortable Cushioned Non-Slip Handle Grip;
- Size: 6".

8" Adjustable wrench withDual color handle

RH05A098

Specifications:

- Drop Forged, Heat Treated Carbon Steel;
- Corrosion-Resistant Chrome Plated Finish;
- Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
- Comfortable Cushioned Non-Slip Handle Grip;
- Size: 8".

Hand Tools



10" Adjustable wrench withDual color handle RH05A100

- Specifications:**
- Drop Forged, Heat Treated Carbon Steel;
 - Corrosion-Resistant Chrome Plated Finish;
 - Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
 - Comfortable Cushioned Non-Slip Handle Grip;
 - Size: 10".



12" Adjustable wrench withDual color handle RH05A102

- Specifications:**
- Drop Forged, Heat Treated Carbon Steel;
 - Corrosion-Resistant Chrome Plated Finish;
 - Precision-Machined Jaws for Exact Fit and Smooth Adjustment;
 - Comfortable Cushioned Non-Slip Handle Grip;
 - Size: 12".



1/4"Socket 8mm RH11LA218

- Specifications:**
- Material:carbon steel
 - Size:8mm



1/4"Socket 9mm RH11LA219

- Specifications:**
- Material:carbon steel
 - Size:9mm



1/4"Socket 10mm RH11LA210

- Specifications:**
- Material:carbon steel
 - Size:10mm



1/4"Socket 11mm RH11LA211

- Specifications:**
- Material:carbon steel
 - Size:11mm



1/4"Socket 12mm RH11LA212

- Specifications:**
- Material:carbon steel
 - Size:12mm



1/4" Deep Socket 8mm RH11LA258

- Specifications:**
- Material:carbon steel
 - Size:8mm



1/4" Deep Socket 9mm RH11LA259

- Specifications:**
- Material:carbon steel
 - Size:9mm



1/4" Deep Socket 10mm RH11LA260

- Specifications:**
- Material:carbon steel
 - Size:10mm



1/4" Deep Socket 11mm RH11LA261

- Specifications:**
- Material:carbon steel
 - Size:11mm



1/4" Deep Socket 12mm RH11LA262

- Specifications:**
- Material:carbon steel
 - Size:12mm



3/8"Socket 12mm RH11LB372

- Specifications:**
- Material:carbon steel
 - Size: 12mm



3/8"Socket 13mm RH11LB373

- Specifications:**
- Material:carbon steel
 - Size: 13mm



3/8"Socket 14mm RH11LB374

- Specifications:**
- Material:carbon steel
 - Size: 14mm



3/8"Socket 15mm RH11LB375

- Specifications:**
- Material:carbon steel
 - Size: 15mm



3/8"Socket 16mm RH11LB376

- Specifications:**
- Material:carbon steel
 - Size: 16mm



3/8" Deep Socket 13mm RH11LB383

- Specifications:**
- Material:carbon steel
 - Size: 13mm



3/8" Deep Socket 14mm RH11LB384

- Specifications:**
- Material:carbon steel
 - Size: 14mm



3/8" Deep Socket 15mm RH11LB385

- Specifications:**
- Material:carbon steel
 - Size: 15mm



3/8" Deep Socket 16mm RH11LB386

- Specifications:**
- Material:carbon steel
 - Size: 16mm



3/8" Deep Socket 12mm RH11LB382

- Specifications:**
- Material:carbon steel
 - Size: 16mm



1/2" Socket 14mm RH11LC434

- Specifications:**
- Material:carbon steel
 - Size: 14mm



1/2" Socket 15mm RH11LC435

- Specifications:**
- Material:carbon steel
 - Size: 15mm



1/2" Socket 17mm RH11LC437

- Specifications:**
- Material:carbon steel
 - Size: 17mm



1/2" Socket 18mm RH11LC438

- Specifications:**
- Material:carbon steel
 - Size: 18mm



1/2" Socket 19mm RH11LC439

- Specifications:**
- Material:carbon steel
 - Size: 19mm



1/2" Deep Socket 14mm RH11LC464

- Specifications:**
- Material:carbon steel
 - Size: 14mm



1/2" Deep Socket 15mm RH11LC465

- Specifications:**
- Material:carbon steel
 - Size: 15mm



1/2" Deep Socket 17mm RH11LC467

- Specifications:**
- Material:carbon steel
 - Size: 17mm



1/2" Deep Socket 18mm RH11LC468

- Specifications:**
- Material:carbon steel
 - Size: 18mm



1/2" Deep Socket 19mm RH11LC469

- Specifications:**
- Material:carbon steel
 - Size: 19mm



12PCS SOCKET SET(1/4") RH11X085

- Specifications:**
- Mirror surface,heat treated carbon steel
 - 10pcs 1/4"Dr.Socket: 4,5,6,7,8,9,10,11,12,13mm;
 - 1PC-1/4"DR.Quick REVERSIBLE RACHET HANDLE,24T
 - 1pc 1/4"Dr. Extension Bars:6"
 - Packing size:28 x 9.5 x 4.3cm,Approx:440g/set.



12PCS SOCKET SET(3/8") RH11X093

- Specifications:**
- Mirror surface,heat treated carbon steel
 - 10PCS-3/8"DR.SOCKET:10,11,12,13,14,15,17,19,22,24MM
 - 1PC-3/8"DR.Quick REVERSIBLE RACHET HANDLE,24T
 - 1PC-3/8"DR.EXTENSION BAR:6"
 - Packing size:32x12x5cm,Approx:1000g/set.





Hand Tools

12PCS SOCKET SET(I/2")

RH11X112

- Specifications:**
- Material:Carbon Steel
 - 10PCS-1/2"DR.SOCKET:10,11,12,13,14,15,17,19,22,24MM
 - 1PC-1/2"DR.QUICK REVERSIBLE RACHET HANDLE,24T
 - 1PC-1/2"DR.EXTENSION BAR:5"
 - Packing size:32x12x6cm,Arrox:1.64kg/set.



28PCS SOCKET SET(I/4")

RH11X113

- Specifications:**
- Material:Carbon Steel
 - 12PCS-1/4"DR.SOCKET:4,4.5,5,6,7,8,9,10,11,12,13MM
 - 14pcs 1/4" bit sockets:PH1-2-3, PZ1-2-3, SL4-5-6, T15-20-25 27-30;
 - 1PC-1/4"DR.QUICK REVERSIBLE RACHET HANDLE,24T
 - 1PC-1/4"DR.EXTENSION BAR:4"
 - Packing size:32x12x6cm,Arrox:1.64kg/set.



53Pcs 1/4" Dr.Socket Set

RH11X175

- Specifications:**
- Material:carbon steel
 - 13PCS-1/4"DR.SOCKETS: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14MM
 - 7PCS-1/4"DR.DEEP SOCKETS: 6,7,8,10,12,13,14MM
 - 2PCS-1/4"DR.EXTENSION BARS: 2"& 4"
 - 1PC-1/4"DR.UNIVERSAL JOINT
 - 1PC-1/4"DR.QUICK RATCHET HANDLE with 24T.
 - 1PC-1/4DR.SPINNER HANDLE: 6"
 - 1PC-1/4"DR.FLEXIBLE EXTENSION:6"
 - 1PC-1/4"DR.SLIDING T BAR
 - 21PCS-1/4"DR.BIT SOCKETS: SL4,5,5,7; PH1,2,3; PZ1,2, 3; H3,4,5,6,7,8; T10,15,20,25,30, 40;
 - 4PCS-HEX KEY WRENCHES:1.27,1.5,2,2.5MM
 - 1PC 1/4" DR.ADAPTOR 30MM.



46Pcs 1/4" Dr.Socket Set

RH11X199

- Specifications:**
- Material:carbon steel with hardened treated
 - 1PC-1/4" Dr.Ratchet Handle with quik release,24T,
 - 1PC-Bits Adaptor
 - 1PC-1/4" Dr.Spinner Hanle
 - 1PC-1/4" Dr.Flexible Extension: 150mm
 - 13PCS-1/4" Dr.Socket: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
 - 4PCS-1/4" Dr.Hex Key Wrench: 1.25-1.5-2-2.5mm
 - 1PC-1/4" Dr.Sliding T-Bar
 - 1PC-1/4" Dr.Universal Joint
 - 21PCS-1/4" Dr.Bit Socket
 - 2PCS-1/4" Dr.Extension Bar:50mm&100mm
 - Corrosion-Resistant: Chrome Plated & Mirror Polished;
 - Packing size: 26x17.5x5.5cm, 1.5kg/set.



94Pcs Socket Set(1/4" a& 1/2")

RH11X423

- Specifications:**
- Material:carbon steel
 - 13PCS-1/4"DR.SOCKETS: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14MM
 - 8PCS-1/4"DR.DEEP SOCKETS: 6,7,8,9,10,11,12,13MM
 - 2PCS-1/4"DR.EXTENSION BARS: 2"& 4"
 - 1PC-1/4"DR.UNIVERSAL JOINT
 - 1PC-1/4"DR.QUICK RATCHET HANDLE with 24T.
 - 1PC-1/4DR.SPINNER HANDLE: 6"
 - 17PCS-1/4"DR.BIT SOCKETS: SL4,5,5,7 PH1,2 PZ1,2
 - HEX3,4,5,6 T8,10,15,20,25,30
 - 1PC-1/4"DR.FLEXIBLE EXTENSION:6"
 - 1PC-1/4"DR.SLIDING T BAR
 - 18PCS-1/2"DR.SOCKETS: 10,11,12,13,14,15,16,17,18,19,20,21, 22,23,24,27,30,32MM
 - 4PCS-1/2"DR.DEEP SOCKETS: 14,15,17, 19MM
 - 2PCS-1/2"DR.EXTENSION BARS: 5"& 10"
 - 2PCS-1/2"DR.SPARK PLUG SOCKETS: 16MM & 21MM
 - 1PC-1/2"DR.UNIVERSAL JOINT
 - 1PC-1/2"DR.QUICK RATCHET HANDLE with 24T
 - 1PC-1/2"DR.BIT HOLDER
 - 1PC-3-WAY ADAPTOR
 - 15PCS-BITS:SL8,10,12 T40,45,50, 55 PH3,4 PZ3,4 HEX 8,10,12,14
 - 1PC-1/4"DR.BIT ADAPTOR
 - 3PCS-HEX KEY WRENCHES: 1.5,2,2.5MM
 - 1Pc case.
 - Packing size:38x29.5x8.5cm,Approx:6.5kgs.



32Pcs 1/2 " Dr.Socket set

RH11X355

- Specifications:**
- Material:carbon steel with heat-treat;
 - Including the following products:
 - 19-1/2" Dr.6PT sockets:8,9,10,11,12,13,14,15,16,17,18,19,20, 21,22,24,27,30,32mm;
 - 6-1/2" Dr.12PT sockets:10,12,14,15,17,19mm;
 - 2-1/2" Dr.Spark plug socket:16mm,21mm;
 - 1-1/2" Dr. Universal joint;
 - 2-1/2" Dr.Extension rod:5";10";
 - 1-1/2" Dr.Rachet handle:24T;
 - 1-1/2" Dr. Three way joint;
 - Packing size:32x25.5x7cm,Approx:4.3kg.



Single Color Screwdriver

RH13F059

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL8x200mm.



Single Color Screwdriver

RH13F051

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL3x75mm.



Single Color Screwdriver

RH13F053

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL4x100mm.



Single Color Screwdriver

RH13F055

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL5x125mm.



Single Color Screwdriver

RH13F057

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL6x150mm.



Double-colour Screwdriver

RH13F107

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL6x150mm.



Double-colour Screwdriver

RH13F111

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL6x38mm.



Single Color Screwdriver

RH13F061

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL6x38mm.



Double-colour Screwdriver

RH13F101

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL3x75mm



Double-colour Screwdriver

RH13F103

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL4x100mm.



Double-colour Screwdriver

RH13F105

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL5x125mm.



Double-colour Screwdriver

RH13F109

- Specifications:**
- Hardened carbon steel shaft with Chrome Plated Finish;
 - Sand blasted tip with magnetic;
 - Size: PH0 or PZ0 or SL8x200mm.



6Pcs Screwdriver Set With TwoColor Handle

RH13F381

- Specifications:**
- Carbon steel with heat treatment, high hardness and good toughness and resistance, Black finish blade with magnetic tips which could conveniently attracts screws
 - Cushion grip handle for comfort and control;
 - Size:SL3x75,5x100,6x150mm;PH0x75,PH1x100,PH2x150mm



4Pcs Screwdriver Set With Two-Color Handle

- Specifications:**
- Carbon steel with heat treatment, high hardness and good toughness and resistance, Black finish blade with magnetic tips which could conveniently attracts screws
 - Cushion grip handle for comfort and control;
 - SL5.5x38,6.5x38mm;PH1x38,PH2x38mm



RH13F261

Hand Tools



6Pcs Screwdriver Set With TwoColor Handle RH13F375

Specifications:

- Material carbon steel
- SL 3.0 x 75 mm SL 5.5 x 100 mm SL 6.5 x 150 mm
- PH0 x 75 mm PH1 x 100 mm PH2 x 150 mm



6Pcs Screwdriver Set With Two-Color Handle

Specifications:

- Material carbon steel
- SL 6.50 x 38 mm SL 5.5 x 75 mm SL 6.5 x 100 mm
- PH2 x 38 mm PH1 x 75 mm PH2 x 100 mm



8Pcs Screwdriver Set With Two-Color Handle

Specifications:

- Material carbon steel
- SL 6.5 x 38 mm SL 6.5 x 100 mm SL 5.5 x 75 mm
- SL 3.0 x 75 mm PH2 x 38 mm PH2 x 100 mm
- PH1 x 75 mm PH0 x 75 mm



20Pcs Screwdriver Set With TwoColor Handle

Specifications:

- 14PC bit
- SPC Screwdriver 1pc Extension bar
- Material carbon steel



7pc Precision screwdriver Set

Specifications:

- T5-T6-T7-T10,PH0,PH1, Slot:2.5mm
- Material carbon steel



21Pcs Screwdriver Set With Two Color Handle

Specifications:

- 8Pcs screwdriver:SL3x75,5x75,6x100;PH0x75,PH1x75 PH2x100;T5x50,T8x50,T10x50,T15x50; 1Pc bit holde;
- 10Pcs 1/4"x25mm bits:PH0-1-2-3,PZ0-1-2-3,S1-2;
- Material carbon steel



9.5" Riveter Gun

Specifications:

- Material: steel
- Handle: PVC handle sleeve
- 4 Interchangeable Rivet Heads :3/32"(2.4mm), 1/8" (3.2mm), 5/32"(4mm), and 3/16"(4.8mm).
- Suitable for 2,4 - 3,2 - 4,0 - 4,8 mm aluminum rivets



9.5" Riveter Gun

Specifications:

- Material: steel
- Handle: PVC handle sleeve
- 4 Interchangeable Rivet Heads :3/32"(2.4mm), 1/8" (3.2mm), 5/32"(4mm), and 3/16"(4.8mm).
- Suitable for 2,4 - 3,2 - 4,0 - 4,8 mm aluminum rivets



9.5" Riveter Gun

Specifications:

- Material: steel
- Handle: PVC handle sleeve
- 4 Interchangeable Rivet Heads :3/32"(2.4mm), 1/8" (3.2mm), 5/32"(4mm), and 3/16"(4.8mm).
- Suitable for 2,4 - 3,2 - 4,0 - 4,8 mm aluminum rivets



9.5"Riveter Gun with 40 Rivets

Specifications:

- Material: steel
- Handle: PVC handle sleeve
- 4 Interchangeable Rivet Heads :3/32"(2.4mm), 1/8" (3.2mm), 5/32"(4mm), and 3/16"(4.8mm).
- Suitable for 2,4 - 3,2 - 4,0 - 4,8 mm aluminum rivets
- Includes 40 rivets



9.5"Riveter Gun with 40 Rivets

Specifications:

- Material: steel
- Handle: PVC handle sleeve
- 4 Interchangeable Rivet Heads :3/32"(2.4mm), 1/8" (3.2mm), 5/32"(4mm), and 3/16"(4.8mm).
- Suitable for 2,4 - 3,2 - 4,0 - 4,8 mm aluminum rivets
- Includes 40 rivets



6Pcs Screwdriver Set With Two-Color Handle

Specifications:

- Material carbon steel
- SL 3.0 x 75 mm SL 5.0 x 100 mm SL 6.0 x 100 mm
- PH0 x 75 mm PH1 x 100 mm PH2 x 100 mm



RH13F377

7Pcs Screwdriver Set With Two-Color Handle

Specifications:

- Carbon steel with heat treatment, high hardness and good toughness and resistance, Black finish blade with magnetic tips which could conveniently attracts screws
- Cushion grip handle for comfort and control;
- SL3x75,5x75,6x100,8x150mm;PH0x75,PH1x100,PH2x125mm



RH13F415

9Pcs Screwdriver Set With Two-Color Handle

Specifications:

- Material carbon steel
- SL 6.5 x 38 mm SL 3.0 x 75 mm SL 5.5 x 75 mm
- SL 6.5 x 100 mm SL 8.0 x 100 mm PH2 x 38 mm
- PH0 x 75 mm PH1 x 75 mm PH2 x 100 mm



RH13F585

39Pcs Screwdriver Set With Two-Color Handle

Specifications:

- 8Pcs screwdriver:SL5x75,6x100,8x150,6x38mm;PH2x38,PH1x75,PH2x100,PH3x150mm;
- 8Pcs precision screwdriver:PH00x50,PH0x50,SL2x50,SL2.5x50,SL3x50,T6x50,T8x50,T10x50;
- 1Pc bit holde;
- 5Pcs nut socket:1/4"x6-7-8-9-10mm;
- 16Pcs 1/4"x25mm bits:SL4-5-6;PH0-1-2,PZ1-2,T20-25-30,H2-3-4-5-6mm.



RH13F783

7pc Precision screwdriver Set

Specifications:

- T5-T6-T7-T8-T9-T10-T15
- Material carbon steel



RH13F783

9.5" Riveter Gun

Specifications:

- Material: steel
- Handle: PVC handle sleeve
- 4 Interchangeable Rivet Heads :3/32"(2.4mm), 1/8" (3.2mm), 5/32"(4mm), and 3/16"(4.8mm).
- Suitable for 2,4 - 3,2 - 4,0 - 4,8 mm aluminum rivets



RH35B053

9.5" Riveter Gun

Specifications:

- Material: steel
- Handle: PVC handle sleeve
- 4 Interchangeable Rivet Heads :3/32"(2.4mm), 1/8" (3.2mm), 5/32"(4mm), and 3/16"(4.8mm).
- Suitable for 2,4 - 3,2 - 4,0 - 4,8 mm aluminum rivets



RH35B059

9.5"Riveter Gun with 40 Rivets

Specifications:

- Material: steel
- Handle: PVC handle sleeve
- 4 Interchangeable Rivet Heads :3/32"(2.4mm), 1/8" (3.2mm), 5/32"(4mm), and 3/16"(4.8mm).
- Suitable for 2,4 - 3,2 - 4,0 - 4,8 mm aluminum rivets
- Includes 40 rivets



RH35B075

9.5"Riveter Gun with 40 Rivets

Specifications:

- Material: steel
- Handle: PVC handle sleeve
- 4 Interchangeable Rivet Heads :3/32"(2.4mm), 1/8" (3.2mm), 5/32"(4mm), and 3/16"(4.8mm).
- Suitable for 2,4 - 3,2 - 4,0 - 4,8 mm aluminum rivets
- Includes 40 rivets



RH35B079

9.5"Riveter Gun with 40 Rivets

Specifications:

- Material: steel
- Handle: PVC handle sleeve
- 4 Interchangeable Rivet Heads :3/32"(2.4mm), 1/8" (3.2mm), 5/32"(4mm), and 3/16"(4.8mm).
- Suitable for 2,4 - 3,2 - 4,0 - 4,8 mm aluminum rivets
- Includes 40 rivets



RH35B087



Hand Tools

1/2" DR.Ratchet Handle , 45T Specifications: .Material:Carbon steel .Size:1/2 45T .Surface: chrome, matt plated RH11I095	3/8" DR.Ratchet Handle , 45T Specifications: .Material:Carbon steel .Size:3/8 45T .Surface: chrome, matt plated RH11I093
1/4" DR.Ratchet Handle , 45T Specifications: .Material:Carbon steel .Size:1/4 45T .Surface: chrome, matt plated RH11I091	1/2" DR.Ratchet Handle , 24T Specifications: .Material:Carbon steel .Size:3/8 24T .Surface: chrome, matt plated RH11I073
3/8" DR.Ratchet Handle , 24T Specifications: .Material:Carbon steel .Size:3/8 24T .Surface: chrome, matt plated RH11I069	1/4" DR.Ratchet Handle , 24T Specifications: .Material:Carbon steel .Size:1/4 24T .Surface: chrome, matt plated RH11I065
1/4" Torque Wrench 5-25Nm Specifications: .Click-type, accurate within 4%. .Size:1/4" 5-25Nm .Material:40CR .Surface treatment: Chrome plated RH05AB071	3/8" Torque Wrench 9-110Nm Specifications: .Material:40CR .Size:3/8" 19-110Nm .Click-type,accurate within 4% .Surface treatment: Chrome plated RH05AB069
1/2" Torque Wrench 28-210Nm Specifications: .Material:40CR .Size:1/2" Driver,28-210Nm , 465mm Length. .Click-type,accurate within 4% .Surface treatment: Chrome plated .Packing size:47x8.5x6cm,1.32kg/pc. RH05AB065	1/2" Drive Reversible Head Torque Wrench,5Pcs Specifications: Reversible Drive, Forged Chrome Vanadium Steel Ratchet Head Corrosion-Resistant Chrome Plated Finish Locking Micrometer Torque Adjustment with Non-Slip Knurled Grip Wrench Clicks when Torque Setting is Reached GS certificate. Specifications: Ratchet: CR-V, 24 Tooth Length: 18" Dual Range: 40-210NM Calibration: 4% 1-pc. 1/2" Drive Torque Wrench3-pc. 1/2" Dr. Socket:17,19,21mm1-pc. 1/2" Dr.Extension Bar:125mm Instruction Sheet / Torque Conversion Chart RH05AB255
1/2" Drive Click Torque Wrench 70-350Nm Specifications: .Material:40cr .Size:1/2" Driver,70-350Nm , .Ships pre-calibrated to +/- 4% accuracy and ready to use .High-contrast dual-range scale is easy to read .Reversible ratchet head drives in both directions and measures torque in clockwise direction RH05AB072	18MM Utility Knife Specifications: .Material: PP+TPR+stainless iron .Blade Material: SK5 .Blade size:18MM Blackening treatment .Includes a spare blade RH17A075
18MM Utility Knife Specifications: .Material: ABS+stainless iron .Blade Material: SK5 .Blade size:18MM Blackening treatment .Includes a spare blade RH17A055	18MM Utility Knife Specifications: .Material: ABS+stainless iron .Blade Material: carbon steel #60 .Blade size:18MM RH17A057
18MM Utility Knife Specifications: .Material: PP+stainless iron .Blade Material: carbon steel #60 .Blade size:18MM RH17A065	10M*25MM Tape Measure with sheath Specifications: .Case: ABS,sheath:TPR .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 10M*25MM RH23A089
18MM Utility Knife Specifications: .Material: PP+TPR+stainless iron .Blade Material: carbon steel #60 .Blade size:18MM RH17A079	5M*25MM Tape Measure withsheath Specifications: .Case: ABS,sheath:TPR .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 5M*25MM RH23A077
7.5M*25MM Tape Measure withsheath Specifications: .Case: ABS,sheath:TPR .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 7.5M*25MM RH23A083	3M*19MM Tape Measure withsheath Specifications: .Case: ABS,sheath:TPR .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 3M*19MM RH23A073
5M*19MM Tape Measure withsheath Specifications: .Case: ABS,sheath:TPR .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 3M*19MM RH23A075	7.5M*25MM Tape Measure Specifications: .Case: ABS,sheath:TPR .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 7.5M*19MM RH23A121

Hand Tools



5M*19MM Tape Measure Specifications: .Case: ABS .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 5M*19MM  RH23A115	3M*19MM Tape Measure withsheath Specifications: .Case: ABS .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 3M*19MM  RH23A113
5M*25MM Tape Measure withsheath Specifications: .Case: ABS,sheath:TPR .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 5M*25MM  RH23A217	5M*19MM Tape Measure withsheath Specifications: .Case: ABS,sheath:TPR .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 3M*19MM  RH23A215
10M*25MM Tape Measure with sheath Specifications: .Case: ABS .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 10M*25MM  RH23A057	7.5M*25MM Tape Measure withsheath Specifications: .Case: ABS .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 7.5M*25MM  RH23A053
5M*25MM Tape Measure Specifications: .Case: ABS .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 5M*25MM  RH23A049	5M*19MM Tape Measure Specifications: .Case: ABS .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 5M*19MM  RH23A047
3M*19MM Tape Measure withsheath Specifications: .Case: ABS .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 3M*19MM  RH23A045	5M*19MM Tape Measure Specifications: .Case: ABS .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 5M*19MM  RH23A145
5M*19MM Tape Measure Specifications: .Case: ABS .Ruler tape: Carbon steel 45# .Thickness 0.1mm. .size: 5M*19MM  RH23A185	

Inverter DC MMA 80A Weldermini

RG01A080

Specifications:

- Input voltage: 220V+
- Max current: 80A
- duty cycle: 35%
- Steel faceplate;
- With current meter;
- With VRD; With Lift
- Lift Tig; With Anti-stick; Arc force; Hot start
- PLUG with 1.3M
- power cable; Holder with 1M cable;
- Clamp with 1M cable



Inverter DC MMA 140A Weldermini

RG01A140

Specifications:

- Input voltage: 220V
- Max current: 140A
- duty cycle: 60%
- Steel faceplate;
- With current meter;
- With VRD; With Lift
- Lift Tig; With Anti-stick; Arc force; Hot start
- PLUG with 1.5M power cable; Holder with 1.6M cable;
- Clamp with 1.4M cable



Inverter 100A FLUX MIG WeldingMachine

RG05A100

Specifications:

- Input voltage: 220V
- Max current: 100A
- duty cycle: 60%
- Steel faceplate work with 1KG Flux wire only
- No Gas
- PLUG with 1.5M power cable; Separated Torch with 2M Cable
- Clamp with 1.4M cable



40A INVERTER CUT Welder

RG21A113

Specifications:

- 110/220V, 60HZ, 4.8KVA,
- Current range: CUT20-30/20-40A,
- No-load voltage: 230V,
- Duty cycle: 50%/40%,
- Efficiency: 85%,
- Insulation class: F,
- Protection class: IP21S,
- MAX cutting thickness: 12MM
- Including 1M earth clamp, 2M cutting torch,
- 1, MCU control mode.
- 2, Good against voltage fluctuation.
- 3, Gas checking function.
- 4, Cut/MMA function.
- 5, Automatic over-current, over-heat.
- 6, Internal fan-cooling system.



Solar powered auto darkening welding glasses

RG99E043

Specifications:

- Optical Class: 1 / 2 / 2 / 3
- Viewing Area: 90mm x 35 mm
- Arc Sensor: 2
- Light State: DIN 3
- Dark State: Fixed shade 11
- Power On/Off: Fixed shade 11
- UV/IR Protection: DIN 11
- Power Supply: Solar cell. 3V CR927 battery
- Auto darkening lens, Switching Time: 1/10, 000s. from Light to Dark
- Dark to Light: 0.2 ~ 0.6s
- Operating Temp: -15°C ~ +60°C
- Weight: 90g.



Solar powered Auto darkening welding goggle

RG99E041

Specifications:

- Optical Class: 1 / 2 / 2 / 3
- Viewing Area: 50mm x 35 mm x 2 (PCS)
- Arc Sensor: 1
- Light State: DIN 3
- Dark State: Fixed shade 11
- Power On/Off: Fixed shade 11
- UV/IR Protection: DIN 16
- Power Supply: Solar cell. 3V CR927 battery
- Switching Time: 1/10,000 s. from Light to Dark
- Dark to Light: 0.2 ~ 0.6s
- Operating Temp: -15°C ~ +60°C
- Weight: 56.7g



300A Holland-type earth clamp

RG97D087

Specifications:

- Max current: 300A
- Material: Iron



300A American-type earth clamp

RG97D073

Specifications:

- Max current: 300A
- Material: Iron



300A Holland-type earth clamp

RG99F073

Specifications:

- current: 300A
- load rate: 35%
- dia of electrode: 2.0-5.0mm
- length: 21.5cm
- jam material: iron



300A Holland-type electrodeholder for MMA welder

RG99F087

Specifications:

- current: 300A
- load rate: 60%
- dia of electrode: 2.0-6.4mm
- length: 22.5cm
- jam material: iron



300A Japan-type electrodeholder for MMA welder

RG99F105

Specifications:

- current: 300A
- load rate: 60%
- dia of electrode: 2.0-6.4mm
- length: 23cm



500A Holland-type electrodeholder for MMA welder

RG99F107

Specifications:

- current: 500A
- load rate: 60%
- dia of electrode: 2.0-9.5mm
- length: 25cm
- jam material: iron



300A Korean-type electrodeholder for MMA welder

RG99F121

Specifications:

- current: 300A
- load rate: 60%
- dia of electrode: 2.0-6.4mm
- length: 23cm
- jam material: iron



500A Holland-type earth clamp

RG97D089

Specifications:

- Max current: 500A
- Material: Iron



500A American-type electrodeholder for MMA welder

RG99F075

Specifications:

- current: 500A
- load rate: 60%
- dia of electrode: 2.0-9.5mm
- length: 28.5cm
- jam material: iron



500A Holland-type electrodeholder for MMA welder

RG99F089

Specifications:

- current: 500A
- load rate: 60%
- dia of electrode: 2.0-9.5mm
- length: 28.5cm



300A Germany-type electrodeholder for MMA welder

RG99F111

Specifications:

- current: 300A
- load rate: 80%
- dia of electrode: 2.0-6.4mm
- length: 25cm
- jam material: iron



Welding & Cutting



500A Italy-type electrodeholder for MMA welder

RG99F133

- Specifications:**
- current: 500A
 - load rate: 60%
 - dia of electrode: 2.0-9.5mm
 - length: 25.5cm
 - jam material: iron



500A Korean-type electrodeholder for MMA welder

RG99F123

- Specifications:**
- current: 500A
 - load rate: 60%
 - dia of electrode: 2.0-9.5mm
 - length: 25cm
 - jam material: iron



Auto Darking & Solar Power Welding Helmet 90x35mm

RG29B001

- Specifications:**
- Viewing Area:90x35mm
Cartridge Size:110x90x9mm
Arc Sensor:2
Light State:DIN 3
Dark State: DIN 11
Switching time: 1/10000s
Power On/Off:Fully Automatic
Delay time: 0.6s
Power supply: Solar cells & lithium batteries
Power on/off: Fully automatic
Dark to Light:0.2-0.8S auto
Working temperature: -5℃ ~55℃ UV/IR protection: DIN16



Auto Darking & Solar Power Welding Helmet 92x42mm

RG29B002

- Specifications:**
- Viewing Area:92x42mm
Cartridge Size:110x90x9mm
Arc Sensor:2
Light State:DIN 3
Dark State: DIN 9-13
Switching time: 1/25000s
Power On/Off:Fully Automatic
Delay time: 0.2-0.8s adjustable
Power supply: Solar cells & lithium batteries
Power on/off: Fully automatic
Dark to Light:0.2-0.8S auto
Working temperature: -5℃ ~55℃ UV/IR protection: DIN16
Sensitivity: adjustable, Grinding Suitable for ARC, TIG, MIG, Spot, Micro, Wire, AC, DC, and Plasma Cutters.



Auto Darking & Solar Power Welding Helmet 92x42mm

RG29B003

- Specifications:**
- Viewing Area:92x42mm
Cartridge Size:110x90x9mm
Arc Sensor:2
Light State:DIN 3
Dark State: DIN 9-13
Switching time: 1/25000s
Power On/Off:Fully Automatic
Delay time: 0.2-0.8s adjustable
Power supply: Solar cells & lithium batteries
Power on/off: Fully automatic
Dark to Light:0.2-0.8S auto
Working temperature: -50℃ ~55℃ UV/IR protection: DIN16
Sensitivity: adjustable, Grinding Suitable for ARC, TIG, MIG, Spot, Micro, Wire, AC, DC, and Plasma Cutters.



Auto Darking & Solar Power Welding Helmet 92x42mm

RG29B004

- Specifications:**
- Viewing Area:92x42mm
Cartridge Size:110x90x9mm
Arc Sensor:2
Light State:DIN 3
Dark State: DIN 9-13
Switching time: 1/25000s
Power On/Off:Fully Automatic
Delay time: 0.2-0.8s adjustable
Power supply: Solar cells, batteries change required
Power on/off: Fully automatic
Dark to Light:0.2-0.8S auto
Working temperature: -50℃ ~55℃ UV/IR protection: DIN16
Sensitivity: adjustable, Grinding Suitable for ARC, TIG, MIG, Spot, Micro, Wire, AC, DC, and Plasma Cutters.



Power Tools

12V 1300mAh Cordless 4" Chain Saw

RP27G2205

- Specifications:**
- Rated voltage: 12V
 - Battery: Li-ion 1500mAh
 - Chain speed: 8m/s
 - cutting strip: 4"
 - With LED battery indicator
 - Slow charger
 - CE



12V 1300mAh Cordless Drill

RP09G2103

- Specifications:**
- Rate Voltage: 12V
 - Battery: Li-ion 1300mAh
 - No load speed: 0-350rpm/0-1350rpm
 - Max.torque: 25N.m
 - Torque settings: 18+1
 - 10mm keyless chuck
 - Slow charger
 - CE



18V 1300mAh Cordless Drill

RP09G2303

- Specifications:**
- Rate Voltage: 18V
 - Battery: Li-ion 1300mAh
 - No load speed: 0-350rpm/0-1350rpm
 - Torque settings: 18+1
 - Max.torque: 30N.m
 - 10mm keyless chuck
 - Slow charger
 - CE



18V 1500mAh Brushless Cordless Impact Drill

RP09I2305

- Specifications:**
- Rate Voltage: 18V
 - Battery: Li-ion 1500mAh
 - No load speed: 0-350rpm/0-1350rpm
 - Impact rate: 0-6000/0-21500bpm
 - Max.torque: 45N.m
 - Torque settings: 20+3
 - 10mm single sleeve metal chuck
 - Slow charger
 - CE



18V 2000mAh Brushless Cordless Impact Wrench

RP09A2709

- Specifications:**
- Rate Voltage: 18V
 - Battery: Li-ion 2000mAh
 - No load speed: 0-1600/0-2100rpm
 - Impact rate: 0-2600/0-3100bpm
 - 1/2" spindle
 - Max torque: 450N.m
 - Slow charger
 - CE



18V 2000mAh Brushless Cordless Angle Grinder

RP03A2218

- Specifications:**
- Rate Voltage: 18V
 - Battery: Li-ion 2000mAh
 - Max speed: 8500rpm
 - Dia. of disc: 115 / 125mm
 - Slow charger
 - CE



18V 1500mAh Brushless Cordless Impact Drill

RP09I2307

- Specifications:**
- Rate Voltage: 18V
 - Battery: Li-ion 1500mAh
 - No load speed: 0-350rpm/0-1350rpm
 - Impact rate: 0-6000/0-21600bpm
 - Max.torque: 45N.m
 - Torque settings: 20+3
 - 10mm single sleeve metal chuck
 - slow charger
 - CE




4" cordless Chain Saw

RP27G2314

- Specifications:**
- Rated voltage: 21V
 - Battery: Li-ion 1500mAh*1
 - Cutting strip: 4"
 - Chain speed: 6m/s
 - Charge time: 3-5 hours
 - CE





Power Tools

6" cordless Chain Saw

RP27G2316

Specifications:

.Rated voltage: 21V

.Battery:Li-ion 1500mAh*1

.Cutting strip: 6"

.Chain Speed:8m/s

.Charge time:3-5 hours

.CE

.With automatic lubricated



8" cordless Chain Saw

RP27G2318

Specifications:

.Rated voltage: 21V

.Battery:Li-ion 1500mAh*1

.Cutting strip:6"

.Chain speed: 6m/s

.Charge time:3-5 hours

.With automatic lubricated

.CE



IOPcs 4mm Twist Bit Drill Set

RP09Y004

Specifications:

• Material:HSS 4241;

• Roll Forge,Plasma Nitriding;

• Size:4mm Or 5/32".



IOPcs 8mm Twist Bit Drill Set

RP09Y008

Specifications:

• Material:HSS 4241;

• Roll Forge,Plasma Nitriding;

• Size:8mm Or 5/16".



IOPcs 5mm Twist Bit Drill Set

RP09Y005

Specifications:

• Material:HSS 4241;

• Roll Forge,Plasma Nitriding;

• Size:5mm Or 3/16".



5Pcs IOmm Masonry Drill Bit Set

RP09Y110

Specifications:

• With YG8 carbide tips for increased durability;

• For fast drilling of plug, anchor or clearance holes in a variety of materials including masonry, stone, concrete and brick/block.

• Size: 10mm.



IOPcs 6mm Twist Bit Drill Set

RP09Y006

Specifications:

• Material:HSS 4241;

• Roll Forge,Plasma Nitriding;

• Size:6mm Or 15/64".



IOPcs 4mm Wood Drill Bit Set

RP09Y504

Specifications:

• Material:carbon steel with hardness;

• Precision ground lip and spur type wood drills;

• Size: 4mm.



IOPcs 5mm Wood Drill Bit Set

RP09Y505

Specifications:

• Material:carbon steel with hardness;

• Precision ground lip and spur type wood drills;

• Size: 5mm.



IOPcs 6mm Wood Drill Bit Set

RP09Y506

Specifications:

• Material:carbon steel with hardness;

• Precision ground lip and spur type wood drills;

• Size: 6mm.



IOPcs 8mm Wood Drill Bit Set

RP09Y508

Specifications:

• Material:carbon steel with hardness;

• Precision ground lip and spur type wood drills;

• Size: 8mm.



5Pcs IOmm Wood Drill Bit Set

RP09Y510

Specifications:

• Material:carbon steel with hardness;

• Precision ground lip and spur type wood drills;

• Size: 10 mm.



5Pcs IOmm Twist Bit Drill Set

RP09Y010

Specifications:

• Material:HSS 4241;

• Roll Forge,Plasma Nitriding;

• Size:10mm Or 3/8".



IOPcs 4mm Masonry Drill Bit Set

RP09Y104

Specifications:

• With YG8 carbide tips for increased durability;

• For fast drilling of plug, anchor or clearance holes in a variety of materials including masonry, stone, concrete and brick/block.

• Size: 4mm.



IOPcs 5mm Masonry Drill Bit Set

RP09Y105

Specifications:

• With YG8 carbide tips for increased durability;

• For fast drilling of plug, anchor or clearance holes in a variety of materials including masonry, stone, concrete and brick/block.

• Size: 5mm.



IOPcs 6mm Masonry Drill Bit Set

RP09Y106

Specifications:

• With YG8 carbide tips for increased durability;

• For fast drilling of plug, anchor or clearance holes in a variety of materials including masonry, stone, concrete and brick/block.

• Size: 6mm.



IOPcs 8mm Masonry Drill Bit Set

RP09Y108

Specifications:

• With YG8 carbide tips for increased durability;

• For fast drilling of plug, anchor or clearance holes in a variety of materials including masonry, stone, concrete and brick/block.

• Size: 8mm.



I6Pcs Drill Bit Set

RP09Y9016

Specifications:

• 6Pcs HSS4241 Drill Bit:2,3,4,5,6,8mm,with black oxide coating;

• 5Pcs Masonry Dill Bit:4,5,6,8,10mm , with alloy blade;

• 5Pcs Wood Drill Bit: 4,5,6,8,10mm,with carbon steel;



5Pcs Twist Drill Bit Set

RP09Y1005

Specifications:

• Classic HSS construction with black oxide coating for capability and durability, also ensures a longer service life so that the drill bits last through multiple uses;

• Self-centering 135-degree Or 118-degree split point penetrates hard material without a pilot hole and produces small chips to reduce clogging;

• Great drill bits set for metal/wood/plastic countersink,

• Suitable for Home DIY, and General Building/Engineering Use.

• Size: 4,5,6,8,10mm



8Pcs Twist Drill Bit Set

RP09Y1008

Specifications:

• Classic HSS construction with black oxide coating for capability and durability, also ensures a longer service life so that the drill bits last through multiple uses;

• Self-centering 135-degree Or 118-degree split point penetrates hard material without a pilot hole and produces small chips to reduce clogging;

• Great drill bits set for metal/wood/plastic countersink,

• Suitable for Home DIY, and General Building/Engineering Use.

• Size: 3,4,5,6,7,8,9,10mm



Power Tools



5Pcs Wood Drill Bit Set

- Specifications:**
- Classic Carbon Steel Material for fast cutting against tough wood material. High hardness, offer superior cutting power and durable;
 - The Brad-Point Design can penetrate surface quickly because of the sharp point on the tip;
 - This allows the user to pinpoint the mark with the drill bit
 - Perfect for wood, fiberboard, particleboard, plywood, PVC, rubber etc.
 - Size: 4,5,6,8,10mm



RP09Y2005

8Pcs Wood Drill Bit Set

- Specifications:**
- Classic Carbon Steel Material for fast cutting against tough wood material. High hardness, offer superior cutting power and durable;
 - The Brad-Point Design can penetrate surface quickly because of the sharp point on the tip;
 - This allows the user to pinpoint the mark with the drill bit
 - Perfect for wood, fiberboard, particleboard, plywood, PVC, rubber etc.
 - Size: 3,4,5,6,7,8,9,10mm



RP09Y2008



Flavic Tools & Equipment Inc.

2F, No.1 Building,
No.58 Xiangshan Road,
Wenyan Town,
Xiaoshan District,
Hangzhou 311258 China

Tel: (86)571-85771352

Fax: (86)571-85771353

www.flavictools.com